arXiv:astro-ph/9905076v1 6 May 1999

A subarcsecond resolution near-infrared study of Seyfert and 'normal' galaxies: I. Imaging data

Reynier F. Peletier[1]

Johan H. Knapen[2,6]

Isaac Shlosman[3]

D. Pérez-Ramírez[2]

D. Nadeau[4,6]

R. Doyon[4,6]

J.M. Rodriguez Espinosa[5]

and

A.M. Pérez García[5]

[1]Department of Physics, University of Durham, South Road, Durham, DH1 3LE, UK, E-mail: R.F.Peletier@dur.ac.uk

[2]Department of Physical Sciences, University of Hertfordshire, Hatfield, Herts AL10 9AB, UK, E-mail: knapen@star.herts.ac.uk

[3] Department of Physics & Astronomy, University of Kentucky, Lexington, KY 40506-0055, USA, E-mail: shlosman@pa.uky.edu

[4] Observatoire du Mont Mégantic and Département de Physique, Université de Montréal, C.P. 6128, Succursale Centre Ville, Montréal (Québec), H3C 3J7 Canada, E-mail: nadeau, doyon@astro.umontreal.ca

[5] Instituto de Astrofísica de Canarias, E-38200 La Laguna, Tenerife, Spain, E-mail: jre, apg@iac.es

ABSTRACT

We present new high-resolution near-infrared observations in the J, H and K bands, obtained to study the properties of Seyfert host galaxies. The dataset consists of images in the three bands of practically the entire CfA sample of Seyfert galaxies, and K-band images of a control sample of non-active, 'normal', galaxies, matched to the Seyfert sample in the distribution of type and inclination. The spatial resolution and sampling of the new images is a factor 2 better than previously published K-band data. In this paper, we present the data in the form of profiles of surface brightness and color, ellipticity and major axis position angle, as well as greyscale maps of surface brightness in H or K and both $J-H$ and $H-K$ colors. We compare our surface brightness and color profiles with the literature, and find good agreement.

Our data are discussed in detail in three subsequent publications, where we analyze the morphologies of Seyfert and normal hosts, quantify the strength of nonaxisymmetric features in disks and their relationship to nuclear activity, address the question of bar fraction in Seyferts and normal galaxies, and analyze the color information in the framework of emission mechanisms in Seyfert 1s and 2s, and in non-active galaxies.

[6]Visiting Astronomer, Canada-France-Hawaii Telescope operated by the National Research Council of Canada, the Centre National de la Recherche Scientifique de France and the University of Hawaii

Subject headings: Galaxies: Evolution — Galaxies: Nuclei — Galaxies: Seyfert — Galaxies: Spiral — Galaxies: Statistics — Infrared: Galaxies

1. Introduction

By studying the relationship between active galactic nuclei (AGNs) and their host galaxies we can learn about the processes that fuel the central activity and the role the AGNs play in galactic evolution. Because high spatial resolution is required for this purpose, the use of nearby samples is most promising.

In the last two decades a number of works have been dedicated to this issue. Early optical surveys (Adams 1977; Heckman 1978; Simkin, Su & Schwarz 1980; Dahari 1984) studied the fraction of bars in Seyfert (Sy) galaxies, to find the link between Sy nuclear activity and non-axisymmetric distortions of the gravitational potentials of host galaxies by large-scale stellar bars and tidal interactions. This view was supported by theoretical arguments that gravitational torques are able to remove the excess angular momentum from inflowing gas, leading to central or nuclear activity (e.g., reviews by Athanassoula 1994 and Phinney 1994). However, the early observational results were questioned because the control samples were not matched to the Sy sample in such important properties like morphological distribution (Balick & Heckman 1982; Fuentes-Williams & Stocke 1988; Shlosman, Begelman & Frank 1990). Furthermore, it has been shown that a combination of dust obscuration, stellar populations and inadequate spatial resolution can hide even a strong bar in the optical (e.g., Thronson et al. 1989; Block & Wainscoat 1991; Spillar et al. 1992).

It is clear that in the near-infrared (NIR), where one can look through the dust, more bars are found (McLeod & Rieke 1995), but the fact that NIR arrays until recently covered small areas on the sky made galaxy classification in the NIR a very tedious job. Even very recent studies (e.g. Moles, Márquez & Pérez 1995; Ho, Fillipenko & Sargent 1996) had to rely on the morphological classification from optical catalogs (e.g., the RC3, de Vaucouleurs et al. 1991). Only Mulchaey & Regan (1997), using K-band observations with a field size of about $3' \times 3'$, do not take this route, and conclude from NIR observations of Sy and control galaxies that the bar fractions are equal in these two classes.

Apart from studying the morphology, one can also make use of optical and NIR colors to investigate the nature of Sy galaxies. Traditionally, Sy galaxies are classified into two categories, i.e., the Sy 1s with broad, and the Sy 2s with narrow emission lines. The 'unified model for AGNs' explains the observed differences between the two classes of Sy's in terms of orientation effects with respect to the observer (see Antonucci 1993 for a review). The model invokes an optically thick torus, which surrounds the region responsible for the production of the broad lines (BLR) and is oriented edge-on for Sy 2s, and face-on for Sy 1s. The main observational support for this scheme comes from spectropolarimetry, showing scattered light from the BLR in Sy 2 galaxies, and from striking bi-conical structures in line emission maps (e.g., NGC 5252, Tadhunter & Tsvetanov 1989). NIR colors are generally well fitted by a combination of stellar populations and hot dust of about $1,000 - 1,300$ K (e.g., Glass & Moorwoord 1985; Alonso-Herrero et al. 1998). Infrared color-color diagrams, like the $J - H$ vs. $H - K$ diagram, show that the light in near the nuclei of many Seyfert galaxies cannot be reproduced purely by starlight, even extincted by dust, because for a given $J - H$ the $H - K$ is just too red (e.g. Alonso-Herrero et al. 1998). $H - K$ colors larger than 1 are sometimes seen in Seyfert nuclei, which should be compared to the reddest stars, which have $H - K \sim 0.45$ (Bessell & Brett 1988). It is thought that in such a case, a significant fraction of the light comes from

thermal radiation from dust heated by a primary ultraviolet source, which could be the AGN or a site of star formation (Rieke 1978). In the case of 3C273 Barvainis (1987) has shown that he could reproduce its spectrum, with a bump at 2 microns due to emission by ≈ 700 $M_\odot$ of dust of ≈ 1000 K situated between 2 and 20 pc from the nucleus. Others (e.g. Alonso-Herrero et al. 1998) have shown that the position of Seyferts in the $J-H$ vs. $H-K$ diagram is well fitted by such models. To see emission from hot dust, one has to go to the K-band, since the H-band is generally barely affected. Sy galaxies, in addition to hot dust, must also contain a large amount of cold dust, causing the optical BLR to be completely obscured in Sy 2s. This cold dust will extinguish and redden the colors of the nucleus. High-resolution NIR color profiles will provide information about the extent of the region containing hot dust, and in this way will constrain both the energy radiated by the central engine and the kinematics of the dusty torus.

This is the first in a series of 4 papers in which we study the morphology and photometry of Sy galaxies, and compare them with non-active ('normal') galaxies. For this purpose, we have observed the CfA sample, an unbiased sample of Sy 1s and 2s (Huchra & Burg 1992) in the J, H and K bands with a median seeing of $0\farcs7$, i.e., more than a factor 2 better than in previous NIR surveys (McLeod & Rieke 1995; Hunt et al. 1997; Mulchaey, Regan & Kundu 1997, Hunt et al. 1999). This data set is presented along with imaging of a control sample of non-active galaxies, matched to the CfA sample. To compensate for the fact that our field size is only about $1'$, we have combined our data in the outer parts of the galaxies with ellipticity and position profiles obtained from the Palomar Sky Survey (Lasker et al. 1990). Since in the outer parts of spirals the influence of extinction is much less than near the center (e.g., Peletier et al. 1995), this will most likely give results similar to those from large-size NIR arrays. Here (Paper I), we describe the observations of the CfA and control samples, and present the imaging data, accompanied by fits to the NIR & POSS images. Knapen, Shlosman & Peletier (1999, hereafter Paper II) compare both samples to analyze the prevailing morphologies of Sy and normal hosts and their bar fractions. Shlosman, Peletier & Knapen (1999, Paper III) address the issue of bar strengths in Sy and non-Sy galaxies. Peletier, Knapen & Shlosman (1999, Paper IV), analyze our photometric data in the framework of emission mechanisms in Sy 1s and 2s, and in normal galaxies.

This paper is organized as follows. In Section 2, we describe the samples and in Section 3 the observations. In Section 4, the data reduction steps are discussed, and in Section 5 we compare our observations with previous work in the literature. A summary is given in Section 6. Finally, the appendix gives some notes on the individual objects.

2. Samples

The Sy sample considered here is the CfA sample (Huchra & Burg 1992). It is basically a spectroscopically selected blue-magnitude limited sample of active galaxies. We took all galaxies classified by Huchra & Burg (1992) as Sy 1s and 2s. The advantage of selecting Sy's in this way is that it is relatively unbiased, and that one can make comparisons between the properties of Sy's of types 1 and 2. The sample has been observed at many different wavelengths, and is therefore well-suited to study the physical properties of AGNs. We excluded 3C 273 because of its large redshift ($z = 0.16$ vs. 0.07, for the second largest). No NIR observations were taken of NGC 4395, since it is a dwarf galaxy, much fainter than the rest of the sample, with such a low surface brightness that we could barely detect the nucleus. NGC 5347 was also not included, for observational reasons. We did observe Mrk 789, which is part of the CfA sample, but was not included in the study by McLeod & Rieke (1995). Mrk 471, included by McLeod & Rieke but not by Huchra & Burg, was not included. The sample is shown in Table 1.

We also observed a control sample of 34 galaxies, selected from the RC3 to mimic the Sy sample accurately in terms of morphological type (including barred/non-barred as derived from the RC3 classification) and ellipticity. In Paper II, the detailed selection criteria of this sample are discussed, and the morphology of the galaxies in the two samples compared. The control sample is presented in Table 2.

3. Observations

Observations were performed at the Observatorio del Roque de los Muchachos at La Palma for 2/3 of the sample, using WHIRCAM (Hughes, Roche & Dhillon 1996) at the 4.2m William Herschel Telescope (WHT), and at the 3.6m Canada France Hawaii Telescope (CFHT) at Hawaii for the remaining third, using the Montréal NIR camera (MONICA; Nadeau et al. 1994). At La Palma, the observations were made in September, 1995 and in April, 1996, whereas all CFHT observations were made in February, 1996. WHIRCAM uses an InSb array with 256×256 pixels of $0\farcs245$ on the sky. MONICA uses a 256×256 HgCdTe array with a very similar pixelsize of $0\farcs242$. To match the ellipticity distribution of the Sy and control samples, we added the galaxy NGC 6504 to the control sample. This galaxy had been observed at UKIRT in 1994 using a 256×256 InSb array with pixelsize of $0\farcs291$ (Peletier & Balcells 1997).

The observing procedure consisted in taking a series of 4 dithered frames of typically 60s each, flanked or followed by 4 dithered sky frames of the same exposure time, taken at offsets of about 5 - $10'$ from the object. After this, the same procedure was repeated. A small linearity correction was applied to the WHIRCAM data, determined from dome flatfields taken using various integration times. No linearity correction was needed for the CFHT exposures.

Care was taken that none of the exposures were saturated, implying, for example, that the integration time per readout for NGC 4151 in K was 0.5s. Our exposures for that galaxy, and to a lesser extent for a few others, contain rather strong diffraction spikes, due to the relative strength of the nuclear source. The CFHT exposures suffer to a small extent from residual images. After observing a bright source, the next image may contain a faint pointsource at the position of the previous peak. The strength of these residual sources was 0.2% of the initial source at most, and was only visible for galaxies with very bright nuclei. This hysteresis effect does not affect the data presented here.

For the control sample, K-band images of the same quality as those of the Sy sample were obtained. The control sample was observed during the same nights as the Sy sample, so the photometric and seeing conditions are the same for both samples.

During the observations some high clouds were present. Comparison with the surface photometry of McLeod & Rieke (1995) and aperture photometry in the literature shows that the attenuation by clouds in J, H and K in general varied between 0 and 0.5 mag.

To estimate the quality of the images, we have measured the seeing for every galaxy in each band using stars on the galaxy frame or on adjacent sky frames. In some cases no stars were available, and seeing values have been taken from galaxy frames observed approximately at the same time at similar airmass values. The measured values for the FWHM of the images have been given in Tables 3 and 4. They should be considered upper limits for the seeing, given the fact that some images are almost critically sampled. The seeing was generally excellent, and varied between $0\farcs5$ and $1\farcs0$. The reduced mosaics have an effective median seeing of about $0\farcs7$.

4. Data Reduction

The basic data reduction procedure was standard, and although different in details for our WHT and CFHT data, can be summarized as follows. After subtracting an appropriate dark frame, all sky frames belonging to a certain object were median combined, and subtracted from each object frame. A flatfield was created by taking the median of all normalized sky-frames taken during the night. After flatfielding, a mosaic was made from all object frames by aligning them on the centroid of the nucleus or a bright star. Bad pixels were excluded using a mask. This process is the same as, for example, described in Peletier (1993). Further details of the CFHT data reduction procedure can be found in Pérez-Ramírez et al. (in preparation). The images are shown in Fig. 1. The data presented in Figure 1 is tabulated in Table 5. Only tabulated are data points for which the error in the H-band surface brightness is less than 1 mag.

During each run, the position angle (from N to E) of the camera was measured by comparing the positions of stars on our frames with images of the POSS Digital Sky Survey (ref.). In the same way our pixel size was determined to be $0\farcs245 \pm 0.005\%$ for the WHIRCAM images, and $0\farcs242 \pm 0.005\%$ for the MONICA frames. These numbers were used to determine the final radial morphological profiles.

To study the morphology of the galaxies in the Sy and Control samples, we fitted ellipses to the images using `galphot` (see Jørgensen, Franx & Kjaergaard 1992). We first removed foreground stars by hand, and did not consider them in the fit. The center position was allowed to change freely as a function of radius. After ellipse fitting, we determined the residual background sky value for each frame, and subtracted it from the profile. This was done by taking a median value of the signal in the outer parts of the frame, which were thought to be the least affected by galaxy emission. For large galaxies a better estimate was made by assuming that the logarithmic slope of the surface brightness profile remained constant outside the frame. Although this might lead to quite large errors, the contribution of most galaxies in the outer parts of the frames is negligible. As an example, for all but the brightest galaxies, the surface brightness in H at the edge of the frame is lower than 21 $\mathrm{mag\,arcsec^{-2}}$, which is 0.17% of a typical sky surface brightness of 14 $\mathrm{mag\,arcsec^{-2}}$. Background sky determination errorbars are included in Fig. 1. 1σ errorbars correspond to $\mu_H = 21.5\,\mathrm{mag\,arcsec^{-2}}$, μ_J=21.2 $\mathrm{mag\,arcsec^{-2}}$ and μ_K=20.5 $\mathrm{mag\,arcsec^{-2}}$, which corresponds to about 0.1% of the sky background in H and K, and 0.3% in J. The dotted line corresponds to a radius of 1 seeing FWHM, outside which the effects of seeing on the ellipticity and position angle profile in general are small. However, some of our La Palma data suffer from an elongated PSF, as a result of bad tracking of the telescope. In such a case the galaxy images in the inner regions are elongated towards PA 90 degrees, and up to a maximum of 2-3″ these profiles can not be trusted. The effect is present in all frames observed at La Palma, and is worst for the most elongated galaxies.

In order to increase the field size, we also took the images of the digitized Palomar Observatory Sky Survey (POSS; E-plates), and fitted ellipses to them in the same way as described above. Although most of these images are saturated in the central regions, they extend further out than would equivalent NIR images, since the POSS images are deep R-band images, and galaxies generally become less dusty when going outward, which implies that they are bluer. One of the reasons that our observations have been taken in the NIR is the fact that spiral galaxies, and especially Sy's are dusty in general (e.g., Valentijn 1990; Beckman et al. 1996: Alonso-Herrero et al. 1998). However, the amount of extinction generally decreases when going outward. Peletier et al. (1995) showed that the extinction at 3 NIR disk scale lengths in B is smaller than 0.5 mag, in general. Our NIR data cover in all cases the inner three scale lengths of our galaxies. Further out, where we have to use the red POSS data, the influence of extinction can be neglected. Agreement between NIR and POSS datasets in the overlap region is generally good. The POSS fits have

been plotted along with the NIR fits in Fig. 1. In the inner regions no POSS-fit data are shown when those images are saturated.

The observations were all done using partially-clouded weather conditions, with high cirrus clouds present on many of the observing nights. In particular the 11th and 12th of September, 1995 suffered from clouds. Many of the galaxies observed on those nights were reobserved on the 13th. The weather conditions in February and April, 1996 were better, with less cirrus. Since on April 28, 1996 the seeing was bad, all observations taken on that day were repeated later. Because of the clouds, the Sy data were all photometrically calibrated using aperture photometry in the literature. This is not an ideal situation, since many of these AGNs are variable (e.g., Peterson et al. 1998). We could however find aperture photometry in J, H and K for all but 2 of the galaxies, Mark 590 and UGC 6100, which we calibrated using standard stars observed during the night. Most of the literature aperture photometry was obtained from Edelson, Malkan & Rieke (1987; 26 galaxies). Other comparison sources included Spinoglio et al. (1995; 11), Rieke (1978; 4), Rudy et al. (1982; 2) and McAlary (1982; 1). As a check, we compared our K-band data with the surface photometry of McLeod & Rieke (1995). In general the agreement was reasonable. For NGC 5940, however, using photometry of Edelson et al. (1987) there was more than a magnitude difference between the two calibrations, and for that reason we applied our standard star calibration. We claim that the absolute accuracy of our photometry is about 0.3 mag (1σ RMS), based on the comparison with McLeod & Rieke (1995). We refer the reader to Section 5 for further details on comparison with the literature.

For the control sample, we used standard stars. On each night in periods without much cloud cover many standard stars were observed from the list of Casali & Hawarden (see Hughes et al. 1996) and Carter & Meadows (1995). For each run, the same photometric calibration was used, and no corrections were applied for atmospheric and galactic extinction, nor were any color terms applied. Comparison with the Seyfert galaxy data, which was photometrically calibrated using aperture photometry in the literature, shows that the photometric accuracy of the control sample is about $0.3 - 0.5$ mag. The importance of this number is marginal however, since no color information is provided for the control sample.

After the photometric calibration, color index maps and profiles were made of the Sy's. To create color maps, frames in two bands were first sky-subtracted, after which the frame with the best seeing was convolved with a gaussian to match the circular gaussian seeing FWHM of both galaxies. The frames were then shifted to the same center, divided by each other, and calibrated. The resulting color maps are shown in Fig. 1. In a few cases some effects of different PSFs are seen in the center, since in general the PSF on the WHT is slightly elliptical due to telescope movements during the observations, an effect noticed especially when the seeing is good. For a typical seeing of $0\farcs7$, the motion of the telescope gives a round object an ellipticity of 0.2. After fitting ellipses to the H-band images, we fitted ellipses to the J and K images, keeping the shape of the isophotes constant. In this way radial color profiles could be determined. In Fig. 1 we show $J-H$ and $H-K$ color profiles. In the figure, dotted lines indicate a radius corresponding to 1 seeing FWHM. Simulations have shown (e.g., Franx, Illingworth & Heckman 1989; Peletier et al. 1990) that generally differences in seeing will not produce errors larger than 0.05 mag at radii larger than indicated by this line.

5. Comparison with the Literature

To check the quality of our photometry, we have made a number of comparisons with literature data. The surface brightness profiles in K were compared to the NIR array observations of McLeod & Rieke

(1995) in K. The comparison is shown in Fig. 2 and is good in general. In the central regions, our data tend to be brighter, due to our better seeing. In individual cases, however, this effect can be caused by variability in the luminosity of the AGN itself. Peterson et al. (1998), using an aperture of $5'' \times 7''.6$ characteristically find a variability in the optical continuum flux around 5,000 Å of 10-30% (RMS). It appears that in the NIR, the amplitude of the variability is similar to that in the visual region. The origin of variability in the NIR apparently is heating of a dusty circumnuclear region by a variable nuclear source (Glass 1998 and refs. therein). The data in most cases show that this circumnuclear region has a temperature of about $1,000 - 1,300$ K (Glass & Moorwood 1985; Alonso-Herrero et al. 1998), which implies that the variability in K is somewhat stronger than in H and J.

Somewhat further away from the center, between about 3 and $10''$ in radius, the difference between our results and those of McLeod & Rieke (1995) is generally constant as a function of radius. This means that the same surface brightness profile slope is measured, and hence the difference in surface brightness is caused by errors in the photometric calibration. The average offset between McLeod & Rieke and our results is 0.19 mag, with an RMS scatter of 0.28 mag, implying that their data are slightly brighter. The agreement between the ellipticity profiles is good. Only near the center the profiles of McLeod & Rieke typically are rounder, generally due to seeing effects. For a few galaxies, we do not present an ellipticity profile. These galaxies are severely distorted, making it impossible to make unambiguous ellipse fits.

We compared the color profiles to the data of Hunt et al. (1997), where we have 15 galaxies in common. Apart from occasional differences of a few tenths of a magnitude in the color zeropoint level, the $J - H$ and $H - K$ color profiles are very similar. Red features near the nucleus are always confirmed in the profiles of Hunt et al. (1997), except in a few cases, where the difference in seeing FWHM clearly affects their profiles.

Recently Hunt et al. (1999) published an atlas with surface photometry of 90 Seyferts of type 1 and 2. For most of their galaxies they present infrared photometry in at least one band, while for many galaxies also optical photometry is presented. The median seeing of their infrared data is $\approx 1.5''$. Their ellipticity and position angle profiles are in reasonable agreement with the data published here. Comparing simulated aperture photometry for the 16 galaxies in common in apertures of $10''$, $20''$and $30''$with the values presented in their Table 2, we find that our data are on the average resp. 0.09, 0.10 and 0.11 mag fainter, with a scatter of resp. 0.33, 0.31 and 0.31 mag, giving the same conclusion as our comparison with McLeod & Rieke (1995).

6. Summary

In this paper, we have presented a subarcsec resolution J, H and K imaging dataset to study the properties of the host galaxies of Sy nuclei. It consist of images in the three bands of all but 2 galaxies of the CfA sample of Sy galaxies, a reasonably unbiased sample of nearby Sy's 1 and 2, and K-band images of a control sample, matched to the Sy sample, and observed to study morphological properties. The seeing and sampling is about a factor 2 better than data published previously by McLeod & Rieke (1995). Here we provide for surface brightness and color profiles, ellipticity and major axis position angle profiles, including fits to the digital POSS survey, and greyscale maps of surface brightness and both $J - H$ and $H - K$ colors. We have compared the color profiles with Hunt et al. (1997) for 15 galaxies in common, and the agreement is excellent. The comparison of the K-band surface brightness profiles with McLeod & Rieke (1995) also shows good agreement.

The data presented in this paper is analyzed in three companion papers. Knapen et al. (1999),

Shlosman et al. (1999) and Peletier et al. (1999), discuss bar properties and morphologies of Sy and normal hosts, address the issue of bar fraction in Sy's and non-Sy's, and focus on the color information presented here, in the framework of emission mechanisms in Sy 1s and 2s, and in normal galaxies.

This paper is based in part on observations obtained at the William Herschel Telescope, which is operated at La Palma by the Isaac Newton Group in the Spanish Observatorio del Roque de los Muchachos of the Instituto de Astrofísica de Canarias. We thank Dr. Kim McLeod and Dr. Leslie Hunt for sending us their data tables. This research has made use of the NASA/IPAC Extragalactic Database (NED) which is operated by the Jet Propulsion Laboratory, California Institute of Technology, under contract with the National Aeronautics and Space Administration. Supported in part by NASA grants NAGW-3841 and WKU-522762-98-06, and HST AR-07982.01-96A (IS). We used images from the Digitized Sky Survey, which was produced at the STScI under U. S. Gov. grant NAG W-2166, and is based on photographic data obtained using Oschin Schmidt Telescope, operated by the California Institue of Technology and Palomar Observatory. We made use of observations made with the NASA/ESA HST, obtained from the data archive at STScI. STScI is operated by AURA, Inc. under NASA contract NAS 5-26555.

A. Notes on the Individual Objects

In this appendix, we indicate specific features relevant to our study. We do not pretend to give a complete review of each object, or even to give up-to-date references for them. Most of the observations given here are directly based on our own images. In those cases where HST imaging is available from the HST archive, we have checked those images for relevant details, and mention them where appropriate, again without pretending completeness. For some galaxies we have nothing to add to the knowledge already existing in the literature, we did however list those galaxies below in order to give the complete listing of our sample galaxies.

A.1. CfA Sample

- Mrk 334: Has some faint outer tails. HST: disturbed
- Mrk 335: Compact appearance, except for a jet-like feature to the NW. HST: quasar-like
- UGC 524: Face-on interacting spiral with outer arms.
- 1 Zw 1: Irregular, point-source dominated object.
- Mrk 993: –
- Mrk 573: Inner structure (inside 3″) possibly perpendicular to intermediate region ($< 40''$), which in turn is perpendicular to an outer envelope, as visible on the POSS image.
- UGC 1395: –
- Mrk 590: –
- NGC 1068: Nearby AGN with strong bar, lens and tightly wound spiral arms.
- NGC 1144: –

- Mrk 1243: Inner bar perpendicular to rest of galaxy
- NGC 3227: Large nearby galaxy, closely interacting with NGC 3226.
- NGC 3362: Many spiral arms.
- UGC 6100: –
- NGC 3516: Inner bar (at appr. 10″) in an outer envelope, very well visible on the POSS image.
- Mrk 744: Closely interacting with NGC 3788.
- NGC 3982: Circumnuclear SF
- NGC 4051: Strong inner bar; irregular spiral arms, and fairly round in the outer parts.
- NGC 4151: Round bulge, with a strong outer bar. The very strong, red, central source makes the spikes of the telescope very well visible in the color maps. Some instrumental effects (ripples and low counts on one vertical semi-axis through the center) are visible as well.
- NGC 4235: –
- Mrk 766: HST: bar
- Mrk 205: Very close to NGC 4319, but with very different redshifts (0.07 for Mrk 205 vs. 0.006 for NGC 4319).
- NGC 4388: Dusty edge-on galaxy
- NGC 4395: Nearby, low surface brightness dwarf galaxy, not observed in the NIR
- Mrk 231: Irregular appearance. Faint tails in the outer parts seen on the POSS image and in de Robertis et al (1998).
- NGC 5033: –
- Mrk 789: Strongly interacting pair.
- UGC 8621: Three-armed spiral.
- NGC 5252: Featureless galaxy with slightly rounder outer regions. HST: polar ring
- Mrk 266: Closely interacting pair
- Mrk 270: Regular appearance. Has a small inner bar visible in the NIR.
- NGC 5273: –
- Mrk 461: –
- NGC 5347: Strongly barred galaxy, not observed in this paper.
- Mrk 279: The galaxy has a large, resolved red inner region, only visible in $H - K$
- NGC 5548: Peculiar outer shells.

- NGC 5674: Face-on galaxy with a peculiar outer ring. The HST images show an inner bar perpendicular to the main bar.
- Mrk 817: HST: bar
- Mrk 686: –
- Mrk 841: Compact, pointsource dominated source
- NGC 5929: Closely interacting with NGC 5930.
- NGC 5940: Strong bar in face-on galaxy. HST: bar
- NGC 6104: Strong-barred, interacting system with shells. HST: bar
- UGC 12138: Barred galaxy getting rounder in outer parts. HST: bar
- Mrk 335: Compact appearance, except for a jet-like feature to the NW. HST: quasar-like
- NGC 7469: Peculiar isophotes, interacting galaxy
- Mrk 530: –
- Mrk 533: Face-on spiral with a strong bar and a companion.
- NGC 7682: Strong bar in face-on galaxy. HST: bar

A.2. Control Sample

- NGC 1093: Strongly-barred
- UGC 3247: –
- UGC 3407: Strongly barred galaxy, almost round in outer parts
- UGC 3463: –
- UGC 3536: Apparently edge-on, but outer regions getting round.
- UGC 3576: Outer regions much rounder than part visible on the NIR image.
- UGC 3592: Strongly-barred, with bright star nearby
- NGC 2347: –
- UGC 3789: Strong-barred round, face-on galaxy
- NGC 2365: –
- UGC 3850: Galaxy has a large, round outer ring
- NGC 2431: Inner bar perpendicular to rest of galaxy
- NGC 2460: –

- NGC 2487: Strongly-barred round galaxy
- NGC 2599: Large position angle twist
- NGC 2855: –
- NGC 3066: Strongly-barred round galaxy
- NGC 3188: Strongly-barred round galaxy
- NGC 3455: –
- NGC 4146: –
- NGC 4369: –
- NGC 4956: –
- NGC 4966: –
- NGC 5434: Close companion of UGC 8967
- NGC 5534: Very irregular appearance of an interacting galaxy
- NGC 5832: Strong PA twist in the outer parts.
- NGC 5869: Ellipticity profile almost constantly rising
- UGC 9965: Inner bar in round galaxy
- NGC 5992: Face-on galaxy with wide spiral arms. Interacting with NGC 5993
- NGC 6085: –
- NGC 6278: –
- NGC 6504: edge-on
- NGC 6635: –
- NGC 6922: Peculiar spiral arms

REFERENCES

Adams, T.F. 1977, ApJS, 33, 19

Alonso-Herrero, A., Simpson, C., Ward, M.J. & Wilson, A.S., 1998, ApJ, 495, 196

Antonucci, R., 1993, ARAA, 31, 473

Athanassoula, E., 1996 , Evolution of Bars in Isolated and Interacting Disk Galaxies, in 'Barred Galaxies', ed. R. Buta, D. Crocker and B. Elmegreen, ASP Series 91, p. 309

Balick, B. & Heckman, T.M. 1982, ARAA, 20, 431

Barvainis, R., 1987, ApJ, 320, 537

Beckman, J.E., Peletier, R.F., Knapen, J.H., Corradi, R.L.M. & Gentet, L.J., 1996, ApJ, 467, 175

Bessell, M.S. & Brett, J.M., 1988, PASP, 100, 1134

Block, D. & Wainscoat, R.J. 1991, Nature, 353, 48

Carter, B.S. & Meadows, V.S., 1995, MNRAS, 276, 734

Dahari, O. 1984, Ph.D. Thesis, University of California at Santa Cruz

de Robertis, M.M., Hayhoe, K. & Yee, H.K.C., 1998, ApJS, 496, 93

de Vaucouleurs, G., de Vaucouleurs, A., Corwin, H.G., Buta, R.J., Paturel, G., Fouqué, P. 1991, 3rd Reference Catalogue of Bright Galaxies (RC3), Springer, New York

Edelson, R.A., Malkan, M.A. & Rieke, G.H., 1987, ApJ, 323, 516

Franx, M., Illingworth, G. & Heckman, T., 1989, AJ, 98, 538

Fuentes-Williams, T. & Stocke, J.T. 1988, AJ, 96, 1235

Glass, I., 1998, MNRAS, 297, 18

Glass, I.S. & Moorwood, A.F.M., 1985, MNRAS, 214, 429

Heckman, T. 1978, PASP, 90, 241

Ho, L.C., Filippenko, A.V. & Sargent, W.L.W. 1996, ApJ 487, 591

Huchra, J.P., & Burg, R. 1992, ApJ, 393, 90

Hughes, S.M., Roche, P. & Dhillon, V.S. 1996, *WHIRCAM Users's Guide v1.0*, La Palma

Hunt, L.K., Malkan, M.A., Salvati, M., Mandolesi, N., Palazzi, E. & Wade, R., 1997, ApJS, 108, 229

Hunt, L.K., Malkan, M.A., Rush, B., Bicay, M.D., Nelson, B.O., Stanga, R.M. & Webb, W., 1999, ApJS, in press

Jørgensen, I., Franx, M. & Kjaergaard, P., 1992, A&AS, 95, 489

Knapen, J.H., Shlosman, I. & Peletier, R.F., 1999, submitted to Astrophysical Journal (Paper II)

Lasker, B.M., Sturch, C.R., McLean, B.J., Russell, J.L, Jenkner, H. & Shara, M.M., 1990, AJ, 99, 2019

Lauberts, A. & Valentijn, E.A., 1989, The Surface Photometry Catalogue of the ESO-Uppsala Galaxies, 1989, ESO, Garching

Malkan , M., Gorjian, V. & Tam, R., 1998, ApJS, 117, 25

McLeod, K.K. & Rieke, G.H. 1995, ApJ, 441, 96

McAlary, C.W., 1982, PhD Thesis, University of Toronto

Moles, M., Márquez, I. & Pérez, E. 1995, ApJ, 438, 604

Mulchaey, J.S. & Regan, M.W., 1997, ApJ, 482, L135

Mulchaey, J.S., Regan, M.W. & Kundu, A., 1997, ApJS, 110, 299

Nadeau, D., Murphy, D.C., Doyon, R. & Rowlands, N. 1994, PASP, 106, 909

Peletier, R.F., 1993, A&A, 271, 51

Peletier, R.F., Davies, R.L., Illingworth, G., Davis, L. & Cawson, M. 1990, AJ, 100, 1091

Peletier, R.F., Valentijn, E.A., Moorwood, A.F.M., Freudling, W., Knapen, J.H. & Beckman, J.E., 1995, A&A, 300, L1

Peletier, R.F. & Balcells, M. 1997, New Astronomy, 1, 349

Peletier, R.F., Knapen, J.H. & Shlosman, I., 1999, in preparation (Paper IV)

Peterson, B.M., Wanders, I., Bertram, R., Hunley, J.F., Pogge, R.F. & Wagner, R.M., 1998, ApJ, 501, 82

Phinney, E.S.P. 1994, in Mass-Transfer Induced Activity in Galaxies, I. Shlosman, ed. (Cambridge Univ. Press), p. 1

Rieke, G.H., 1978, ApJ, 226, 550

Rudy, R.J., Jones, B., Levan, P.D., Puetter, R.C., Smith, H.E., Willner, S.P. & Tokunaga, A.T., 1982, ApJ, 257, 570

Shlosman, I., Begelman, M.C. & Frank, J. 1990, Nature, 345, 679

Shlosman, I., Peletier, R.F. & Knapen, J.H., 1999, in preparation (Paper III)

Simkin, S.M., Su, H.J. & Schwarz, M.P. 1980, ApJ, 237, 404

Spillar, E.J., Oh, S.P., Johnson, P.E. & Wenz, M. 1992, AJ 103, 793

Spinoglio, L., Malkan, M.A., Rush, B., Carrasco, L. & Recillas-Cruz, E., 1995, ApJ, 453, 616

Tadhunter, C. & Tsvetanov, Z., 1989, Nature, 341, 422

Thronson, H. Jr., Hereld, M., Majewski, S., Greenhouse, M., Johnson, P., Spillar, E., Woodward, C.E., Harper, D.A. & Rauscher, B.J. 1989, ApJ, 343, 158

Valentijn, E.A., 1990, Nature, 346, 153

This preprint was prepared with the AAS LaTeX macros v4.0.

Galaxy	Sy	Type	RA			Dec			z	M_K	M_B	MGT
Mrk 334	1.8	.P.....	00	03	09.622	+21	57	36.56	0.0220	-23.8	-20.1	RS1
Mrk 335	1	.P.....	00	06	19.519	+20	12	10.49	0.0259	-24.2	-20.7	SS1
UGC 524	1	PSBS3..	00	51	35.010	+29	24	04.53	0.0359	-24.7	-21.3	
1 Zw 1	1	.S?....	00	53	34.940	+12	41	36.20	0.0604	-24.4	-22.4	
Mrk 993	2	.S..1..	01	25	31.464	+32	08	11.43	0.0154	-23.6	-19.4	RS2
Mrk 573	2	RLXT+*.	01	43	57.802	+02	20	59.65	0.0173	-23.8	-19.5	RS2
UGC 1395	1.9	.SAT3..	01	55	22.039	+06	36	42.65	0.0174	-23.7	-19.9	
Mrk 590	1.2	.SAS1*.	02	14	33.562	-00	46	00.09	0.0263	-24.8	-20.5	SS1
NGC 1068	2	RSAT3..	02	42	40.711	-00	00	47.81	0.0037	-24.7	-19.3	
NGC 1144	2	.RING.B	02	55	12.196	-00	11	00.81	0.0288	-25.5	-19.8	RS2
Mrk 1243	1	.S..1..	09	59	55.835	+13	02	37.76	0.0353	-24.1	-19.9	
NGC 3227	1.5	.SXS1P.	10	23	30.589	+19	51	53.99	0.0038	-23.8	-16.5	SS1
NGC 3362	2	.SX.5..	10	44	51.716	+06	35	48.24	0.0227	-24.7	-21.6	RS2
UGC 6100	2	.S..1?.	11	01	33.999	+45	39	14.16	0.0291	-24.2	-20.9	RS2
NGC 3516	1.5	RLBS0*.	11	06	47.490	+72	34	06.88	0.0085	-23.6	-19.3	SS1
Mrk 744	1.8	.SXT1P.	11	39	42.551	+31	54	33.43	0.0091	-22.3	-18.1	SS1
NGC 3982	2	.SXR3*.	11	56	28.102	+55	07	30.58	0.003	-21.9	-19.1	RS2
NGC 4051	1	.SXT4..	12	03	09.614	+44	31	52.80	0.0022	-23.3	-16.2	SS1
NGC 4151	1.5	PSXT2*.	12	10	32.579	+39	24	20.63	0.0030	-23.9	-18.3	
NGC 4235	1	.SAS1./	12	17	09.904	+07	11	29.08	0.0077	-23.8	-19.0	RS1
Mrk 766	1.5	PSBS1*.	12	18	26.509	+29	48	46.34	0.0128	-23.3	-19.1	SS1
Mrk 205	1	.P.....	12	21	44.120	+75	18	38.25	0.070	-24.7	-23.5	
NGC 4388	2	.SAS3*/	12	25	46.701	+12	39	40.92	0.008	-22.5	-16.9	
NGC 4395	1.8	.SAS9*.	12	25	48.918	+33	32	48.43	0.0011	-21.6	-14.3	
Mrk 231	1	.SAT5$P	12	56	14.2344	+56	52	25.236	0.0410	-26.3	-21.3	
NGC 5033	1.9	.SAS5..	13	13	27.526	+36	35	38.08	0.0030	-24.4	-18.3	
Mrk 789	1	.P.....	13	32	23.984	+11	06	20.19	0.032	-24.0	-20.7	
UGC 8621	1.8	.S?....	13	37	39.870	+39	09	16.99	0.0201	-23.8	-20.1	
NGC 5252	1.9	.L.....	13	38	15.963	+04	32	33.29	0.0231	-24.6	-19.5	RS1
Mrk 266	2	.P.....	13	38	17.69	+48	16	33.9	0.0275	-23.6	-20.9	RS2
Mrk 270	2	.L...?.	13	41	05.759	+67	40	20.32	0.0090	-22.7	-17.7	RS2
NGC 5273	1.9	.LAS0..	13	42	08.338	+35	39	15.17	0.0036	-21.8	-16.6	
Mrk 461	2	.S.....	13	47	17.745	+34	08	55.34	0.016	-23.1	-19.3	
NGC 5347	2	PSBT2..	13	53	17.834	+33	29	26.98	0.0304	-22.6	-18.9	RS2
Mrk 279	1	.L.....	13	53	03.447	+69	18	29.57	0.036	-24.5	-20.2	
NGC 5548	1.5	PSAS0..	14	17	59.534	+25	08	12.44	0.0166	-24.1	-19.7	SS1
NGC 5674	1.9	.SX.5..	14	33	52.243	+05	27	29.65	0.0248	-24.7	-21.2	RS1
Mrk 817	1.5	.S?....	14	36	22.068	+58	47	39.38	0.0314	-24.7	-21.1	SS1
Mrk 686	2	.SB.3..	14	37	22.123	+36	34	04.11	0.0122	-23.7	-19.1	RS2
Mrk 841	1	.....	15	04	01.201	+10	26	16.15	0.0364	-24.7	-20.5	
NGC 5929	2	.S..2*P	15	26	06.161	+41	40	14.40	0.0083	-22.0	-18.1	RS2
NGC 5940	1	.SB.2..	15	31	18.070	+07	27	27.91	0.0339	-24.8	-20.0	US1
NGC 6104	1.5	.S?....	16	16	30.686	+35	42	29.00	0.0280	-24.3	-20.9	RS1
UGC 12138	1.8	.SB.1..	22	40	17.048	+08	03	14.09	0.0250	-23.6	-20.6	US1
NGC 7469	1	PSXT1..	23	03	15.623	+08	52	26.39	0.0160	-25.0	-20.3	SS1
Mrk 530	1.5	.SAT3*P	23	18	56.617	+00	14	38.23	0.0290	-25.3	-20.5	SS1
Mrk 533	2	.SAR4P.	23	27	56.724	+08	46	44.53	0.0289	-25.2	-20.8	SS2
NGC 7682	2	.SBR2..	23	29	03.928	+03	32	00.00	0.0170	-23.9	-19.6	RS2

Table 1: Properties of our Sy sample galaxies. Galaxy name (col. 1), Sy Type (from Huchra & Burg 1992, col. 2), morphological classification (from RC3, col. 3), RA and Dec (J2000, from NASA Extragalactic Database [NED], col. 4-9), redshift (NED, col. 10), absolute magnitude in K and B (from McLeod & Rieke

Galaxy	Type	RA			Dec			z
NGC 1093	.SX.2?.	02	48	16.11	+34	25	11.4	0.018
UGC 3247	.S?....	05	06	38.1	+08	40	24	0.011
UGC 3407	.S..1..	06	09	08.081	+42	05	05.85	0.012
UGC 3463	.SXS4..	06	26	55.18	+59	04	41.1	0.009
UGC 3536	.L.....	06	46	03.74	+29	20	52.7	0.016
UGC 3576	.SBS3..	06	53	06.96	+50	02	02.0	0.020
UGC 3592	RSBS1..	06	55	13.83	+40	20	16.2	0.044
NGC 2347	PSAR3*.	07	16	04.35	+64	42	36.4	0.015
UGC 3789	RSAR2..	07	19	31.53	+59	21	21.1	0.011
NGC 2365	.SX.1..	07	22	22.33	+22	05	00.6	0.008
UGC 3850	PSXS1..	07	28	14.97	+63	15	21.0	0.016
NGC 2431	PSBS1*.	07	45	13.393	+53	04	30.39	0.019
NGC 2460	.SAS1..	07	56	52.77	+60	21	00.0	0.005
NGC 2487	.SB.3..	07	58	20.10	+25	08	59.0	0.008
NGC 2599	.SA.1..	08	32	11.20	+22	33	37.4	0.016
NGC 2855	RSAT0..	09	21	27.28	-11	54	35.5	0.006
NGC 3066	PSXS4P.	10	02	11.071	+72	07	31.43	0.007
NGC 3188	RSBR2..	10	19	42.75	+57	25	24.5	0.026
NGC 3455	PSXT3..	10	54	31.37	+17	17	08.2	0.004
NGC 4146	RSXS2..	12	10	18.44	+26	25	53.7	0.022
NGC 4369	RSAT1..	12	24	36.18	+39	22	58.2	0.003
NGC 4956	.L.....	13	05	00.91	+35	10	40.6	0.016
NGC 4966	.S.....	13	06	17.20	+29	03	47.2	0.023
NGC 5434	.SA.5..	14	03	23.11	+09	26	51.5	0.019
NGC 5534	PSXS2P*	14	17	40.57	-07	25	01.1	0.009
NGC 5832	.SBT3$.	14	57	45.34	+71	40	55.3	0.001
NGC 5869	.L..0*.	15	09	49.29	+00	28	13.2	0.007
UGC 9965	.SAT5..	15	40	06.79	+20	40	52.7	0.014
NGC 5992	.S.....	15	44	21.457	+41	05	07.85	0.032
NGC 6085	.S..1..	16	12	35.225	+29	21	54.16	0.034
NGC 6278	.L.....	17	00	50.13	+23	00	40.7	0.009
NGC 6504	.S.....	17	56	05.836	+33	12	29.99	0.016
NGC 6635	.L...P*	18	27	37.04	+14	49	06.6	0.017
NGC 6922	.SAT5P*	20	29	52.90	-02	11	23.8	0.019

Table 2: Properties of our control sample galaxies. Columns are as in Table 1: name (col. 1), morphological classification (2), RA and dec (3–8), and redshift (9)

Galaxy	Obs. Run	Seeing (″)		
		J	H	K
Mrk 334	Sep 95/WHT	1.04	1.12	0.74
Mrk 335	Sep 95/WHT	1.27	1.09	0.75
UGC 524	Sep 95/WHT	0.72	0.91	0.80
I Zw 1	Sep 95/WHT	0.77	0.75	0.79
Mrk 993	Sep 95/WHT	0.81	0.74	0.69
Mrk 573	Sep 95/WHT	0.81	0.77	0.80
UGC 1395	Sep 95/WHT	0.86	0.74	0.74
Mrk 590	Sep 95/WHT	0.99	0.78	0.87
NGC 1068	Sep 95/WHT	0.95	0.82	0.69
NGC 1144	Sep 95/WHT	0.89	0.81	0.77
Mrk 1243	Feb 96/CFHT	0.71	0.75	0.76
NGC 3227	Apr 96/WHT	0.73	0.68	0.62
NGC 3362	Apr 96/WHT	0.59	0.69	0.75
UGC 6100	Apr 96/WHT	0.99	0.94	0.91
NGC 3516	Feb 96/CFHT	0.71	0.73	0.72
Mrk 744	Feb 96/CFHT	0.98	1.09	0.81
NGC 3982	Feb 96/CFHT	0.73	0.73	0.73
NGC 4051	Feb 96/CFHT	0.73	0.73	0.73
NGC 4151	Apr 96/WHT	0.62	0.61	0.61
NGC 4235	Feb 96/CFHT	0.99	1.27	0.95
Mrk 766	Feb 96/CFHT	1.04	0.93	1.00
Mrk 205	Apr 96/WHT	0.67	0.69	0.73
NGC 4388	Feb 96/CFHT	0.77	0.92	0.85
Mrk 231	Feb 96/CFHT	0.99	0.99	1.03
NGC 5033	Feb 96/CFHT	1.00	0.75	0.87
Mrk 789	Apr 96/WHT	0.71	0.69	0.59
UGC 8621	Apr 96/WHT	0.77	0.76	0.87
NGC 5252	Apr 96/WHT	0.64	0.71	0.60
Mrk 266	Apr 96/WHT	0.70	0.65	0.67
Mrk 270	Apr 96/WHT	0.70	0.65	0.67
NGC 5273	Apr 96/WHT	0.66	0.83	0.70
Mrk 461	Feb 96/CFHT	0.90	0.97	0.71
Mrk 279	Apr 96/WHT	0.73	0.69	0.84
NGC 5548	Apr 96/WHT	0.66	0.62	0.66
NGC 5674	Apr 96/WHT	0.74	0.78	0.74
Mrk 817	Sep 95/WHT	0.89	0.93	0.75
Mrk 686	Sep 95/WHT	0.76	0.75	0.78
Mrk 841	Sep 95/WHT	0.92	0.87	0.77
NGC 5929	Sep 95/WHT	1.43	1.11	0.74
NGC 5940	Sep 95/WHT	0.83	0.74	0.68
NGC 6104	Sep 95/WHT	0.75	0.72	0.62
UGC 12138	Sep 95/WHT	0.65	0.70	0.68
NGC 7469	Sep 95/WHT	0.73	0.75	0.65
Mrk 530	Sep 95/WHT	0.67	0.70	0.73
Mrk 533	Sep 95/WHT	0.75	0.70	0.71
NGC 7682	Sep 95/WHT	1.03	10.2	0.98

Galaxy	Obs. Run	Seeing (″) K
NGC 1093	Feb 96/CFHT	0.94
UGC 3247	Feb 96/CFHT	0.59
UGC 3407	Feb 96/CFHT	0.79
UGC 3463	Feb 96/CFHT	0.85
UGC 3536	Feb 96/CFHT	0.66
UGC 3576	Feb 96/CFHT	0.82
UGC 3592	Feb 96/CFHT	0.81
NGC 2347	Feb 96/CFHT	0.86
UGC 3789	Feb 96/CFHT	0.81
NGC 2365	Feb 96/CFHT	0.74
UGC 3850	Feb 96/CFHT	1.01
NGC 2431	Feb 96/CFHT	1.00
NGC 2460	Feb 96/CFHT	1.04
NGC 2487	Feb 96/CFHT	0.85
NGC 2599	Feb 96/CFHT	0.90
NGC 2855	Feb 96/CFHT	0.80
NGC 3066	Feb 96/CFHT	0.88
NGC 3188	Feb 96/CFHT	1.01
NGC 3455	Sep 95/WHT	–
NGC 4146	Sep 95/WHT	0.71
NGC 4369	Sep 95/WHT	–
NGC 4956	Feb 96/CFHT	0.64
NGC 4966	Feb 96/CFHT	0.60
NGC 5434	Sep 95/WHT	–
NGC 5534	Feb 96/CFHT	0.90
NGC 5832	Sep 95/WHT	0.80
NGC 5869	Sep 95/WHT	0.69
UGC 9965	Sep 95/WHT	0.80
NGC 5992	Sep 95/WHT	0.75
NGC 6085	Sep 95/WHT	0.64
NGC 6278	Sep 95/WHT	0.78
NGC 6504	Jun 94/UKIRT	0.80
NGC 6635	Sep 95/WHT	0.69
NGC 6922	Sep 95/WHT	0.69

Table 4: As Table 3, for the control sample

A subarcsecond resolution near-infrared study of Seyfert and 'normal' galaxies: I. Imaging data - Tables 1

arXiv:astro-ph/9905076v1 6 May 1999

Table 5: Table 5-1. Data plotted in Fig. 2. Only tabulated are data points for which the error in the H-band surface brightness is less than 1 mag.

Mrk 334										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	13.36	0.00	0.81	0.00	1.19	0.00	0.12	213.10	–	–
0.29	13.40	0.00	0.81	0.00	1.20	0.00	0.12	211.70	–	–
0.32	13.44	0.00	0.81	0.00	1.21	0.00	0.13	212.50	–	–
0.35	13.48	0.00	0.82	0.00	1.22	0.00	0.13	211.90	–	–
0.38	13.53	0.00	0.82	0.00	1.22	0.00	0.13	211.50	–	–
0.42	13.59	0.00	0.83	0.00	1.23	0.00	0.12	212.40	–	–
0.46	13.66	0.00	0.84	0.00	1.23	0.00	0.11	213.50	–	–
0.50	13.74	0.00	0.86	0.00	1.23	0.00	0.10	217.30	–	–
0.55	13.83	0.00	0.87	0.00	1.23	0.00	0.07	221.70	–	–
0.60	13.93	0.00	0.89	0.00	1.21	0.00	0.05	227.00	–	–
0.65	14.04	0.00	0.91	0.00	1.19	0.00	0.04	53.20	–	–
0.71	14.17	0.00	0.92	0.00	1.17	0.00	0.03	72.30	–	–
0.78	14.32	0.00	0.94	0.00	1.13	0.00	0.04	89.10	–	–
0.87	14.48	0.00	0.95	0.00	1.07	0.00	0.05	98.90	–	–
0.96	14.65	0.00	0.95	0.00	1.00	0.00	0.06	105.00	–	–
1.06	14.84	0.00	0.96	0.00	0.91	0.00	0.07	107.10	–	–
1.17	15.04	0.00	0.95	0.01	0.81	0.00	0.08	106.80	–	–
1.29	15.26	0.00	0.95	0.01	0.71	0.01	0.09	106.20	–	–
1.43	15.48	0.00	0.93	0.01	0.62	0.01	0.09	103.90	–	–
1.57	15.71	0.00	0.92	0.01	0.53	0.01	0.09	104.80	–	–
1.74	15.93	0.01	0.89	0.01	0.45	0.01	0.10	106.80	–	–
1.92	16.15	0.01	0.87	0.02	0.38	0.02	0.11	108.50	–	–
2.14	16.35	0.01	0.85	0.02	0.33	0.02	0.13	115.40	–	–
2.38	16.54	0.01	0.81	0.02	0.36	0.03	0.15	118.20	–	–
2.64	16.73	0.01	0.79	0.02	0.37	0.03	0.17	119.30	–	–
2.91	16.91	0.01	0.78	0.03	0.38	0.03	0.17	119.60	–	–
3.21	17.10	0.02	0.74	0.03	0.40	0.04	0.17	115.80	–	–
3.47	17.28	0.02	0.71	0.04	0.40	0.05	0.14	103.80	–	–
3.87	17.46	0.03	0.69	0.05	0.41	0.05	0.17	96.90	–	–
4.35	17.64	0.03	0.69	0.05	0.40	0.07	0.20	90.40	–	–
5.03	17.80	0.03	0.68	0.06	0.39	0.08	0.28	86.30	–	–
5.62	17.99	0.04	0.66	0.07	0.36	0.09	0.30	87.10	–	–
6.23	18.19	0.05	0.65	0.09	0.37	0.11	0.31	90.90	–	–
6.85	18.39	0.06	0.64	0.10	0.39	0.13	0.31	92.20	–	–
7.68	18.53	0.07	0.62	0.12	0.34	0.16	0.34	96.50	–	–
8.42	18.70	0.08	0.61	0.13	0.35	0.18	0.33	104.30	–	–
9.00	18.89	0.09	0.61	0.16	0.35	0.21	0.29	108.20	–	–
9.73	19.11	0.11	0.59	0.20	0.35	0.27	0.27	110.50	0.43	89.70
10.44	19.38	0.14	0.58	0.24	0.37	0.32	0.23	113.80	0.45	93.42
11.74	19.61	0.18	0.58	0.30	0.41	0.40	0.26	110.60	0.39	101.61
12.91	19.87	0.23	0.55	0.37	0.43	0.49	–	–	0.31	107.21
14.20	20.13	0.29	0.53	0.46	0.49	0.59	–	–	0.26	110.11
15.62	20.43	0.38	0.50	0.59	0.64	0.69	–	–	0.26	118.93
17.18	20.74	0.51	0.39	0.73	0.66	0.91	–	–	0.28	130.35
18.90	20.91	0.59	0.33	0.79	–	–	–	–	0.26	134.04
20.79	20.90	0.59	0.31	0.81	–	–	–	–	0.23	135.29
22.87	21.10	0.70	0.29	0.95	–	–	–	–	0.22	149.14
25.16	21.38	0.92	–	–	–	–	–	–	0.18	156.57
27.68	–	–	–	–	–	–	–	–	-0.51	82.83
30.44	–	–	–	–	–	–	–	–	-0.68	42.36
79.14	–	–	–	–	–	–	–	–	0.32	172.70

Table 5: Table 5-2

Mrk 335										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	12.26	0.00	1.48	0.00	0.98	0.00	0.10	50.00	–	–
0.28	12.29	0.00	1.47	0.00	0.99	0.00	0.09	50.40	–	–
0.31	12.33	0.00	1.46	0.00	1.00	0.00	0.09	50.80	–	–
0.34	12.37	0.00	1.45	0.00	1.01	0.00	0.09	51.20	–	–
0.37	12.43	0.00	1.43	0.00	1.03	0.00	0.08	51.70	–	–
0.41	12.49	0.00	1.41	0.00	1.04	0.00	0.08	53.70	–	–
0.45	12.57	0.00	1.39	0.00	1.06	0.00	0.08	55.00	–	–
0.50	12.66	0.00	1.37	0.00	1.09	0.00	0.08	56.90	–	–
0.55	12.77	0.00	1.34	0.00	1.11	0.00	0.08	58.80	–	–
0.60	12.90	0.00	1.30	0.00	1.14	0.00	0.08	60.60	–	–
0.66	13.05	0.00	1.26	0.00	1.17	0.00	0.08	63.40	–	–
0.73	13.22	0.00	1.21	0.00	1.20	0.00	0.08	64.10	–	–
0.80	13.41	0.00	1.16	0.00	1.23	0.00	0.07	65.50	–	–
0.88	13.63	0.00	1.11	0.00	1.25	0.00	0.07	67.40	–	–
0.96	13.87	0.00	1.05	0.00	1.26	0.00	0.07	69.70	–	–
1.06	14.14	0.00	0.99	0.00	1.26	0.00	0.07	73.00	–	–
1.16	14.43	0.00	0.93	0.00	1.24	0.00	0.07	76.80	–	–
1.28	14.74	0.00	0.89	0.00	1.19	0.00	0.07	81.60	–	–
1.42	15.06	0.00	0.84	0.01	1.13	0.00	0.08	86.00	–	–
1.56	15.39	0.00	0.79	0.01	1.04	0.01	0.08	88.30	–	–
1.72	15.72	0.01	0.76	0.01	0.93	0.01	0.08	89.50	–	–
1.88	16.03	0.01	0.74	0.01	0.84	0.01	0.07	90.80	–	–
2.06	16.34	0.01	0.73	0.02	0.75	0.02	0.06	91.80	–	–
2.27	16.61	0.01	0.74	0.02	0.65	0.03	0.07	93.10	–	–
2.51	16.88	0.02	0.76	0.03	0.62	0.04	0.07	93.40	–	–
2.76	17.14	0.02	0.76	0.04	0.63	0.05	0.07	88.60	–	–
3.04	17.40	0.03	0.76	0.05	0.65	0.06	0.08	84.50	–	–
3.34	17.64	0.03	0.76	0.06	0.67	0.07	0.08	88.00	–	–
3.68	17.91	0.04	0.77	0.08	0.67	0.09	0.08	86.40	–	–
4.14	18.15	0.05	0.79	0.10	0.63	0.12	0.12	84.80	–	–
4.53	18.43	0.07	0.78	0.13	0.58	0.16	0.11	79.80	–	–
4.92	18.72	0.09	0.75	0.16	0.56	0.21	0.09	85.40	–	–
5.38	19.06	0.12	0.72	0.22	0.56	0.29	0.08	94.00	–	–
5.91	19.34	0.16	0.68	0.27	0.57	0.36	0.07	114.70	–	–
6.78	19.60	0.20	0.70	0.36	0.54	0.48	0.15	120.00	–	–
7.40	19.82	0.25	0.77	0.44	0.37	0.64	0.13	113.20	0.01	194.05
8.38	20.14	0.33	0.73	0.58	0.27	0.96	0.18	111.10	0.05	107.40
8.92	20.49	0.46	0.77	0.81	–	–	0.13	115.80	0.07	86.09
9.40	20.73	0.58	0.77	0.97	–	–	0.05	140.40	0.09	77.42
10.71	21.02	0.75	–	–	–	–	0.11	116.50	0.12	82.24
11.78	–	–	–	–	–	–	–	–	0.11	92.01
12.96	–	–	–	–	–	–	–	–	0.07	99.72
14.25	–	–	–	–	–	–	–	–	0.09	105.97
15.68	–	–	–	–	–	–	–	–	0.12	113.90
17.24	–	–	–	–	–	–	–	–	0.14	129.23
18.97	–	–	–	–	–	–	–	–	0.14	142.97
20.87	–	–	–	–	–	–	–	–	0.14	133.97
22.95	–	–	–	–	–	–	–	–	0.14	117.58
25.25	–	–	–	–	–	–	–	–	0.14	117.34
27.77	–	–	–	–	–	–	–	–	0.14	142.63

Table 5: Table 5-3

UGC 524										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	14.02	0.00	0.89	0.00	0.99	0.00	0.06	107.60	–	–
0.28	14.05	0.00	0.88	0.00	0.97	0.00	0.06	107.70	–	–
0.31	14.09	0.00	0.87	0.00	0.95	0.00	0.06	108.30	–	–
0.34	14.13	0.00	0.86	0.00	0.92	0.00	0.06	109.00	–	–
0.37	14.18	0.00	0.84	0.00	0.89	0.00	0.06	108.10	–	–
0.41	14.24	0.00	0.83	0.00	0.85	0.00	0.06	108.90	–	–
0.45	14.30	0.00	0.82	0.00	0.81	0.00	0.06	115.60	–	–
0.49	14.37	0.00	0.81	0.00	0.78	0.00	0.06	122.00	–	–
0.54	14.45	0.00	0.79	0.00	0.73	0.00	0.06	129.40	–	–
0.60	14.54	0.00	0.78	0.00	0.70	0.00	0.06	138.40	–	–
0.66	14.63	0.00	0.76	0.00	0.66	0.00	0.07	142.90	–	–
0.73	14.73	0.00	0.75	0.00	0.63	0.00	0.09	148.90	–	–
0.82	14.84	0.00	0.74	0.00	0.61	0.00	0.11	153.40	–	–
0.91	14.94	0.00	0.74	0.00	0.59	0.00	0.14	152.30	–	–
1.01	15.06	0.00	0.74	0.00	0.58	0.00	0.15	152.40	–	–
1.12	15.18	0.00	0.74	0.01	0.57	0.01	0.16	152.60	–	–
1.23	15.32	0.00	0.73	0.01	0.57	0.01	0.17	151.90	–	–
1.35	15.47	0.00	0.73	0.01	0.56	0.01	0.16	149.80	–	–
1.47	15.65	0.00	0.72	0.01	0.55	0.01	0.14	147.20	–	–
1.60	15.86	0.00	0.71	0.01	0.53	0.01	0.13	142.40	–	–
1.75	16.09	0.01	0.71	0.01	0.50	0.01	0.11	136.60	–	–
1.92	16.33	0.01	0.71	0.02	0.48	0.02	0.11	131.00	–	–
2.11	16.57	0.01	0.71	0.02	0.46	0.02	0.10	127.50	–	–
2.32	16.82	0.01	0.71	0.02	0.45	0.03	0.11	125.30	–	–
2.60	17.04	0.01	0.71	0.03	0.48	0.03	0.14	127.10	–	–
2.91	17.24	0.02	0.71	0.04	0.51	0.04	0.17	127.80	–	–
3.28	17.43	0.02	0.69	0.04	0.51	0.05	0.21	132.80	–	–
3.67	17.65	0.03	0.67	0.05	0.50	0.06	0.23	133.80	–	–
4.21	17.81	0.03	0.68	0.06	0.50	0.07	0.30	137.50	–	–
4.93	17.98	0.04	0.68	0.07	0.50	0.08	0.38	137.80	–	–
5.64	18.16	0.04	0.71	0.08	0.44	0.10	0.43	137.80	–	–
6.42	18.33	0.05	0.72	0.10	0.43	0.11	0.46	137.20	–	–
7.43	18.47	0.06	0.68	0.11	0.49	0.12	0.52	138.80	0.37	139.57
8.71	18.60	0.06	0.70	0.12	0.45	0.14	0.57	136.70	0.44	135.66
9.36	18.80	0.08	0.69	0.15	0.42	0.18	0.55	134.80	0.47	135.78
9.72	19.02	0.09	0.68	0.18	0.45	0.21	0.50	136.50	0.48	136.12
10.11	19.21	0.11	0.67	0.21	0.48	0.24	0.44	135.10	0.49	136.59
10.90	19.49	0.15	0.67	0.27	0.49	0.32	0.42	134.40	0.47	137.28
11.52	19.75	0.19	0.67	0.34	0.46	0.41	0.37	132.40	0.45	138.03
12.51	20.06	0.25	0.65	0.44	0.47	0.52	0.35	133.70	0.43	139.72
14.80	20.31	0.31	0.63	0.55	0.60	0.60	0.44	129.30	0.41	137.27
17.26	20.42	0.35	0.65	0.62	0.61	0.67	0.50	126.70	0.43	130.48
18.83	20.60	0.41	0.62	0.69	0.44	0.87	0.49	126.30	0.43	131.03
20.40	20.64	0.42	0.66	0.75	0.38	0.95	0.48	127.40	0.45	133.01
22.44	20.68	0.44	0.69	0.79	0.54	0.85	–	–	0.52	138.13
24.68	20.79	0.49	0.67	0.86	–	–	–	–	0.58	141.58
27.15	21.00	0.59	–	–	–	–	–	–	0.60	139.98
29.87	21.13	0.66	–	–	–	–	–	–	-0.14	263.40
32.86	21.22	0.72	–	–	–	–	–	–	0.00	201.72
36.14	21.52	0.95	–	–	–	–	–	–	1.35	-71.41
39.75	–	–	–	–	–	–	–	–	0.02	131.05
43.73	–	–	–	–	–	–	–	–	0.06	119.32
48.10	–	–	–	–	–	–	–	–	0.11	116.20
52.91	–	–	–	–	–	–	–	–	0.16	119.55
58.20	–	–	–	–	–	–	–	–	0.18	125.45

Table 5: Table 5-4

1 Zwicky 1										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	11.68	0.00	1.35	0.00	1.14	0.00	0.08	132.00	–	–
0.31	11.82	0.00	1.34	0.00	1.15	0.00	0.08	136.80	–	–
0.37	12.01	0.00	1.31	0.00	1.16	0.00	0.09	137.80	–	–
0.44	12.28	0.00	1.26	0.00	1.19	0.00	0.09	130.90	–	–
0.53	12.64	0.00	1.21	0.00	1.22	0.00	0.10	122.80	–	–
0.64	13.09	0.00	1.15	0.00	1.24	0.00	0.10	120.70	–	–
0.77	13.60	0.00	1.10	0.00	1.23	0.00	0.09	116.90	–	–
0.92	14.13	0.00	1.06	0.01	1.18	0.00	0.09	107.00	–	–
1.12	14.66	0.00	1.02	0.01	1.12	0.00	0.11	97.20	–	–
1.33	15.24	0.00	0.96	0.02	1.06	0.01	0.10	99.10	–	–
1.58	15.79	0.01	0.90	0.02	0.98	0.01	0.08	100.60	–	–
1.84	16.30	0.01	0.79	0.03	0.90	0.02	0.02	150.20	–	–
2.31	16.72	0.02	0.80	0.05	0.81	0.03	0.11	8.00	–	–
2.77	17.14	0.02	0.79	0.08	0.80	0.04	0.10	19.90	–	–
3.34	17.61	0.04	0.77	0.11	0.80	0.06	0.11	25.00	–	–
4.12	18.08	0.06	0.74	0.18	0.84	0.10	0.16	34.10	–	–
4.64	18.64	0.10	0.57	0.25	0.87	0.15	0.05	15.90	–	–
5.95	19.08	0.14	0.61	0.38	0.76	0.24	0.17	46.90	–	–
7.26	19.47	0.21	0.62	0.56	0.57	0.40	0.19	73.90	0.32	86.10
7.89	19.81	0.28	0.68	0.77	0.47	0.56	0.01	117.70	0.06	74.54
9.89	20.01	0.34	–	–	0.50	0.67	0.10	145.80	0.08	47.83
11.54	20.41	0.49	–	–	0.53	0.98	0.05	90.10	0.09	57.49
13.84	–	–	–	–	–	–	–	–	0.02	124.04
16.61	–	–	–	–	–	–	–	–	0.20	128.50
19.93	–	–	–	–	–	–	–	–	0.36	131.63

Table 5: Table 5-5

Mrk 993										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	13.86	0.00	0.90	0.00	0.53	0.00	0.08	80.40	–	–
0.28	13.90	0.00	0.90	0.00	0.52	0.00	0.08	80.10	–	–
0.31	13.94	0.00	0.89	0.00	0.51	0.00	0.08	79.90	–	–
0.34	13.99	0.00	0.88	0.00	0.50	0.00	0.09	79.00	–	–
0.37	14.05	0.00	0.87	0.00	0.48	0.00	0.09	78.00	–	–
0.41	14.12	0.00	0.85	0.00	0.46	0.00	0.09	75.90	–	–
0.45	14.20	0.00	0.84	0.00	0.44	0.00	0.08	72.10	–	–
0.50	14.29	0.00	0.82	0.00	0.41	0.00	0.09	69.70	–	–
0.55	14.39	0.00	0.80	0.00	0.39	0.00	0.09	65.90	–	–
0.61	14.51	0.00	0.79	0.00	0.37	0.00	0.09	62.00	–	–
0.67	14.63	0.00	0.77	0.00	0.35	0.00	0.09	58.40	–	–
0.73	14.76	0.00	0.76	0.00	0.34	0.00	0.09	55.20	–	–
0.81	14.90	0.00	0.75	0.00	0.33	0.00	0.10	52.60	–	–
0.89	15.04	0.00	0.75	0.00	0.32	0.00	0.10	51.30	–	–
0.99	15.18	0.00	0.75	0.00	0.31	0.00	0.11	47.00	–	–
1.09	15.32	0.00	0.75	0.01	0.30	0.01	0.12	45.80	–	–
1.20	15.46	0.00	0.75	0.01	0.30	0.01	0.12	45.60	–	–
1.32	15.59	0.00	0.75	0.01	0.30	0.01	0.12	43.60	–	–
1.46	15.73	0.00	0.76	0.01	0.30	0.01	0.13	39.90	–	–
1.62	15.85	0.00	0.77	0.01	0.29	0.01	0.15	37.00	–	–
1.81	15.98	0.00	0.77	0.01	0.29	0.01	0.17	35.00	–	–
2.01	16.10	0.00	0.77	0.01	0.29	0.01	0.19	32.20	–	–
2.24	16.23	0.01	0.77	0.01	0.29	0.01	0.20	31.50	–	–
2.52	16.34	0.01	0.77	0.01	0.28	0.02	0.24	29.70	–	–
2.83	16.46	0.01	0.78	0.02	0.29	0.02	0.27	30.00	–	–
3.18	16.58	0.01	0.78	0.02	0.30	0.02	0.31	29.30	–	–
3.58	16.70	0.01	0.78	0.02	0.30	0.02	0.33	29.70	–	–
4.11	16.81	0.01	0.79	0.02	0.31	0.02	0.39	28.70	–	–
4.73	16.91	0.01	0.79	0.02	0.32	0.02	0.44	28.60	–	–
5.57	17.01	0.01	0.80	0.03	0.33	0.03	0.51	29.10	–	–
6.40	17.13	0.01	0.80	0.03	0.35	0.03	0.55	29.00	–	–
7.18	17.25	0.02	0.80	0.03	0.33	0.03	0.57	28.50	–	–
8.25	17.40	0.02	0.81	0.04	0.33	0.04	0.61	28.30	–	–
9.36	17.55	0.02	0.80	0.04	0.33	0.04	0.63	27.90	–	–
10.42	17.72	0.02	0.78	0.05	0.35	0.05	0.64	28.10	–	–
11.87	17.89	0.03	0.79	0.06	0.34	0.06	0.66	27.50	–	–
12.99	18.09	0.03	0.79	0.07	0.34	0.07	0.66	28.20	–	–
14.48	18.28	0.04	0.79	0.09	0.36	0.09	0.67	28.20	–	–
15.74	18.50	0.05	0.80	0.10	0.35	0.10	0.66	27.50	–	–
17.06	18.76	0.06	0.79	0.13	0.38	0.13	0.65	27.30	–	–
18.58	19.03	0.08	0.77	0.16	0.41	0.16	0.64	28.00	–	–
20.58	19.28	0.10	0.76	0.20	0.40	0.20	0.65	27.70	–	–
23.40	19.52	0.13	0.79	0.26	0.41	0.25	0.67	29.00	–	–
25.68	19.83	0.17	0.81	0.35	0.47	0.32	0.67	29.00	–	–
28.64	20.11	0.22	0.81	0.45	0.50	0.40	0.68	29.30	–	–
31.55	20.42	0.29	0.76	0.57	0.46	0.54	0.68	29.10	–	–
34.89	20.66	0.36	0.83	0.74	0.43	0.68	0.68	28.90	0.66	31.30
38.66	20.98	0.48	–	–	0.59	0.89	0.69	29.00	0.68	30.74
40.84	21.21	0.60	–	–	–	–	0.66	30.70	0.70	30.36
41.60	21.68	0.92	–	–	–	–	0.61	31.10	0.70	30.24
66.18	–	–	–	–	–	–	0.72	32.10	0.72	33.94
79.80	–	–	–	–	–	–	–	–	0.75	31.95
106.22	–	–	–	–	–	–	–	–	0.74	34.03

Table 5: Table 5-6

Mrk 573										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	13.40	0.00	0.91	0.00	0.64	0.00	0.12	84.10	–	–
0.29	13.43	0.00	0.91	0.00	0.63	0.00	0.12	84.60	–	–
0.32	13.46	0.00	0.90	0.00	0.62	0.00	0.12	85.70	–	–
0.35	13.50	0.00	0.89	0.00	0.61	0.00	0.11	87.10	–	–
0.38	13.55	0.00	0.88	0.00	0.60	0.00	0.11	87.20	–	–
0.42	13.60	0.00	0.86	0.00	0.58	0.00	0.11	88.40	–	–
0.46	13.67	0.00	0.85	0.00	0.56	0.00	0.10	89.10	–	–
0.50	13.74	0.00	0.83	0.00	0.54	0.00	0.09	89.60	–	–
0.55	13.83	0.00	0.82	0.00	0.52	0.00	0.09	90.50	–	–
0.60	13.92	0.00	0.81	0.00	0.50	0.00	0.08	91.70	–	–
0.66	14.01	0.00	0.79	0.00	0.47	0.00	0.08	93.40	–	–
0.74	14.12	0.00	0.78	0.00	0.45	0.00	0.11	95.80	–	–
0.82	14.23	0.00	0.77	0.00	0.42	0.00	0.12	95.60	–	–
0.91	14.34	0.00	0.76	0.00	0.40	0.00	0.14	94.00	–	–
1.01	14.47	0.00	0.76	0.00	0.37	0.00	0.15	92.60	–	–
1.12	14.60	0.00	0.76	0.00	0.35	0.00	0.16	91.90	–	–
1.24	14.74	0.00	0.75	0.01	0.34	0.01	0.17	91.50	–	–
1.37	14.89	0.00	0.75	0.01	0.33	0.01	0.19	91.10	–	–
1.51	15.04	0.00	0.74	0.01	0.32	0.01	0.19	91.50	–	–
1.66	15.20	0.00	0.73	0.01	0.31	0.01	0.19	92.70	–	–
1.83	15.36	0.01	0.72	0.01	0.31	0.01	0.18	92.20	–	–
2.00	15.52	0.01	0.72	0.01	0.30	0.01	0.17	93.30	–	–
2.17	15.69	0.01	0.73	0.01	0.31	0.01	0.16	92.90	–	–
2.38	15.87	0.01	0.72	0.02	0.32	0.02	0.15	90.50	–	–
2.60	16.06	0.01	0.73	0.02	0.31	0.02	0.14	91.40	–	–
2.82	16.24	0.01	0.72	0.02	0.31	0.02	0.11	87.90	–	–
3.10	16.47	0.01	0.71	0.03	0.32	0.03	0.11	85.70	–	–
3.39	16.66	0.02	0.71	0.03	0.34	0.03	0.10	86.00	–	–
3.78	16.86	0.02	0.73	0.04	0.33	0.04	0.13	89.10	–	–
4.12	17.04	0.03	0.71	0.05	0.35	0.05	0.11	86.50	–	–
4.37	17.22	0.03	0.73	0.05	0.35	0.06	0.04	81.70	–	–
4.71	17.38	0.04	0.76	0.06	0.34	0.07	0.00	-13.20	–	–
5.30	17.59	0.04	0.71	0.07	0.36	0.08	0.05	-0.60	–	–
6.11	17.74	0.05	0.71	0.09	0.36	0.09	0.13	-7.80	–	–
6.95	17.89	0.06	0.72	0.08	0.32	0.09	0.19	-0.60	–	–
8.37	17.94	0.06	0.74	0.10	0.34	0.10	0.32	-5.70	–	–
9.40	18.06	0.07	0.80	0.19	0.41	0.18	0.35	3.50	–	–
8.49	18.24	0.08	0.75	0.12	0.36	0.12	0.04	13.80	–	–
9.29	18.34	0.09	0.81	0.19	0.41	0.19	0.03	13.80	–	–
10.85	18.66	0.11	0.74	0.20	0.45	0.20	0.14	5.10	–	–
11.94	19.02	0.16	0.76	0.28	0.50	0.27	–	–	–	–
13.14	19.49	0.25	0.76	0.44	0.57	0.39	–	–	0.18	0.25
14.45	19.97	0.38	0.82	0.66	0.54	0.60	–	–	0.19	2.97
15.89	20.33	0.54	–	–	0.43	0.90	–	–	0.22	3.83
17.48	20.92	0.92	–	–	–	–	–	–	0.20	2.50
19.23	–	–	–	–	–	–	–	–	0.11	-0.55
21.15	–	–	–	–	–	–	–	–	0.11	-1.11
23.27	–	–	–	–	–	–	–	–	0.16	-3.11
25.59	–	–	–	–	–	–	–	–	0.20	-13.08
28.15	–	–	–	–	–	–	–	–	0.21	-17.28
30.97	–	–	–	–	–	–	–	–	0.15	2.10
33.04	–	–	–	–	–	–	–	–	0.09	26.60
38.26	–	–	–	–	–	–	–	–	0.03	90.40
48.88	–	–	–	–	–	–	–	–	0.14	68.00
58.18	–	–	–	–	–	–	–	–	0.13	81.40
72.09	–	–	–	–	–	–	–	–	0.18	77.40
85.41	–	–	–	–	–	–	–	–	0.16	61.60
101.84	–	–	–	–	–	–	–	–	0.15	73.20

Table 5: Table 5-7

UGC 1395										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	14.56	0.00	0.99	0.00	0.56	0.00	0.02	227.20	–	–
0.30	14.63	0.00	0.97	0.00	0.57	0.00	0.03	201.20	–	–
0.36	14.74	0.00	0.94	0.00	0.56	0.00	0.04	188.60	–	–
0.43	14.88	0.00	0.90	0.00	0.56	0.00	0.05	190.30	–	–
0.52	15.06	0.00	0.85	0.01	0.55	0.01	0.04	192.70	–	–
0.62	15.28	0.00	0.81	0.01	0.53	0.01	0.05	188.20	–	–
0.75	15.53	0.00	0.78	0.01	0.50	0.01	0.04	187.20	–	–
0.89	15.81	0.01	0.75	0.01	0.46	0.01	0.03	160.60	–	–
1.07	16.13	0.01	0.73	0.01	0.44	0.02	0.04	151.20	–	–
1.30	16.49	0.01	0.71	0.02	0.44	0.02	0.05	156.90	–	–
1.59	16.84	0.01	0.69	0.03	0.43	0.03	0.09	154.10	–	–
1.92	17.19	0.02	0.69	0.04	0.38	0.05	0.10	144.00	–	–
2.39	17.47	0.03	0.72	0.05	0.34	0.06	0.16	147.10	–	–
2.88	17.76	0.03	0.67	0.06	0.38	0.08	0.17	143.70	–	–
3.50	17.98	0.04	0.68	0.07	0.39	0.10	0.19	139.30	–	–
4.31	18.19	0.05	0.71	0.09	0.35	0.12	0.23	131.60	–	–
5.35	18.45	0.06	0.67	0.11	0.40	0.15	0.28	135.90	–	–
6.40	18.68	0.08	0.67	0.13	0.34	0.19	0.28	137.90	–	–
7.89	18.89	0.10	0.66	0.16	0.36	0.23	0.32	135.60	–	–
10.79	19.01	0.11	0.68	0.18	0.34	0.25	0.47	142.60	0.29	142.00
14.18	19.12	0.12	0.68	0.20	0.28	0.30	0.56	144.10	0.41	142.10
15.16	19.26	0.14	0.68	0.23	0.31	0.33	0.45	141.60	0.45	144.00
18.19	19.54	0.18	0.64	0.29	0.31	0.43	–	–	0.54	148.21
21.83	19.84	0.23	0.62	0.37	0.28	0.58	–	–	0.53	146.41
26.20	20.20	0.33	0.59	0.50	0.21	0.79	–	–	0.27	150.73
31.44	21.00	0.68	0.49	0.95	–	–	–	–	0.31	159.43
37.73	–	–	–	–	–	–	–	–	0.42	154.92
45.27	–	–	–	–	–	–	–	–	0.21	155.46
54.32	–	–	–	–	–	–	–	–	0.09	139.59
78.23	–	–	–	–	–	–	–	–	0.21	150.73

Table 5: Table 5-8

Mrk 590										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	12.35	0.00	1.21	0.00	1.08	0.00	0.12	127.10	–	–
0.29	12.40	0.00	1.19	0.00	1.07	0.00	0.12	126.90	–	–
0.32	12.47	0.00	1.17	0.00	1.07	0.00	0.13	126.80	–	–
0.35	12.54	0.00	1.15	0.00	1.06	0.00	0.13	126.80	–	–
0.38	12.62	0.00	1.11	0.00	1.04	0.00	0.13	127.50	–	–
0.42	12.73	0.00	1.08	0.00	1.03	0.00	0.13	128.00	–	–
0.47	12.84	0.00	1.05	0.00	1.02	0.00	0.13	127.70	–	–
0.51	12.98	0.00	1.00	0.00	1.02	0.00	0.14	127.20	–	–
0.56	13.13	0.00	0.96	0.00	1.01	0.00	0.14	128.70	–	–
0.62	13.30	0.00	0.90	0.00	0.98	0.00	0.13	128.40	–	–
0.68	13.48	0.00	0.85	0.00	0.96	0.00	0.12	127.10	–	–
0.75	13.67	0.00	0.80	0.00	0.93	0.00	0.12	125.20	–	–
0.82	13.87	0.00	0.76	0.00	0.90	0.00	0.12	121.70	–	–
0.90	14.06	0.00	0.73	0.00	0.86	0.00	0.12	118.40	–	–
0.99	14.26	0.00	0.70	0.00	0.80	0.00	0.11	117.30	–	–
1.08	14.45	0.00	0.68	0.00	0.75	0.00	0.10	118.10	–	–
1.18	14.64	0.00	0.66	0.00	0.71	0.00	0.09	122.60	–	–
1.30	14.82	0.00	0.65	0.00	0.67	0.00	0.09	128.90	–	–
1.43	15.00	0.00	0.66	0.00	0.62	0.00	0.10	134.70	–	–
1.59	15.18	0.00	0.65	0.01	0.57	0.01	0.10	138.40	–	–
1.74	15.37	0.00	0.65	0.01	0.55	0.01	0.10	140.80	–	–
1.90	15.56	0.00	0.65	0.01	0.54	0.01	0.09	142.70	–	–
2.07	15.75	0.00	0.65	0.01	0.53	0.01	0.07	139.70	–	–
2.26	15.96	0.01	0.64	0.01	0.52	0.01	0.06	137.90	–	–
2.48	16.16	0.01	0.63	0.01	0.51	0.01	0.05	142.40	–	–
2.69	16.38	0.01	0.63	0.02	0.52	0.02	0.03	134.20	–	–
2.95	16.57	0.01	0.64	0.02	0.52	0.02	0.02	131.10	–	–
3.23	16.75	0.01	0.64	0.02	0.51	0.03	0.01	147.80	–	–
3.59	16.93	0.02	0.64	0.03	0.51	0.03	0.03	30.00	–	–
4.06	17.09	0.02	0.64	0.03	0.51	0.03	0.08	34.40	–	–
4.46	17.26	0.02	0.64	0.04	0.46	0.04	0.08	39.60	–	–
4.91	17.42	0.03	0.63	0.04	0.45	0.05	0.08	39.90	–	–
5.34	17.59	0.03	0.61	0.05	0.48	0.06	0.06	33.50	–	–
5.86	17.78	0.04	0.58	0.06	0.49	0.07	0.06	50.60	–	–
6.39	17.92	0.04	0.59	0.07	0.48	0.07	0.04	30.60	–	–
7.16	18.09	0.05	0.59	0.08	0.50	0.09	0.08	33.10	–	–
7.82	18.28	0.06	0.60	0.09	0.49	0.10	0.06	31.50	–	–
8.68	18.47	0.07	0.60	0.11	0.47	0.13	0.08	25.30	–	–
9.56	18.73	0.09	0.59	0.14	0.45	0.16	0.08	24.30	–	–
10.48	18.94	0.10	0.58	0.17	0.52	0.19	0.07	26.70	–	–
11.53	19.23	0.14	0.55	0.21	0.57	0.23	–	–	–	–
12.68	19.39	0.16	0.55	0.25	0.56	0.27	–	–	–	–
13.94	19.55	0.18	0.58	0.29	0.54	0.32	–	–	0.07	37.04
15.34	19.69	0.21	0.55	0.33	0.49	0.37	–	–	0.05	22.15
16.87	19.85	0.24	0.50	0.37	0.47	0.43	–	–	0.09	-16.30
18.56	20.01	0.28	0.50	0.42	0.45	0.50	–	–	0.14	-33.09
20.42	20.24	0.34	0.49	0.52	0.47	0.62	–	–	0.15	28.38
22.46	20.61	0.48	0.43	0.69	0.50	0.81	–	–	0.10	146.21
24.71	20.98	0.67	0.34	0.92	–	–	–	–	0.10	144.20
27.18	–	–	–	–	–	–	–	–	0.11	90.61
29.89	–	–	–	–	–	–	–	–	0.04	98.75
31.51	–	–	–	–	–	–	–	–	0.00	115.00
40.00	–	–	–	–	–	–	–	–	0.11	118.00
46.48	–	–	–	–	–	–	–	–	0.05	116.40
56.77	–	–	–	–	–	–	–	–	0.09	156.90
67.99	–	–	–	–	–	–	–	–	0.08	95.00
81.31	–	–	–	–	–	–	–	–	0.08	76.00
95.39	–	–	–	–	–	–	–	–	0.03	102.30

Subarcsecond Near-Infrared Photometry of Seyferts - Figures 2



Fig. 2.— Comparison with McLeod & Rieke (1995) and Hunt et al. (1997). Our data are indicated by filled circles. The data by McLeod & Rieke is indicated with crosses, and Hunt's data by open squares.





Fig. 2.— continued





Fig. 2.— continued





Fig. 2.— continued

A subarcsecond resolution near-infrared study of Seyfert and 'normal' galaxies: I. Imaging data - Tables 2

arXiv:astro-ph/9905076v1 6 May 1999

Table 5: Table 5-3

NGC 1068										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	10.09	0.00	1.63	0.00	1.85	0.00	0.05	99.90	–	–
0.28	10.13	0.00	1.62	0.00	1.85	0.00	0.05	100.50	–	–
0.30	10.18	0.00	1.60	0.00	1.85	0.00	0.04	99.70	–	–
0.33	10.23	0.00	1.58	0.00	1.84	0.00	0.04	99.10	–	–
0.36	10.30	0.00	1.55	0.00	1.83	0.00	0.03	99.90	–	–
0.40	10.38	0.00	1.52	0.00	1.81	0.00	0.02	102.00	–	–
0.44	10.47	0.00	1.49	0.00	1.77	0.00	0.02	108.00	–	–
0.48	10.57	0.00	1.45	0.00	1.72	0.00	0.01	119.30	–	–
0.53	10.69	0.00	1.40	0.00	1.64	0.00	0.01	133.30	–	–
0.58	10.83	0.00	1.35	0.00	1.56	0.00	0.01	137.20	–	–
0.64	10.98	0.00	1.29	0.00	1.45	0.00	0.01	125.10	–	–
0.70	11.14	0.00	1.23	0.00	1.36	0.00	0.01	123.20	–	–
0.77	11.32	0.00	1.16	0.00	1.25	0.00	0.00	73.50	–	–
0.85	11.50	0.00	1.08	0.01	1.14	0.00	0.02	56.60	–	–
0.94	11.68	0.00	1.02	0.01	1.04	0.00	0.03	49.60	–	–
1.05	11.86	0.00	0.96	0.01	0.95	0.00	0.05	48.20	–	–
1.16	12.04	0.00	0.90	0.01	0.87	0.01	0.06	47.00	–	–
1.28	12.21	0.00	0.86	0.01	0.79	0.01	0.07	44.00	–	–
1.43	12.37	0.00	0.82	0.01	0.72	0.01	0.09	39.60	–	–
1.59	12.52	0.00	0.79	0.01	0.65	0.01	0.11	34.70	–	–
1.75	12.65	0.01	0.77	0.01	0.60	0.01	0.11	35.40	–	–
1.93	12.78	0.01	0.75	0.01	0.55	0.01	0.12	37.30	–	–
2.15	12.90	0.01	0.73	0.01	0.49	0.02	0.14	35.40	–	–
2.37	13.00	0.01	0.72	0.02	0.45	0.02	0.14	35.00	–	–
2.61	13.09	0.01	0.72	0.02	0.43	0.02	0.14	37.50	–	–
2.89	13.18	0.01	0.71	0.02	0.40	0.02	0.16	39.40	–	–
3.22	13.26	0.01	0.70	0.02	0.37	0.02	0.17	43.00	–	–
3.59	13.35	0.01	0.69	0.02	0.35	0.03	0.20	45.90	–	–
4.04	13.43	0.01	0.69	0.02	0.32	0.03	0.23	48.20	–	–
4.46	13.54	0.01	0.68	0.03	0.31	0.03	0.24	48.80	–	–
4.95	13.66	0.01	0.68	0.03	0.30	0.04	0.25	51.10	–	–
5.52	13.78	0.02	0.67	0.03	0.28	0.04	0.27	51.10	–	–
6.22	13.89	0.02	0.66	0.03	0.26	0.05	0.31	48.80	–	–
7.04	14.02	0.02	0.66	0.04	0.25	0.05	0.35	47.70	–	–
7.94	14.16	0.02	0.66	0.04	0.24	0.06	0.38	45.90	–	–
9.04	14.30	0.03	0.66	0.05	0.24	0.07	0.42	45.30	–	–
10.33	14.43	0.03	0.66	0.06	0.23	0.08	0.46	45.60	–	–
11.88	14.56	0.04	0.67	0.06	0.22	0.09	0.51	43.90	–	–
12.86	14.73	0.04	0.67	0.08	0.23	0.10	0.49	45.20	–	–
14.14	14.88	0.05	0.68	0.08	0.25	0.11	0.49	46.50	–	–
16.12	14.97	0.05	0.68	0.09	0.23	0.13	0.53	46.40	–	–
16.83	15.11	0.06	0.68	0.11	0.23	0.15	0.47	48.20	–	–
17.54	15.27	0.07	0.68	0.12	0.23	0.17	0.41	48.70	–	–
18.78	15.46	0.08	0.70	0.15	0.22	0.20	0.38	50.40	–	–
19.69	15.65	0.09	0.71	0.18	0.21	0.24	0.32	45.80	–	–
20.76	15.92	0.12	0.72	0.23	0.18	0.32	0.26	44.10	–	–
21.88	16.18	0.16	0.72	0.28	0.15	0.40	0.19	46.90	–	–
23.69	16.40	0.19	0.72	0.35	0.11	0.52	0.17	52.40	–	–
25.71	16.61	0.23	0.72	0.43	0.04	0.66	0.15	59.80	–	–
27.98	16.75	0.26	0.72	0.48	-0.03	0.80	0.13	55.20	–	–
31.09	16.90	0.30	0.72	0.55	-0.06	0.94	–	–	–	–
33.51	17.08	0.35	0.69	0.62	–	–	–	–	0.10	106.07
37.91	17.27	0.42	0.57	0.69	–	–	–	–	0.04	40.13
43.45	17.45	0.50	0.48	0.76	–	–	–	–	0.09	19.04
49.48	17.72	0.64	–	–	–	–	–	–	0.18	25.40
56.01	18.06	0.88	–	–	–	–	–	–	0.23	20.78
61.51	–	–	–	–	–	–	–	–	0.22	15.39
73.68	–	–	–	–	–	–	–	–	0.15	8.85
76.43	–	–	–	–	–	–	–	–	0.14	8.58
85.47	–	–	–	–	–	–	–	–	0.16	9.90

Table 5: Table 5-10

NGC 1144										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.28	14.15	0.00	0.66	0.00	0.45	0.00	0.25	139.60	–	–
0.31	14.17	0.00	0.66	0.00	0.44	0.00	0.24	138.90	–	–
0.34	14.19	0.00	0.66	0.00	0.43	0.00	0.23	138.40	–	–
0.37	14.21	0.00	0.66	0.00	0.42	0.00	0.22	137.80	–	–
0.40	14.23	0.00	0.66	0.00	0.40	0.00	0.21	136.90	–	–
0.44	14.26	0.00	0.66	0.00	0.39	0.00	0.20	135.10	–	–
0.48	14.30	0.00	0.66	0.00	0.37	0.00	0.20	133.40	–	–
0.53	14.34	0.00	0.66	0.00	0.35	0.00	0.19	131.90	–	–
0.58	14.39	0.00	0.66	0.00	0.33	0.00	0.18	131.10	–	–
0.64	14.45	0.00	0.67	0.00	0.30	0.00	0.17	130.10	–	–
0.70	14.52	0.00	0.67	0.00	0.28	0.00	0.17	130.90	–	–
0.77	14.60	0.00	0.67	0.00	0.26	0.00	0.18	131.70	–	–
0.85	14.68	0.00	0.68	0.00	0.23	0.00	0.17	133.00	–	–
0.93	14.78	0.00	0.68	0.00	0.20	0.00	0.17	135.90	–	–
1.02	14.88	0.00	0.69	0.00	0.18	0.01	0.17	137.80	–	–
1.13	15.00	0.00	0.70	0.01	0.16	0.01	0.17	138.50	–	–
1.24	15.12	0.00	0.71	0.01	0.15	0.01	0.17	138.00	–	–
1.36	15.26	0.00	0.71	0.01	0.14	0.01	0.17	138.30	–	–
1.50	15.40	0.00	0.71	0.01	0.12	0.01	0.18	139.20	–	–
1.68	15.55	0.00	0.72	0.01	0.11	0.01	0.20	141.80	–	–
1.86	15.69	0.00	0.72	0.01	0.11	0.01	0.22	143.00	–	–
2.08	15.84	0.01	0.71	0.01	0.11	0.01	0.24	143.50	–	–
2.31	15.98	0.01	0.71	0.01	0.12	0.02	0.25	142.80	–	–
2.56	16.12	0.01	0.72	0.02	0.13	0.02	0.27	141.00	–	–
2.94	16.23	0.01	0.73	0.02	0.13	0.02	0.33	138.90	–	–
3.32	16.33	0.01	0.73	0.02	0.15	0.02	0.36	134.10	–	–
3.76	16.41	0.01	0.72	0.02	0.16	0.02	0.40	132.80	–	–
4.26	16.50	0.01	0.73	0.02	0.19	0.02	0.43	130.30	–	–
4.68	16.55	0.01	0.76	0.02	0.22	0.02	0.43	118.40	–	–
4.98	16.66	0.01	0.76	0.03	0.24	0.03	0.39	114.90	–	–
5.21	16.76	0.01	0.76	0.03	0.26	0.03	0.33	114.90	–	–
5.50	16.89	0.02	0.77	0.03	0.26	0.03	0.27	116.40	–	–
5.98	17.04	0.02	0.76	0.04	0.24	0.04	0.25	115.30	–	–
6.48	17.16	0.02	0.74	0.04	0.23	0.04	0.23	119.40	–	–
6.91	17.27	0.02	0.72	0.04	0.22	0.05	0.18	117.10	–	–
7.64	17.39	0.03	0.71	0.05	0.23	0.05	0.19	136.20	–	–
8.47	17.51	0.03	0.71	0.06	0.21	0.06	0.20	144.70	–	–
9.15	17.68	0.03	0.68	0.06	0.22	0.07	0.17	145.10	–	–
9.90	17.86	0.04	0.70	0.08	0.23	0.08	0.14	146.50	–	–
11.01	18.07	0.05	0.67	0.09	0.23	0.09	0.16	148.10	–	–
12.06	18.24	0.05	0.65	0.11	0.19	0.12	0.15	145.30	–	–
12.51	18.42	0.06	0.68	0.12	0.18	0.13	0.05	141.20	–	–
14.31	18.66	0.08	0.70	0.16	0.20	0.17	0.12	146.00	–	–
15.75	18.98	0.11	0.72	0.21	0.21	0.22	0.12	146.00	–	–
17.32	19.23	0.13	0.77	0.28	0.21	0.28	–	–	–	–
19.05	19.50	0.17	0.72	0.34	0.27	0.33	–	–	–	–
20.96	19.72	0.21	0.71	0.41	0.33	0.39	–	–	–	–
23.06	19.88	0.24	0.75	0.49	0.27	0.47	–	–	–	–
25.36	20.07	0.29	0.73	0.57	0.20	0.58	–	–	–	–
27.90	20.34	0.37	0.67	0.69	0.21	0.74	–	–	–	–
30.69	20.78	0.56	0.64	1.00	–	–	–	–	–	–
33.76	21.15	0.79	–	–	–	–	–	–	–	–

Table 5: Table 5-11

Mrk 1243										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.13	14.07	0.00	–	–	–	–	0.17	-78.50	–	–
0.14	14.09	0.00	–	–	–	–	0.16	-77.80	–	–
0.16	14.12	0.00	–	–	–	–	0.15	-76.90	–	–
0.17	14.15	0.00	–	–	–	–	0.14	-75.70	–	–
0.19	14.18	0.00	–	–	–	–	0.12	-73.80	–	–
0.21	14.22	0.00	1.13	0.00	0.83	0.00	0.11	-70.30	–	–
0.22	14.27	0.00	1.12	0.00	0.84	0.00	0.09	-61.70	–	–
0.25	14.32	0.00	1.11	0.00	0.84	0.00	0.08	-47.50	–	–
0.27	14.39	0.00	1.10	0.00	0.85	0.00	0.08	-33.70	–	–
0.30	14.46	0.00	1.08	0.01	0.86	0.00	0.10	-26.70	–	–
0.33	14.55	0.00	1.06	0.00	0.86	0.00	0.09	-22.60	–	–
0.36	14.66	0.00	1.02	0.00	0.86	0.00	0.08	-24.80	–	–
0.39	14.79	0.00	0.97	0.01	0.87	0.00	0.06	-35.20	–	–
0.43	14.94	0.00	0.92	0.01	0.89	0.00	0.06	-46.40	–	–
0.47	15.10	0.00	0.88	0.01	0.90	0.00	0.06	-53.70	–	–
0.52	15.26	0.00	0.83	0.01	0.89	0.00	0.06	-43.20	–	–
0.57	15.42	0.00	0.81	0.01	0.89	0.00	0.05	-26.30	–	–
0.63	15.60	0.00	0.75	0.01	0.86	0.01	0.05	-26.30	–	–
0.69	15.78	0.00	0.71	0.01	0.84	0.01	0.05	-37.20	–	–
0.76	15.95	0.00	0.69	0.01	0.80	0.01	0.04	-38.70	–	–
0.84	16.10	0.01	0.68	0.02	0.75	0.01	0.06	-18.60	–	–
0.92	16.26	0.01	0.65	0.02	0.71	0.01	0.05	-18.50	–	–
1.01	16.41	0.01	0.65	0.02	0.67	0.01	0.05	-18.80	–	–
1.11	16.56	0.01	0.63	0.02	0.62	0.01	0.05	-14.00	–	–
1.22	16.69	0.01	0.63	0.03	0.58	0.02	0.05	-4.00	–	–
1.36	16.81	0.01	0.62	0.03	0.54	0.02	0.07	0.10	–	–
1.51	16.93	0.01	0.63	0.03	0.51	0.02	0.09	-3.60	–	–
1.67	17.07	0.01	0.62	0.04	0.48	0.02	0.10	-14.70	–	–
1.85	17.19	0.02	0.63	0.04	0.47	0.03	0.12	-11.30	–	–
2.06	17.31	0.02	0.63	0.05	0.46	0.03	0.13	-8.80	–	–
2.30	17.44	0.02	0.63	0.05	0.45	0.04	0.16	-15.20	–	–
2.56	17.57	0.02	0.64	0.06	0.44	0.04	0.18	-13.80	–	–
2.88	17.67	0.03	0.65	0.07	0.43	0.04	0.21	-15.10	–	–
3.30	17.79	0.03	0.64	0.07	0.43	0.05	0.28	-14.20	–	–
3.74	17.90	0.03	0.63	0.08	0.43	0.06	0.32	-18.40	–	–
4.19	18.01	0.04	0.62	0.09	0.42	0.06	0.34	-22.80	–	–
4.70	18.12	0.04	0.63	0.10	0.40	0.07	0.37	-20.70	–	–
4.97	18.24	0.04	0.62	0.11	0.42	0.08	0.31	-21.20	–	–
5.17	18.37	0.05	0.62	0.12	0.42	0.09	0.23	-20.60	–	–
5.41	18.48	0.05	0.63	0.14	0.40	0.10	0.15	-20.10	–	–
5.59	18.58	0.06	0.63	0.15	0.38	0.11	0.04	-3.90	–	–
6.12	18.76	0.07	0.62	0.18	0.36	0.13	0.03	26.80	–	–
6.87	18.95	0.08	0.61	0.21	0.38	0.15	0.07	39.90	–	–
7.72	19.14	0.10	0.61	0.25	0.36	0.18	0.11	37.10	–	–
8.43	19.38	0.12	0.60	0.30	0.36	0.22	0.10	46.80	–	–
9.51	19.60	0.15	0.61	0.37	0.36	0.27	0.14	51.30	–	–
10.41	19.82	0.19	0.61	0.46	0.32	0.35	0.13	51.60	–	–
11.80	20.03	0.23	0.62	0.52	0.28	0.39	0.18	35.60	–	–
13.28	20.22	0.27	0.64	0.68	0.21	0.53	0.22	47.40	–	–
13.83	20.47	0.34	0.63	0.77	0.22	0.61	0.13	54.40	–	–
15.38	20.68	0.41	–	–	0.25	0.79	0.15	73.60	–	–
17.16	20.95	0.53	–	–	0.22	0.95	0.17	77.60	–	–
18.62	21.21	0.67	–	–	–	–	0.15	88.90	–	–
19.67	21.51	0.89	–	–	–	–	0.08	-70.80	–	–
31.61	–	–	–	–	–	–	–	–	0.01	73.00
40.04	–	–	–	–	–	–	–	–	0.11	37.90
51.22	–	–	–	–	–	–	–	–	0.22	-30.20
55.70	–	–	–	–	–	–	–	–	0.05	-15.40
66.84	–	–	–	–	–	–	–	–	0.05	-15.40
80.21	–	–	–	–	–	–	–	–	0.05	-15.40

Table 5: Table 5-12

NGC 3227										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.28	11.20	0.00	0.92	0.00	0.81	0.00	0.25	190.60	–	–
0.31	11.26	0.00	0.91	0.00	0.79	0.00	0.25	190.60	–	–
0.34	11.33	0.00	0.89	0.00	0.77	0.00	0.25	190.40	–	–
0.38	11.42	0.00	0.87	0.00	0.75	0.00	0.25	190.10	–	–
0.41	11.52	0.00	0.85	0.00	0.72	0.00	0.26	190.10	–	–
0.46	11.64	0.00	0.83	0.00	0.70	0.00	0.25	190.10	–	–
0.50	11.78	0.00	0.81	0.00	0.67	0.00	0.24	190.00	–	–
0.55	11.94	0.00	0.79	0.00	0.62	0.00	0.23	190.20	–	–
0.59	12.10	0.00	0.78	0.00	0.57	0.00	0.22	190.10	–	–
0.65	12.28	0.00	0.77	0.00	0.50	0.00	0.21	190.30	–	–
0.71	12.47	0.00	0.75	0.00	0.46	0.00	0.19	190.30	–	–
0.76	12.65	0.00	0.74	0.00	0.43	0.00	0.17	190.80	–	–
0.83	12.83	0.00	0.74	0.00	0.41	0.00	0.14	192.40	–	–
0.90	13.00	0.00	0.75	0.00	0.40	0.00	0.12	193.20	–	–
0.98	13.16	0.00	0.76	0.00	0.39	0.00	0.10	189.10	–	–
1.07	13.33	0.00	0.78	0.00	0.39	0.00	0.08	184.40	–	–
1.18	13.51	0.00	0.78	0.01	0.39	0.01	0.09	183.60	–	–
1.31	13.69	0.00	0.79	0.01	0.38	0.01	0.11	177.50	–	–
1.46	13.88	0.00	0.79	0.01	0.38	0.01	0.13	173.40	–	–
1.63	14.07	0.00	0.79	0.01	0.37	0.01	0.15	170.30	–	–
1.80	14.26	0.01	0.79	0.01	0.36	0.01	0.16	166.70	–	–
1.98	14.47	0.01	0.78	0.01	0.37	0.01	0.16	165.40	–	–
2.18	14.68	0.01	0.75	0.02	0.36	0.02	0.16	165.40	–	–
2.40	14.88	0.01	0.74	0.02	0.35	0.02	0.17	165.30	–	–
2.65	15.06	0.01	0.74	0.02	0.34	0.02	0.17	163.90	–	–
2.93	15.23	0.01	0.73	0.03	0.34	0.03	0.18	162.70	–	–
3.29	15.38	0.02	0.72	0.03	0.34	0.03	0.21	162.30	–	–
3.70	15.53	0.02	0.71	0.04	0.33	0.04	0.25	159.50	–	–
4.14	15.68	0.02	0.71	0.04	0.31	0.04	0.27	156.30	–	–
4.59	15.85	0.03	0.71	0.05	0.31	0.05	0.28	154.80	–	–
5.07	16.01	0.03	0.71	0.05	0.29	0.06	0.29	152.50	–	–
5.66	16.15	0.03	0.71	0.06	0.29	0.07	0.31	150.80	–	–
6.28	16.28	0.04	0.72	0.07	0.28	0.08	0.32	150.10	–	–
7.07	16.41	0.04	0.72	0.08	0.27	0.09	0.35	147.70	–	–
7.91	16.53	0.05	0.73	0.09	0.27	0.10	0.37	148.00	–	–
8.95	16.65	0.05	0.73	0.10	0.26	0.11	0.41	147.80	–	–
10.08	16.76	0.06	0.73	0.11	0.27	0.12	0.44	148.70	–	–
11.42	16.86	0.06	0.73	0.12	0.27	0.13	0.47	148.70	–	–
12.75	16.94	0.07	0.74	0.13	0.26	0.14	0.48	148.00	–	–
14.21	17.05	0.08	0.74	0.14	0.25	0.16	0.50	149.40	–	–
15.78	17.16	0.09	0.74	0.16	0.27	0.17	0.51	147.40	–	–
17.72	17.26	0.09	0.74	0.17	0.27	0.19	0.53	147.30	–	–
20.03	17.36	0.10	0.74	0.19	0.27	0.20	0.55	147.90	–	–
21.98	17.46	0.11	0.75	0.21	0.28	0.22	0.55	145.90	–	–
24.27	17.58	0.13	0.75	0.23	0.30	0.24	0.55	145.70	–	–
27.06	17.70	0.14	0.76	0.26	0.33	0.27	0.56	145.30	0.00	260.30
30.04	17.83	0.16	0.78	0.30	0.34	0.29	0.57	147.10	0.00	260.34
33.57	17.93	0.18	0.80	0.33	0.32	0.33	0.59	148.60	0.00	263.47
37.68	18.05	0.20	0.82	0.37	0.32	0.36	0.60	148.50	0.00	261.69
41.23	18.20	0.23	0.85	0.47	0.31	0.45	0.60	149.50	0.04	236.62
45.87	18.36	0.26	0.80	0.37	0.35	0.38	0.61	148.40	0.12	190.03
57.01	18.38	0.26	0.68	0.02	0.41	0.09	–	–	0.31	112.71
57.37	18.61	0.33	0.74	0.05	0.38	0.12	–	–	0.32	112.38
63.11	18.83	0.40	–	–	–	–	–	–	0.39	113.39
69.42	19.01	0.47	–	–	–	–	–	–	0.45	123.04
76.37	19.23	0.58	–	–	–	–	–	–	0.52	136.78
84.00	19.36	0.66	–	–	–	–	–	–	0.58	147.85
92.40	19.63	0.84	–	–	–	–	–	–	0.63	150.92
101.64	19.46	0.72	–	–	–	–	–	–	0.60	154.52
102.46	–	–	–	–	–	–	–	–	0.60	154.80
111.27	–	–	–	–	–	–	–	–	0.51	156.60
123.76	–	–	–	–	–	–	–	–	0.43	149.90
152.29	–	–	–	–	–	–	–	–	0.45	145.80
200.29	–	–	–	–	–	–	–	–	0.55	152.70

Table 5: Table 5-13

NGC 3362										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	15.57	0.00	0.44	0.00	0.42	0.00	0.05	-48.80	–	–
0.28	15.60	0.00	0.45	0.00	0.40	0.00	0.04	-55.20	–	–
0.30	15.62	0.00	0.46	0.00	0.39	0.00	0.04	-55.70	–	–
0.33	15.66	0.00	0.48	0.00	0.37	0.00	0.04	-56.00	–	–
0.37	15.70	0.00	0.50	0.00	0.34	0.00	0.04	-55.50	–	–
0.40	15.75	0.00	0.52	0.00	0.32	0.00	0.04	-53.30	–	–
0.44	15.81	0.00	0.54	0.01	0.29	0.00	0.04	-49.70	–	–
0.49	15.87	0.00	0.56	0.01	0.27	0.00	0.04	-45.30	–	–
0.53	15.95	0.00	0.58	0.01	0.25	0.00	0.04	-43.30	–	–
0.59	16.03	0.00	0.59	0.01	0.23	0.01	0.04	-41.10	–	–
0.64	16.12	0.00	0.60	0.01	0.21	0.01	0.03	-42.90	–	–
0.71	16.22	0.00	0.60	0.01	0.20	0.01	0.04	-44.80	–	–
0.78	16.32	0.00	0.61	0.01	0.20	0.01	0.03	-42.90	–	–
0.86	16.42	0.00	0.61	0.01	0.19	0.01	0.03	-42.30	–	–
0.94	16.53	0.00	0.61	0.01	0.19	0.01	0.03	-41.70	–	–
1.04	16.63	0.00	0.60	0.01	0.18	0.01	0.03	-40.00	–	–
1.15	16.74	0.01	0.60	0.01	0.18	0.01	0.04	-41.20	–	–
1.27	16.83	0.01	0.61	0.01	0.18	0.01	0.05	-39.70	–	–
1.39	16.93	0.01	0.62	0.02	0.18	0.01	0.04	-31.50	–	–
1.52	17.02	0.01	0.63	0.02	0.18	0.01	0.03	-28.60	–	–
1.66	17.12	0.01	0.63	0.02	0.18	0.01	0.02	-35.80	–	–
1.83	17.22	0.01	0.64	0.02	0.19	0.02	0.02	-31.90	–	–
2.03	17.31	0.01	0.65	0.02	0.20	0.02	0.03	-18.30	–	–
2.24	17.42	0.01	0.66	0.02	0.20	0.02	0.04	-13.80	–	–
2.48	17.52	0.01	0.66	0.03	0.21	0.02	0.05	-19.00	–	–
2.76	17.63	0.01	0.67	0.03	0.22	0.02	0.07	-20.70	–	–
3.02	17.71	0.01	0.68	0.03	0.22	0.02	0.06	3.00	–	–
3.44	17.78	0.01	0.68	0.04	0.21	0.03	0.13	-0.10	–	–
3.82	17.84	0.02	0.69	0.04	0.22	0.03	0.15	-18.80	–	–
4.26	17.88	0.02	0.68	0.04	0.23	0.03	0.17	-40.60	–	–
5.10	17.93	0.02	0.67	0.04	0.25	0.03	0.30	-47.60	–	–
5.87	17.97	0.02	0.68	0.04	0.23	0.03	0.36	-61.00	–	–
6.47	18.05	0.02	0.68	0.04	0.22	0.03	0.36	-69.10	–	–
7.22	18.15	0.02	0.68	0.05	0.23	0.04	0.38	-76.10	–	–
8.05	18.29	0.02	0.68	0.06	0.24	0.04	0.40	-82.70	–	–
8.87	18.42	0.03	0.68	0.06	0.24	0.05	0.40	-88.80	–	–
9.72	18.58	0.03	0.68	0.07	0.24	0.05	0.39	-92.90	–	–
10.58	18.69	0.03	0.69	0.08	0.25	0.06	0.38	76.10	–	–
11.28	18.83	0.04	0.69	0.09	0.25	0.07	0.34	67.40	–	–
12.40	18.95	0.04	0.70	0.10	0.25	0.07	0.34	56.90	0.31	-70.96
13.19	19.10	0.05	0.70	0.12	0.25	0.08	0.29	48.30	0.71	2.95
14.29	19.33	0.06	0.70	0.15	0.24	0.11	0.27	42.10	0.82	79.17
15.11	19.52	0.07	0.70	0.18	0.26	0.12	0.21	36.40	0.22	68.51
16.42	19.71	0.09	0.67	0.20	0.27	0.14	0.19	28.30	-0.56	25.41
18.52	19.93	0.11	0.70	0.26	0.27	0.18	0.23	25.20	0.02	38.84
19.39	20.17	0.13	0.73	0.32	0.28	0.22	0.15	27.90	0.05	38.33
20.80	20.45	0.17	0.77	0.42	0.28	0.28	0.11	20.20	0.11	39.33
22.67	20.71	0.22	0.79	0.57	0.29	0.35	0.09	16.90	0.19	41.47
24.85	21.01	0.29	0.79	0.68	0.31	0.46	0.09	10.70	0.25	41.38
27.47	21.51	0.46	–	–	0.39	0.67	0.09	16.30	0.27	33.92
30.22	21.93	0.68	–	–	0.43	0.93	–	–	0.19	17.76
33.24	22.09	0.78	–	–	–	–	–	–	0.06	-0.57
36.56	21.99	0.71	–	–	–	–	–	–	0.01	-6.62
40.22	21.70	0.55	–	–	–	–	–	–	0.03	-39.46
44.24	21.56	0.48	–	–	–	–	–	–	0.07	-82.45
48.66	21.33	0.39	–	–	–	–	–	–	0.09	-70.91
53.53	21.14	0.32	–	–	–	–	–	–	0.08	18.91
56.36	–	–	–	–	–	–	–	–	0.07	64.40
69.48	–	–	–	–	–	–	–	–	0.12	63.60
81.81	–	–	–	–	–	–	–	–	0.09	73.00

Table 5: Table 5-14

UGC 6100										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.27	13.79	0.00	0.72	0.00	0.35	0.00	0.16	25.90	–	–
0.29	13.83	0.00	0.72	0.00	0.35	0.00	0.16	26.90	–	–
0.32	13.88	0.00	0.71	0.00	0.35	0.00	0.16	27.80	–	–
0.35	13.94	0.00	0.71	0.00	0.34	0.00	0.16	28.30	–	–
0.39	14.01	0.00	0.70	0.00	0.34	0.00	0.16	28.30	–	–
0.43	14.09	0.00	0.70	0.00	0.34	0.00	0.16	28.20	–	–
0.47	14.19	0.00	0.69	0.00	0.34	0.00	0.16	27.40	–	–
0.52	14.29	0.00	0.68	0.00	0.33	0.00	0.16	25.80	–	–
0.57	14.41	0.00	0.67	0.00	0.33	0.00	0.16	25.40	–	–
0.63	14.54	0.00	0.65	0.00	0.32	0.00	0.16	25.30	–	–
0.69	14.67	0.00	0.65	0.00	0.32	0.00	0.16	25.10	–	–
0.76	14.80	0.00	0.64	0.00	0.31	0.00	0.16	25.10	–	–
0.84	14.94	0.00	0.64	0.00	0.31	0.00	0.16	24.70	–	–
0.92	15.09	0.00	0.64	0.00	0.31	0.01	0.16	24.10	–	–
1.01	15.23	0.00	0.64	0.01	0.31	0.01	0.16	23.70	–	–
1.12	15.38	0.00	0.64	0.01	0.32	0.01	0.16	22.60	–	–
1.24	15.52	0.00	0.64	0.01	0.31	0.01	0.17	21.70	–	–
1.36	15.67	0.00	0.65	0.01	0.30	0.01	0.18	19.60	–	–
1.51	15.81	0.01	0.65	0.01	0.28	0.01	0.18	17.60	–	–
1.66	15.96	0.01	0.64	0.01	0.28	0.01	0.19	16.80	–	–
1.84	16.09	0.01	0.64	0.01	0.29	0.01	0.20	16.40	–	–
2.04	16.23	0.01	0.64	0.01	0.30	0.02	0.21	16.30	–	–
2.29	16.36	0.01	0.66	0.02	0.28	0.02	0.24	12.50	–	–
2.53	16.49	0.01	0.67	0.02	0.29	0.02	0.25	11.10	–	–
2.77	16.63	0.01	0.66	0.02	0.30	0.02	0.24	13.20	–	–
3.04	16.77	0.01	0.66	0.02	0.30	0.03	0.24	15.50	–	–
3.36	16.91	0.02	0.66	0.03	0.29	0.03	0.25	16.90	–	–
3.80	17.06	0.02	0.67	0.03	0.30	0.04	0.28	15.50	–	–
4.20	17.18	0.02	0.69	0.04	0.31	0.04	0.29	15.80	–	–
4.60	17.33	0.02	0.65	0.04	0.28	0.05	0.29	14.00	–	–
5.14	17.44	0.03	0.68	0.04	0.30	0.05	0.31	11.40	–	–
5.72	17.58	0.03	0.66	0.05	0.28	0.06	0.32	12.50	–	–
6.41	17.72	0.03	0.65	0.06	0.29	0.07	0.35	11.70	–	–
7.07	17.91	0.04	0.64	0.07	0.24	0.08	0.35	12.90	–	–
7.69	18.15	0.05	0.63	0.09	0.18	0.11	0.34	14.50	–	–
8.58	18.36	0.06	0.63	0.10	0.20	0.12	0.36	14.10	–	–
9.76	18.55	0.07	0.66	0.13	0.17	0.16	0.40	12.70	–	–
10.24	18.75	0.09	0.65	0.14	0.17	0.18	0.34	12.20	–	–
11.14	18.95	0.10	0.62	0.17	0.20	0.22	0.32	11.60	–	–
11.87	19.16	0.12	0.64	0.21	0.18	0.26	0.28	7.50	0.34	11.49
13.34	19.36	0.15	0.68	0.26	0.08	0.34	0.31	12.30	0.28	11.30
14.31	19.56	0.18	0.66	0.31	-0.03	0.45	0.27	15.10	0.29	12.59
15.39	19.76	0.22	0.66	0.36	-0.14	0.58	0.24	14.50	0.31	14.00
17.12	19.92	0.25	0.69	0.43	-0.10	0.65	0.26	20.00	0.35	14.13
19.84	20.18	0.32	0.74	0.56	0.05	0.72	0.33	16.00	0.38	12.04
22.45	20.57	0.45	0.82	0.84	–	–	0.37	13.80	0.36	10.05
23.99	20.85	0.58	–	–	–	–	0.33	15.80	0.37	12.51
26.89	21.07	0.72	–	–	–	–	0.35	9.00	0.38	18.37
30.14	–	–	–	–	–	–	–	–	0.37	18.40
32.96	–	–	–	–	–	–	–	–	0.36	14.69
36.82	–	–	–	–	–	–	–	–	0.35	8.22
37.31	–	–	–	–	–	–	–	–	0.35	7.76
38.87	–	–	–	–	–	–	–	–	0.35	7.00
46.31	–	–	–	–	–	–	–	–	0.34	13.80
54.05	–	–	–	–	–	–	–	–	0.30	-23.30
55.83	–	–	–	–	–	–	–	–	0.05	-44.30
71.65	–	–	–	–	–	–	–	–	0.17	-6.40

Table 5: Table 5-15

NGC 3516										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.16	11.41	0.00	–	–	–	–	0.41	85.80	–	–
0.17	11.43	0.00	–	–	–	–	0.38	85.40	–	–
0.18	11.44	0.00	–	–	–	–	0.35	84.90	–	–
0.19	11.45	0.00	–	–	–	–	0.31	84.80	–	–
0.20	11.47	0.00	0.96	0.00	1.01	0.00	0.24	81.50	–	–
0.22	11.49	0.00	0.96	0.00	1.00	0.00	0.18	78.30	–	–
0.23	11.52	0.00	0.97	0.00	0.98	0.00	0.12	73.90	–	–
0.25	11.55	0.00	0.97	0.00	0.97	0.00	0.09	66.50	–	–
0.27	11.59	0.00	0.96	0.00	0.95	0.00	0.08	60.50	–	–
0.30	11.64	0.00	0.95	0.00	0.93	0.00	0.08	58.50	–	–
0.32	11.70	0.00	0.94	0.00	0.90	0.00	0.07	49.30	–	–
0.36	11.77	0.00	0.94	0.00	0.88	0.00	0.08	49.30	–	–
0.40	11.86	0.00	0.94	0.00	0.86	0.00	0.08	63.10	–	–
0.44	11.96	0.00	0.95	0.00	0.84	0.00	0.10	67.00	–	–
0.49	12.07	0.00	0.94	0.00	0.82	0.00	0.10	65.60	–	–
0.53	12.20	0.00	0.92	0.00	0.78	0.00	0.09	66.30	–	–
0.58	12.35	0.00	0.89	0.00	0.73	0.00	0.09	62.00	–	–
0.64	12.51	0.00	0.88	0.00	0.67	0.00	0.08	62.60	–	–
0.70	12.70	0.00	0.86	0.00	0.64	0.00	0.07	60.30	–	–
0.77	12.90	0.00	0.82	0.00	0.61	0.00	0.07	60.10	–	–
0.84	13.09	0.00	0.77	0.00	0.55	0.00	0.06	58.70	–	–
0.92	13.27	0.00	0.76	0.00	0.51	0.00	0.04	44.00	–	–
1.01	13.45	0.00	0.73	0.00	0.47	0.00	0.05	36.60	–	–
1.13	13.61	0.00	0.70	0.01	0.41	0.01	0.08	23.20	–	–
1.25	13.75	0.00	0.70	0.01	0.37	0.01	0.09	18.80	–	–
1.39	13.89	0.00	0.69	0.01	0.33	0.01	0.11	17.60	–	–
1.54	14.02	0.00	0.68	0.01	0.31	0.01	0.13	16.70	–	–
1.70	14.16	0.01	0.67	0.01	0.30	0.01	0.12	21.50	–	–
1.87	14.30	0.01	0.67	0.01	0.28	0.01	0.13	25.20	–	–
2.06	14.46	0.01	0.67	0.01	0.27	0.01	0.13	30.70	–	–
2.26	14.63	0.01	0.66	0.01	0.27	0.02	0.12	33.10	–	–
2.47	14.82	0.01	0.66	0.02	0.26	0.02	0.12	35.00	–	–
2.71	15.01	0.01	0.65	0.02	0.26	0.02	0.12	34.80	–	–
2.98	15.19	0.02	0.65	0.03	0.25	0.03	0.11	35.90	–	–
3.27	15.37	0.02	0.65	0.03	0.25	0.03	0.11	34.80	–	–
3.59	15.55	0.02	0.64	0.03	0.24	0.04	0.10	32.80	–	–
3.95	15.71	0.03	0.64	0.04	0.23	0.04	0.10	27.90	–	–
4.36	15.88	0.03	0.64	0.05	0.23	0.05	0.11	24.90	–	–
4.78	16.04	0.04	0.64	0.05	0.23	0.06	0.10	19.10	–	–
5.26	16.22	0.04	0.64	0.06	0.23	0.07	0.10	14.00	–	–
5.86	16.41	0.05	0.64	0.07	0.22	0.08	0.13	6.50	–	–
6.52	16.60	0.06	0.64	0.09	0.21	0.10	0.14	2.00	–	–
7.31	16.78	0.07	0.64	0.11	0.21	0.12	0.18	-3.80	–	–
8.21	16.98	0.08	0.63	0.12	0.23	0.14	0.21	-7.00	–	–
9.38	17.15	0.10	0.63	0.14	0.22	0.16	0.27	-8.40	–	–
10.62	17.32	0.11	0.64	0.17	0.20	0.19	0.31	-9.80	–	–
11.66	17.53	0.14	0.64	0.20	0.20	0.23	0.31	-9.00	–	–
12.59	17.74	0.17	0.63	0.25	0.20	0.28	0.28	-7.70	–	–
13.68	17.97	0.20	0.62	0.30	0.19	0.34	0.26	-5.00	–	–
14.86	18.18	0.25	0.63	0.37	0.17	0.42	0.25	-0.20	–	–
15.92	18.43	0.31	0.62	0.45	0.16	0.52	0.20	2.30	–	–
17.21	18.68	0.40	0.62	0.58	0.16	0.67	0.18	8.10	0.22	-7.48
18.45	18.97	0.52	0.60	0.71	0.19	0.82	0.13	1.20	0.27	-7.88
20.00	19.23	0.65	0.56	0.88	–	–	0.11	-5.70	0.27	-6.83
21.50	19.44	0.80	–	–	–	–	0.06	-15.10	0.25	-4.83
24.98	19.50	0.84	–	–	–	–	0.16	70.70	0.19	0.90
28.40	19.67	0.98	–	–	–	–	0.22	69.60	0.20	5.33
32.21	–	–	–	–	–	–	0.26	69.30	0.17	7.88
35.40	–	–	–	–	–	–	0.26	70.00	0.15	16.39
40.22	–	–	–	–	–	–	0.31	72.30	0.16	38.64
43.30	–	–	–	–	–	–	0.28	70.60	0.17	46.25
47.63	–	–	–	–	–	–	–	–	0.19	49.71
52.39	–	–	–	–	–	–	–	–	0.20	50.47
57.63	–	–	–	–	–	–	–	–	0.21	50.30
63.39	–	–	–	–	–	–	–	–	0.22	49.01
73.20	–	–	–	–	–	–	–	–	0.21	44.40
86.15	–	–	–	–	–	–	–	–	0.18	33.30
105.92	–	–	–	–	–	–	–	–	0.22	39.00
123.61	–	–	–	–	–	–	–	–	0.17	45.30
164.79	–	–	–	–	–	–	–	–	0.33	49.80
191.60	–	–	–	–	–	–	–	–	0.28	46.10
196.74	–	–	–	–	–	–	–	–	0.02	90.10
299.47	–	–	–	–	–	–	–	–	0.39	40.30

Table 5: Table 5-16

Mrk 744										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.13	13.66	0.00	–	–	–	–	0.11	10.10	–	–
0.14	13.66	0.00	–	–	–	–	0.10	10.10	–	–
0.15	13.67	0.00	–	–	–	–	0.05	14.70	–	–
0.17	13.68	0.00	–	–	–	–	0.06	55.20	–	–
0.18	13.68	0.00	–	–	–	–	0.08	74.40	–	–
0.20	13.69	0.00	0.66	0.00	1.27	0.00	0.09	82.10	–	–
0.22	13.70	0.00	0.66	0.00	1.26	0.00	0.07	90.50	–	–
0.24	13.71	0.00	0.67	0.00	1.24	0.00	0.05	113.10	–	–
0.27	13.73	0.00	0.67	0.00	1.23	0.00	0.06	139.90	–	–
0.30	13.74	0.00	0.68	0.00	1.21	0.00	0.10	156.20	–	–
0.34	13.76	0.00	0.68	0.00	1.18	0.00	0.14	157.40	–	–
0.38	13.78	0.00	0.69	0.00	1.15	0.00	0.16	145.40	–	–
0.42	13.80	0.00	0.70	0.00	1.11	0.00	0.18	137.80	–	–
0.47	13.82	0.00	0.71	0.00	1.08	0.00	0.20	143.70	–	–
0.53	13.85	0.00	0.73	0.00	1.02	0.00	0.25	146.00	–	–
0.57	13.88	0.00	0.74	0.00	0.97	0.00	0.22	145.80	–	–
0.62	13.93	0.00	0.76	0.00	0.89	0.00	0.20	144.90	–	–
0.68	13.98	0.00	0.78	0.00	0.82	0.00	0.20	144.70	–	–
0.75	14.06	0.00	0.80	0.00	0.76	0.00	0.20	148.70	–	–
0.81	14.16	0.00	0.80	0.00	0.68	0.00	0.17	149.10	–	–
0.88	14.27	0.00	0.81	0.00	0.61	0.00	0.14	141.10	–	–
0.95	14.41	0.00	0.81	0.00	0.56	0.00	0.12	146.10	–	–
1.04	14.57	0.00	0.80	0.00	0.52	0.00	0.10	144.40	–	–
1.12	14.73	0.00	0.78	0.00	0.48	0.00	0.07	129.20	–	–
1.23	14.91	0.00	0.77	0.00	0.48	0.00	0.06	118.80	–	–
1.36	15.08	0.00	0.76	0.00	0.46	0.00	0.08	103.00	–	–
1.52	15.26	0.00	0.76	0.00	0.45	0.00	0.10	92.50	–	–
1.68	15.44	0.00	0.76	0.00	0.45	0.00	0.11	87.60	–	–
1.87	15.63	0.00	0.75	0.01	0.45	0.00	0.13	82.90	–	–
2.08	15.83	0.00	0.74	0.01	0.44	0.00	0.15	80.60	–	–
2.31	16.02	0.00	0.74	0.01	0.44	0.01	0.16	78.40	–	–
2.55	16.22	0.00	0.72	0.01	0.44	0.01	0.17	77.10	–	–
2.83	16.41	0.00	0.71	0.01	0.44	0.01	0.18	76.10	–	–
3.15	16.58	0.01	0.69	0.01	0.42	0.01	0.20	75.90	–	–
3.51	16.74	0.01	0.67	0.02	0.42	0.01	0.22	72.30	–	–
3.91	16.90	0.01	0.67	0.02	0.41	0.01	0.24	73.60	–	–
4.31	17.04	0.01	0.66	0.02	0.42	0.02	0.25	73.00	–	–
4.79	17.17	0.01	0.64	0.02	0.42	0.02	0.26	72.60	–	–
5.32	17.31	0.01	0.63	0.03	0.40	0.02	0.28	72.00	–	–
5.85	17.44	0.01	0.63	0.03	0.40	0.02	0.28	72.40	–	–
6.52	17.57	0.01	0.63	0.03	0.40	0.03	0.29	71.60	–	–
7.24	17.69	0.02	0.62	0.04	0.38	0.03	0.31	71.50	–	–
7.98	17.81	0.02	0.61	0.04	0.37	0.03	0.31	70.30	–	–
8.82	17.94	0.02	0.61	0.04	0.37	0.04	0.32	68.80	–	–
9.90	18.06	0.02	0.61	0.05	0.38	0.04	0.34	66.60	–	–
11.12	18.17	0.03	0.60	0.05	0.37	0.04	0.37	64.10	–	–
12.69	18.26	0.03	0.60	0.06	0.37	0.05	0.42	61.10	–	–
14.49	18.34	0.03	0.60	0.06	0.37	0.05	0.46	58.70	0.37	68.69
17.18	18.40	0.03	0.60	0.07	0.38	0.06	0.53	56.50	0.43	65.02
19.45	18.51	0.03	0.60	0.07	0.38	0.06	0.56	56.70	0.49	63.60
21.79	18.59	0.04	0.60	0.08	0.38	0.06	0.57	61.00	0.55	63.08
23.58	18.72	0.04	0.61	0.09	0.37	0.07	0.56	63.50	0.59	63.00
24.88	18.91	0.05	0.61	0.11	0.35	0.09	0.52	65.40	0.63	63.09
26.78	19.13	0.06	0.63	0.13	0.31	0.11	0.50	68.10	0.68	63.17
29.27	19.47	0.08	0.62	0.19	0.31	0.15	0.50	69.50	0.71	63.06
31.43	19.87	0.12	0.57	0.25	0.34	0.21	0.47	69.40	0.69	62.79
34.51	20.15	0.15	0.55	0.32	0.33	0.28	0.47	69.80	0.62	62.46
39.51	20.35	0.18	0.54	0.40	0.41	0.33	0.51	68.90	0.57	66.03
47.65	20.43	0.20	0.48	0.31	0.36	0.28	0.59	66.50	0.50	64.75
54.91	20.54	0.22	0.55	0.51	0.37	0.43	0.63	67.50	0.51	64.94
56.05	20.88	0.30	0.58	0.61	0.41	0.49	0.57	66.50	0.51	64.57
63.72	21.12	0.38	0.59	0.78	0.49	0.63	0.60	69.40	0.53	59.04
70.19	21.49	0.53	–	–	–	–	–	–	0.53	54.21
77.21	–	–	–	–	–	–	–	–	0.52	60.47

A subarcsecond resolution near-infrared study of Seyfert and 'normal' galaxies: I. Imaging data - Tables 3

arXiv:astro-ph/9905076v1 6 May 1999

Table 5: Table 5-17

NGC 3982										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.16	14.33	0.00	–	–	–	–	0.44	5.10	–	–
0.18	14.33	0.00	–	–	–	–	0.43	4.80	–	–
0.19	14.34	0.00	–	–	–	–	0.42	3.70	–	–
0.20	14.34	0.00	0.75	0.00	0.45	0.00	0.38	3.40	–	–
0.21	14.35	0.00	0.75	0.00	0.45	0.00	0.31	3.30	–	–
0.23	14.35	0.00	0.75	0.00	0.45	0.00	0.26	3.10	–	–
0.24	14.36	0.00	0.75	0.00	0.45	0.00	0.20	1.90	–	–
0.25	14.37	0.00	0.75	0.00	0.44	0.00	0.11	1.20	–	–
0.26	14.38	0.00	0.75	0.00	0.44	0.00	0.03	-5.40	–	–
0.29	14.39	0.00	0.75	0.00	0.43	0.00	0.06	95.90	–	–
0.33	14.40	0.00	0.75	0.00	0.42	0.00	0.09	92.50	–	–
0.36	14.41	0.00	0.75	0.00	0.40	0.00	0.07	112.00	–	–
0.38	14.43	0.00	0.75	0.00	0.39	0.00	0.03	-42.50	–	–
0.43	14.45	0.00	0.76	0.00	0.37	0.00	0.08	-9.50	–	–
0.48	14.48	0.00	0.75	0.00	0.36	0.00	0.07	-15.50	–	–
0.52	14.51	0.00	0.75	0.00	0.34	0.00	0.04	123.70	–	–
0.57	14.55	0.00	0.75	0.00	0.32	0.00	0.06	104.30	–	–
0.62	14.60	0.00	0.75	0.00	0.30	0.00	0.03	108.00	–	–
0.69	14.64	0.00	0.76	0.00	0.28	0.00	0.05	-11.30	–	–
0.75	14.70	0.00	0.75	0.00	0.27	0.00	0.04	-0.90	–	–
0.82	14.77	0.00	0.75	0.00	0.24	0.00	0.01	39.80	–	–
0.92	14.84	0.00	0.75	0.00	0.22	0.00	0.05	9.10	–	–
1.02	14.92	0.00	0.74	0.00	0.20	0.00	0.06	6.90	–	–
1.11	14.99	0.00	0.75	0.00	0.18	0.00	0.05	22.10	–	–
1.24	15.09	0.00	0.75	0.00	0.17	0.00	0.08	11.30	–	–
1.36	15.18	0.00	0.74	0.00	0.16	0.00	0.08	13.90	–	–
1.51	15.28	0.00	0.74	0.01	0.16	0.00	0.09	12.80	–	–
1.68	15.38	0.00	0.74	0.01	0.15	0.00	0.10	12.40	–	–
1.87	15.49	0.00	0.74	0.01	0.14	0.01	0.12	12.70	–	–
2.05	15.60	0.00	0.74	0.01	0.13	0.01	0.12	13.20	–	–
2.28	15.71	0.00	0.73	0.01	0.13	0.01	0.14	14.60	–	–
2.52	15.83	0.00	0.73	0.01	0.13	0.01	0.15	14.90	–	–
2.80	15.95	0.00	0.73	0.01	0.13	0.01	0.17	13.60	–	–
3.10	16.06	0.00	0.73	0.01	0.13	0.01	0.18	14.00	–	–
3.42	16.19	0.00	0.72	0.01	0.14	0.01	0.18	13.80	–	–
3.79	16.31	0.01	0.72	0.01	0.14	0.01	0.19	12.30	–	–
4.18	16.43	0.01	0.72	0.01	0.13	0.01	0.20	12.20	–	–
4.62	16.56	0.01	0.72	0.02	0.13	0.01	0.21	10.80	–	–
5.08	16.68	0.01	0.72	0.02	0.14	0.01	0.21	9.00	–	–
5.63	16.78	0.01	0.72	0.02	0.14	0.02	0.22	6.10	–	–
6.39	16.86	0.01	0.71	0.02	0.14	0.02	0.27	2.40	–	–
7.29	16.93	0.01	0.71	0.02	0.16	0.02	0.32	-2.00	–	–
8.31	16.99	0.01	0.71	0.02	0.16	0.02	0.36	-3.20	–	–
9.27	17.04	0.01	0.70	0.03	0.17	0.02	0.38	-1.70	–	–
10.25	17.09	0.01	0.70	0.03	0.17	0.02	0.39	2.80	–	–
10.94	17.15	0.01	0.70	0.03	0.17	0.02	0.35	8.60	–	–
11.72	17.19	0.01	0.70	0.03	0.18	0.02	0.31	20.80	–	–
11.90	17.24	0.01	0.70	0.03	0.18	0.02	0.19	27.90	–	–
12.79	17.34	0.01	0.71	0.03	0.18	0.03	0.16	28.80	–	–
14.35	17.46	0.02	0.72	0.04	0.18	0.03	0.19	24.20	–	–
15.60	17.62	0.02	0.73	0.04	0.17	0.03	0.17	30.70	–	–
17.28	17.81	0.02	0.73	0.05	0.16	0.04	0.18	33.90	–	–
18.41	18.03	0.03	0.74	0.07	0.15	0.05	0.13	42.30	–	–
19.90	18.31	0.04	0.74	0.09	0.13	0.07	0.10	45.60	–	–
21.69	18.60	0.05	0.73	0.11	0.10	0.09	0.08	26.90	–	–
23.90	18.87	0.06	0.74	0.14	0.10	0.11	0.08	0.80	–	–
26.88	19.27	0.09	0.74	0.25	0.10	0.18	0.12	1.10	–	–
29.75	19.79	0.14	0.70	0.30	0.09	0.26	0.14	5.80	–	–
32.96	20.47	0.26	0.74	0.62	0.01	0.52	0.15	9.60	0.08	2.54
36.46	21.74	0.85	–	–	–	–	0.16	7.50	0.11	3.84
40.68	–	–	–	–	–	–	–	–	0.14	5.90
48.87	–	–	–	–	–	–	–	–	0.14	11.40
56.50	–	–	–	–	–	–	–	–	0.08	16.60
69.24	–	–	–	–	–	–	–	–	0.11	12.80
84.52	–	–	–	–	–	–	–	–	0.14	-0.10
98.81	–	–	–	–	–	–	–	–	0.10	21.70
128.88	–	–	–	–	–	–	–	–	0.24	19.30
159.94	–	–	–	–	–	–	–	–	0.29	-5.00
217.36	–	–	–	–	–	–	–	–	0.44	19.20
202.22	–	–	–	–	–	–	–	–	0.07	-26.00
266.11	–	–	–	–	–	–	–	–	0.23	79.60

Table 5: Table 5-18

NGC 3982										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.13	11.81	0.00	–	–	–	–	0.08	-13.60	–	–
0.14	11.81	0.00	–	–	–	–	0.09	-12.00	–	–
0.16	11.82	0.00	–	–	–	–	0.11	-13.40	–	–
0.17	11.84	0.00	–	–	–	–	0.11	-13.20	–	–
0.19	11.85	0.00	–	–	–	–	0.12	-14.10	–	–
0.21	11.87	0.00	0.86	0.00	1.16	0.00	0.12	-16.20	–	–
0.23	11.89	0.00	0.86	0.00	1.15	0.00	0.13	-18.90	–	–
0.25	11.91	0.00	0.86	0.00	1.14	0.00	0.14	-25.40	–	–
0.28	11.93	0.00	0.86	0.00	1.12	0.00	0.13	-33.20	–	–
0.31	11.96	0.00	0.87	0.00	1.10	0.00	0.14	-43.00	–	–
0.34	11.99	0.00	0.87	0.00	1.08	0.00	0.16	-49.80	–	–
0.38	12.03	0.00	0.88	0.00	1.06	0.00	0.19	-51.90	–	–
0.44	12.06	0.00	0.90	0.00	1.00	0.00	0.25	-50.60	–	–
0.49	12.11	0.00	0.93	0.00	0.93	0.00	0.27	-47.50	–	–
0.53	12.16	0.00	0.96	0.00	0.87	0.00	0.26	-46.40	–	–
0.58	12.24	0.00	0.99	0.00	0.83	0.00	0.24	-44.80	–	–
0.63	12.33	0.00	1.02	0.00	0.77	0.00	0.22	-43.40	–	–
0.68	12.45	0.00	1.05	0.00	0.71	0.00	0.20	-42.10	–	–
0.74	12.59	0.00	1.06	0.00	0.64	0.00	0.18	-42.70	–	–
0.81	12.76	0.00	1.06	0.00	0.56	0.00	0.16	-42.40	–	–
0.88	12.97	0.00	1.05	0.00	0.50	0.00	0.14	-42.40	–	–
0.96	13.18	0.00	1.02	0.00	0.46	0.00	0.13	-42.10	–	–
1.05	13.41	0.00	0.97	0.00	0.42	0.00	0.12	-42.20	–	–
1.16	13.63	0.00	0.93	0.00	0.38	0.00	0.13	-42.90	–	–
1.28	13.83	0.00	0.90	0.00	0.36	0.00	0.13	-43.00	–	–
1.41	14.03	0.00	0.89	0.00	0.34	0.00	0.14	-42.80	–	–
1.57	14.22	0.00	0.87	0.00	0.33	0.00	0.15	-43.00	–	–
1.73	14.41	0.00	0.87	0.00	0.32	0.00	0.16	-43.50	–	–
1.90	14.61	0.00	0.86	0.00	0.32	0.00	0.16	-44.20	–	–
2.10	14.81	0.00	0.86	0.00	0.31	0.00	0.17	-44.50	–	–
2.31	15.01	0.00	0.86	0.00	0.31	0.00	0.17	-44.60	–	–
2.55	15.21	0.00	0.86	0.01	0.31	0.00	0.17	-44.70	–	–
2.82	15.41	0.00	0.85	0.01	0.30	0.00	0.18	-43.80	–	–
3.11	15.60	0.00	0.84	0.01	0.30	0.00	0.18	-45.30	–	–
3.45	15.78	0.00	0.83	0.01	0.30	0.01	0.19	-44.30	–	–
3.82	15.95	0.00	0.81	0.01	0.29	0.01	0.21	-44.30	–	–
4.26	16.11	0.00	0.81	0.01	0.28	0.01	0.23	-44.60	–	–
4.72	16.26	0.01	0.81	0.01	0.27	0.01	0.24	-44.40	–	–
5.22	16.42	0.01	0.79	0.02	0.25	0.01	0.25	-45.80	–	–
5.79	16.56	0.01	0.79	0.02	0.25	0.01	0.26	-46.50	–	–
6.42	16.71	0.01	0.77	0.02	0.25	0.01	0.27	-46.30	–	–
7.17	16.87	0.01	0.76	0.02	0.23	0.02	0.29	-47.00	–	–
7.96	17.02	0.01	0.76	0.03	0.22	0.02	0.31	-47.60	–	–
8.85	17.18	0.01	0.76	0.03	0.21	0.02	0.32	-47.70	–	–
9.83	17.33	0.01	0.75	0.03	0.21	0.03	0.33	-46.80	–	–
10.91	17.48	0.02	0.74	0.04	0.20	0.03	0.35	-46.50	–	–
12.20	17.63	0.02	0.74	0.04	0.19	0.04	0.37	-45.60	–	–
13.52	17.78	0.02	0.72	0.05	0.19	0.04	0.38	-45.20	–	–
15.10	17.94	0.03	0.71	0.06	0.17	0.05	0.40	-46.70	–	–
16.84	18.10	0.03	0.72	0.07	0.17	0.06	0.41	-46.80	–	–
18.49	18.25	0.04	0.72	0.08	0.16	0.07	0.41	-46.80	–	–
20.66	18.40	0.04	0.72	0.09	0.16	0.07	0.43	-47.30	–	–
23.44	18.55	0.05	0.71	0.10	0.15	0.09	0.46	-46.20	–	–
26.07	18.70	0.05	0.69	0.11	0.12	0.10	0.47	-46.30	–	–
28.98	18.90	0.06	0.68	0.13	0.12	0.12	0.49	-46.60	–	–
32.69	19.09	0.08	0.63	0.16	0.13	0.15	0.51	-45.20	0.44	-56.02
39.65	19.16	0.08	0.65	0.15	0.13	0.13	0.60	-45.80	0.44	-46.57
44.62	19.34	0.10	0.67	0.22	0.10	0.21	0.62	-44.00	0.47	-42.62
46.01	19.64	0.13	0.65	0.25	0.07	0.25	0.56	-42.00	0.49	-41.76
52.35	19.85	0.16	0.57	0.31	0.00	0.31	0.59	-44.00	0.56	-39.17
57.58	20.25	0.22	0.49	0.39	0.04	0.43	–	–	0.61	-38.35
63.34	20.40	0.26	0.56	0.48	-0.04	0.54	–	–	0.65	-38.45
69.67	21.51	0.71	–	–	–	–	–	–	0.49	-39.29
100.00	–	–	–	–	–	–	–	–	0.80	-44.00
95.01	–	–	–	–	–	–	–	–	0.67	-43.80
111.26	–	–	–	–	–	–	–	–	0.66	-43.00
119.75	–	–	–	–	–	–	–	–	0.57	-48.10
137.79	–	–	–	–	–	–	–	–	0.54	-57.40
149.69	–	–	–	–	–	–	–	–	0.43	-60.50
170.35	–	–	–	–	–	–	–	–	0.37	-72.30
188.91	–	–	–	–	–	–	–	–	0.26	-79.60
210.39	–	–	–	–	–	–	–	–	0.14	-50.90
264.03	–	–	–	–	–	–	–	–	0.22	-37.60

Table 5: Table 5-19

NGC 4151										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	10.12	0.00	0.74	0.00	0.68	0.00	0.07	246.50	–	–
0.28	10.18	0.00	0.75	0.00	0.68	0.00	0.07	244.10	–	–
0.31	10.25	0.00	0.76	0.00	0.69	0.00	0.06	242.00	–	–
0.34	10.33	0.00	0.78	0.00	0.71	0.00	0.06	242.20	–	–
0.37	10.44	0.00	0.80	0.00	0.71	0.00	0.05	240.80	–	–
0.41	10.56	0.00	0.82	0.00	0.72	0.00	0.05	239.90	–	–
0.45	10.71	0.00	0.84	0.00	0.72	0.00	0.05	239.20	–	–
0.49	10.90	0.00	0.85	0.00	0.72	0.00	0.05	240.10	–	–
0.54	11.11	0.00	0.86	0.00	0.71	0.00	0.05	241.50	–	–
0.59	11.35	0.00	0.89	0.00	0.67	0.00	0.05	245.70	–	–
0.65	11.61	0.00	0.93	0.00	0.63	0.00	0.05	250.40	–	–
0.72	11.90	0.00	0.95	0.00	0.59	0.00	0.06	257.20	–	–
0.80	12.21	0.00	0.96	0.00	0.56	0.00	0.08	263.30	–	–
0.89	12.51	0.00	0.95	0.00	0.53	0.00	0.11	263.60	–	–
1.00	12.80	0.00	0.92	0.00	0.50	0.00	0.13	265.40	–	–
1.11	13.09	0.00	0.89	0.00	0.46	0.00	0.15	267.80	–	–
1.22	13.37	0.00	0.86	0.00	0.43	0.00	0.15	268.00	–	–
1.33	13.64	0.00	0.82	0.00	0.38	0.00	0.13	267.40	–	–
1.43	13.89	0.00	0.79	0.00	0.33	0.00	0.10	266.20	–	–
1.55	14.11	0.00	0.78	0.00	0.29	0.00	0.07	263.70	–	–
1.70	14.32	0.00	0.77	0.00	0.25	0.00	0.05	266.20	–	–
1.85	14.51	0.00	0.76	0.00	0.22	0.00	0.04	266.50	–	–
2.04	14.70	0.00	0.73	0.00	0.21	0.00	0.04	255.00	–	–
2.24	14.87	0.00	0.71	0.00	0.21	0.00	0.04	249.40	–	–
2.46	15.05	0.00	0.70	0.00	0.20	0.00	0.04	240.20	–	–
2.69	15.22	0.00	0.69	0.00	0.17	0.00	0.03	240.70	–	–
2.97	15.39	0.00	0.69	0.00	0.16	0.00	0.03	237.80	–	–
3.26	15.56	0.00	0.68	0.00	0.15	0.00	0.03	235.40	–	–
3.55	15.73	0.00	0.68	0.01	0.13	0.01	0.01	207.80	–	–
3.92	15.91	0.00	0.68	0.01	0.11	0.01	0.02	218.60	–	–
4.31	16.08	0.00	0.66	0.01	0.09	0.01	0.02	221.70	–	–
4.76	16.24	0.00	0.65	0.01	0.07	0.01	0.03	207.10	–	–
5.22	16.40	0.00	0.65	0.01	0.05	0.01	0.02	205.40	–	–
5.75	16.54	0.00	0.66	0.01	0.03	0.01	0.02	203.30	–	–
6.31	16.68	0.01	0.64	0.01	0.01	0.01	0.02	190.30	–	–
6.98	16.82	0.01	0.64	0.01	0.01	0.01	0.03	188.60	–	–
7.71	16.95	0.01	0.64	0.01	0.01	0.02	0.04	179.00	–	–
8.53	17.08	0.01	0.63	0.02	0.00	0.02	0.05	177.70	–	–
9.41	17.22	0.01	0.63	0.02	0.00	0.02	0.05	188.20	–	–
10.34	17.38	0.01	0.64	0.02	0.00	0.02	0.05	193.50	–	–
11.45	17.55	0.01	0.65	0.02	-0.01	0.03	0.06	202.60	–	–
12.70	17.75	0.02	0.65	0.03	-0.02	0.03	0.08	202.10	–	–
13.94	17.99	0.02	0.64	0.04	-0.01	0.04	0.07	200.90	–	–
15.24	18.25	0.03	0.65	0.05	-0.04	0.06	0.06	205.00	–	–
16.63	18.50	0.03	0.67	0.06	-0.08	0.07	0.05	201.60	–	–
18.33	18.81	0.04	0.68	0.08	-0.04	0.09	0.05	195.00	–	–
20.00	19.08	0.06	0.72	0.11	-0.04	0.12	0.04	180.70	–	–
22.08	19.37	0.07	0.77	0.14	-0.13	0.16	0.04	175.30	–	–
24.47	19.65	0.10	0.78	0.18	-0.10	0.20	0.06	145.50	–	–
26.65	19.95	0.13	0.88	0.26	-0.24	0.35	0.04	164.40	0.03	236.56
29.32	20.36	0.18	0.97	0.44	-0.29	0.31	0.04	164.40	0.05	225.61
32.25	20.84	0.29	1.13	0.39	–	–	–	–	0.05	196.70
35.47	21.48	0.52	–	–	–	–	–	–	0.05	159.77
39.02	–	–	–	–	–	–	–	–	0.06	131.43
42.92	–	–	–	–	–	–	–	–	0.10	121.84
47.22	–	–	–	–	–	–	–	–	0.14	123.52
47.27	–	–	–	–	–	–	–	–	0.14	123.60
58.47	–	–	–	–	–	–	–	–	0.19	144.30
102.09	–	–	–	–	–	–	–	–	0.62	124.00
105.54	–	–	–	–	–	–	–	–	0.48	132.90
116.50	–	–	–	–	–	–	–	–	0.39	135.60
130.87	–	–	–	–	–	–	–	–	0.31	138.30
156.37	–	–	–	–	–	–	–	–	0.30	139.90
192.06	–	–	–	–	–	–	–	–	0.33	137.70

Table 5: Table 5-20

NGC 4235										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.13	13.77	0.00	–	–	–	–	0.08	90.40	–	–
0.14	13.77	0.00	–	–	–	–	0.12	89.50	–	–
0.16	13.78	0.00	–	–	–	–	0.18	89.10	–	–
0.19	13.78	0.00	–	–	–	–	0.26	88.20	–	–
0.21	13.79	0.00	1.04	0.00	0.88	0.00	0.32	91.80	–	–
0.25	13.79	0.00	1.04	0.00	0.87	0.00	0.37	88.80	–	–
0.29	13.80	0.00	1.04	0.00	0.86	0.00	0.44	91.60	–	–
0.32	13.80	0.00	1.04	0.00	0.85	0.00	0.47	92.30	–	–
0.35	13.81	0.00	1.04	0.00	0.84	0.00	0.47	91.70	–	–
0.38	13.82	0.00	1.04	0.00	0.82	0.00	0.44	92.30	–	–
0.40	13.83	0.00	1.05	0.00	0.80	0.00	0.39	92.70	–	–
0.43	13.85	0.00	1.05	0.00	0.78	0.00	0.34	92.30	–	–
0.45	13.87	0.00	1.06	0.00	0.76	0.00	0.28	90.60	–	–
0.48	13.90	0.00	1.06	0.00	0.73	0.00	0.23	88.40	–	–
0.51	13.94	0.00	1.06	0.00	0.70	0.00	0.18	88.40	–	–
0.54	13.99	0.00	1.05	0.00	0.66	0.00	0.13	94.00	–	–
0.58	14.05	0.00	1.06	0.00	0.62	0.00	0.09	93.40	–	–
0.65	14.11	0.00	1.08	0.00	0.55	0.00	0.12	77.30	–	–
0.72	14.19	0.00	1.08	0.00	0.50	0.00	0.12	70.50	–	–
0.79	14.29	0.00	1.07	0.00	0.45	0.00	0.11	57.50	–	–
0.88	14.40	0.00	1.07	0.00	0.40	0.00	0.14	55.00	–	–
0.99	14.52	0.00	1.07	0.00	0.35	0.00	0.19	55.10	–	–
1.12	14.64	0.00	1.05	0.00	0.33	0.00	0.23	49.30	–	–
1.27	14.75	0.00	1.05	0.00	0.30	0.00	0.28	51.40	–	–
1.44	14.87	0.00	1.04	0.00	0.29	0.00	0.31	51.20	–	–
1.63	14.98	0.00	1.04	0.00	0.28	0.00	0.35	52.10	–	–
1.83	15.10	0.00	1.03	0.00	0.28	0.00	0.38	51.90	–	–
2.05	15.22	0.00	1.02	0.00	0.27	0.00	0.40	51.90	–	–
2.29	15.33	0.00	1.01	0.00	0.27	0.00	0.42	52.30	–	–
2.57	15.45	0.00	1.01	0.00	0.26	0.00	0.44	52.00	–	–
2.83	15.56	0.00	1.00	0.00	0.26	0.00	0.44	52.00	–	–
3.15	15.67	0.00	0.99	0.00	0.26	0.00	0.46	51.90	–	–
3.47	15.79	0.00	0.98	0.01	0.26	0.00	0.46	51.40	–	–
3.79	15.89	0.00	0.98	0.01	0.25	0.01	0.45	51.40	–	–
4.11	16.00	0.00	0.97	0.01	0.25	0.00	0.43	51.20	–	–
4.46	16.10	0.00	0.96	0.01	0.24	0.01	0.42	50.80	–	–
4.84	16.19	0.00	0.96	0.01	0.24	0.01	0.40	50.60	–	–
5.23	16.29	0.00	0.95	0.01	0.24	0.01	0.38	50.60	–	–
5.65	16.38	0.00	0.95	0.01	0.24	0.01	0.36	49.90	–	–
6.16	16.48	0.00	0.94	0.01	0.23	0.01	0.35	49.70	–	–
6.72	16.58	0.00	0.94	0.01	0.23	0.01	0.34	50.30	–	–
7.37	16.68	0.00	0.94	0.01	0.23	0.01	0.33	50.90	–	–
8.13	16.78	0.01	0.94	0.01	0.23	0.01	0.34	51.60	–	–
8.97	16.89	0.01	0.93	0.01	0.23	0.01	0.34	51.70	–	–
9.94	17.00	0.01	0.94	0.02	0.23	0.01	0.35	51.60	–	–
11.05	17.12	0.01	0.94	0.02	0.22	0.01	0.36	52.00	–	–
12.31	17.26	0.01	0.94	0.02	0.22	0.02	0.38	52.30	–	–
13.71	17.40	0.01	0.94	0.02	0.22	0.02	0.39	51.40	–	–
15.44	17.56	0.01	0.94	0.03	0.21	0.02	0.42	51.60	–	–
17.47	17.72	0.01	0.93	0.03	0.21	0.03	0.45	51.80	–	–
19.97	17.88	0.02	0.94	0.04	0.21	0.03	0.49	51.80	–	–
22.95	18.04	0.02	0.94	0.04	0.20	0.03	0.54	51.80	–	–
26.43	18.20	0.02	0.94	0.05	0.19	0.04	0.58	51.50	0.50	49.35
30.49	18.37	0.03	0.95	0.06	0.18	0.05	0.62	51.60	0.53	49.76
34.75	18.56	0.03	0.94	0.07	0.19	0.06	0.64	51.80	0.57	49.29
40.23	18.73	0.04	0.94	0.08	0.18	0.07	0.68	51.90	0.61	48.40
46.39	18.89	0.04	0.96	0.09	0.14	0.08	0.71	52.10	0.65	48.39
51.90	19.12	0.05	0.93	0.12	0.16	0.10	0.71	52.10	0.67	49.08
55.53	19.44	0.07	0.92	0.15	0.17	0.13	0.70	52.00	0.68	49.50
61.08	19.75	0.09	0.89	0.20	0.14	0.18	–	–	0.69	49.60
67.19	20.07	0.12	0.86	0.26	0.12	0.24	–	–	0.70	49.55
73.90	20.40	0.17	–	–	–	–	–	–	0.72	49.50
81.29	20.74	0.23	–	–	–	–	–	–	0.73	49.48
89.43	21.08	0.31	–	–	–	–	–	–	0.75	49.42
98.37	21.37	0.41	–	–	–	–	–	–	0.77	49.27
108.20	21.75	0.58	–	–	–	–	–	–	0.78	49.14
119.03	22.09	0.79	–	–	–	–	–	–	0.78	49.14
130.93	–	–	–	–	–	–	–	–	0.78	49.30
138.15	–	–	–	–	–	–	–	–	0.78	49.40
163.77	–	–	–	–	–	–	–	–	0.77	49.70
188.39	–	–	–	–	–	–	–	–	0.75	50.40
233.32	–	–	–	–	–	–	–	–	0.77	49.80

Table 5: Table 5-21

Mrk 766										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.15	12.47	0.00	–	–	–	–	0.34	99.40	–	–
0.16	12.49	0.00	–	–	–	–	0.26	110.70	–	–
0.46	12.50	0.00	1.11	0.00	1.23	0.00	0.90	100.30	–	–
0.51	12.51	0.00	1.15	0.00	1.23	0.00	0.90	99.50	–	–
0.56	12.53	0.00	1.20	0.00	1.16	0.00	0.90	96.80	–	–
0.50	12.51	0.00	1.15	0.00	1.23	0.00	0.85	97.80	–	–
0.48	12.51	0.00	1.13	0.00	1.22	0.00	0.78	95.76	–	–
0.48	12.51	0.00	1.13	0.00	1.22	0.00	0.78	95.51	–	–
0.52	12.53	0.00	1.16	0.00	1.22	0.00	0.96	102.44	–	–
0.53	12.55	0.00	1.18	0.00	1.21	0.00	1.08	111.28	–	–
0.53	12.56	0.00	1.18	0.00	1.20	0.00	1.08	111.67	–	–
0.50	12.65	0.00	1.15	0.00	1.23	0.00	0.86	98.03	–	–
0.59	12.63	0.00	1.21	0.00	1.12	0.00	0.58	99.30	–	–
0.62	12.69	0.00	1.24	0.00	1.07	0.00	0.55	99.30	–	–
0.63	12.73	0.00	1.25	0.00	1.05	0.00	0.47	96.40	–	–
0.62	12.77	0.00	1.24	0.00	1.07	0.00	0.34	96.70	–	–
0.64	12.83	0.00	1.28	0.00	1.02	0.00	0.26	97.60	–	–
0.68	12.90	0.00	1.36	0.00	0.93	0.00	0.19	107.70	–	–
0.73	13.02	0.00	1.45	0.00	0.83	0.00	0.15	114.90	–	–
0.79	13.19	0.00	1.51	0.00	0.75	0.00	0.12	122.20	–	–
0.87	13.43	0.00	1.51	0.00	0.68	0.00	0.12	133.30	–	–
0.93	13.73	0.00	1.47	0.00	0.66	0.00	0.08	140.20	–	–
1.03	14.08	0.00	1.38	0.00	0.63	0.00	0.08	143.50	–	–
1.13	14.42	0.00	1.27	0.00	0.57	0.00	0.08	140.00	–	–
1.24	14.75	0.00	1.15	0.00	0.54	0.00	0.07	135.50	–	–
1.37	15.00	0.00	1.07	0.01	0.46	0.00	0.09	128.30	–	–
1.53	15.22	0.00	1.01	0.01	0.42	0.00	0.11	123.10	–	–
1.71	15.39	0.00	0.98	0.01	0.38	0.00	0.14	118.50	–	–
1.91	15.55	0.00	0.96	0.01	0.36	0.00	0.16	115.00	–	–
2.13	15.69	0.00	0.94	0.01	0.35	0.01	0.19	112.60	–	–
2.38	15.82	0.00	0.93	0.01	0.33	0.01	0.21	110.40	–	–
2.66	15.95	0.00	0.92	0.01	0.32	0.01	0.24	109.50	–	–
2.98	16.08	0.00	0.91	0.01	0.29	0.01	0.27	108.50	–	–
3.33	16.22	0.01	0.90	0.01	0.28	0.01	0.29	108.00	–	–
3.75	16.35	0.01	0.88	0.02	0.28	0.01	0.32	107.00	–	–
4.28	16.47	0.01	0.88	0.02	0.25	0.01	0.37	106.70	–	–
4.89	16.59	0.01	0.88	0.02	0.23	0.01	0.41	107.60	–	–
5.62	16.72	0.01	0.88	0.02	0.21	0.02	0.47	108.60	–	–
6.51	16.84	0.01	0.87	0.02	0.19	0.02	0.52	109.70	–	–
7.37	16.99	0.01	0.86	0.03	0.18	0.02	0.54	110.00	–	–
8.19	17.15	0.01	0.87	0.03	0.17	0.02	0.55	109.80	–	–
9.00	17.31	0.02	0.86	0.04	0.16	0.03	0.55	109.60	–	–
9.75	17.49	0.02	0.85	0.04	0.16	0.03	0.54	109.50	–	–
10.59	17.67	0.02	0.85	0.05	0.15	0.04	0.53	108.60	–	–
11.31	17.85	0.03	0.86	0.06	0.14	0.05	0.50	107.40	–	–
11.96	18.04	0.03	0.85	0.07	0.12	0.06	0.46	107.90	–	–
12.55	18.23	0.04	0.85	0.08	0.12	0.07	0.40	109.00	–	–
13.33	18.42	0.05	0.85	0.10	0.11	0.08	0.36	108.50	–	–
14.43	18.62	0.05	0.84	0.12	0.09	0.10	0.34	108.90	–	–
15.37	18.79	0.06	0.85	0.14	0.09	0.11	0.29	113.40	0.51	107.33
16.18	18.96	0.07	0.85	0.16	0.08	0.13	0.23	113.70	0.46	105.44
17.12	19.08	0.08	0.84	0.18	0.06	0.15	0.17	114.00	0.44	104.42
18.53	19.26	0.10	0.84	0.21	0.04	0.18	0.14	102.40	0.44	104.42
20.38	19.47	0.12	0.87	0.27	0.01	0.22	0.14	82.10	0.40	105.59
22.54	19.80	0.16	0.88	0.35	-0.05	0.30	0.15	70.40	0.32	102.35
25.09	20.26	0.25	0.80	0.52	-0.10	0.50	0.17	64.60	0.25	89.39
27.64	20.81	0.41	0.75	0.78	-0.18	0.82	0.17	62.00	0.17	88.60
31.16	21.16	0.56	–	–	–	–	0.21	67.70	0.15	81.93
34.80	21.45	0.74	–	–	–	–	0.23	72.40	0.18	69.71
38.34	21.73	0.96	–	–	–	–	0.24	83.40	0.20	57.79
43.97	–	–	–	–	–	–	–	–	0.19	73.86
49.56	–	–	–	–	–	–	–	–	0.17	113.10
62.14	–	–	–	–	–	–	–	–	0.24	72.60
70.70	–	–	–	–	–	–	–	–	0.15	77.70

Table 5: Table 5-22

Mrk 205										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.28	13.06	0.00	0.88	0.00	0.77	0.00	0.25	121.20	–	–
0.34	13.22	0.00	0.87	0.00	0.79	0.00	0.25	117.90	–	–
0.41	13.44	0.00	0.84	0.00	0.83	0.00	0.26	114.50	–	–
0.49	13.75	0.00	0.80	0.00	0.88	0.00	0.26	112.70	–	–
0.58	14.12	0.00	0.77	0.00	0.92	0.00	0.25	114.20	–	–
0.70	14.56	0.00	0.76	0.00	0.94	0.00	0.23	113.30	–	–
0.83	15.04	0.00	0.72	0.00	0.93	0.00	0.22	110.00	–	–
0.99	15.48	0.00	0.71	0.01	0.86	0.00	0.21	101.90	–	–
1.15	15.89	0.00	0.72	0.01	0.71	0.01	0.16	92.30	–	–
1.32	16.27	0.00	0.71	0.01	0.59	0.01	0.08	68.70	–	–
1.60	16.64	0.01	0.69	0.02	0.54	0.02	0.11	42.90	–	–
1.99	16.99	0.01	0.69	0.03	0.52	0.02	0.16	35.70	–	–
2.46	17.35	0.01	0.66	0.04	0.48	0.03	0.21	33.80	–	–
3.00	17.71	0.02	0.66	0.05	0.51	0.05	0.23	30.70	–	–
3.58	18.08	0.02	0.67	0.07	0.46	0.07	0.23	24.30	–	–
4.32	18.45	0.03	0.64	0.09	0.49	0.09	0.24	23.00	–	–
4.97	18.85	0.05	0.58	0.13	0.52	0.13	0.17	30.10	–	–
5.46	19.23	0.07	0.55	0.18	0.55	0.18	0.01	57.00	–	–
6.85	19.48	0.08	0.57	0.23	0.53	0.23	0.09	6.10	–	–
9.27	19.68	0.10	0.52	0.27	0.56	0.27	0.29	0.80	–	–
11.03	19.96	0.13	0.44	0.32	0.64	0.32	0.28	-3.90	–	–
12.74	20.26	0.17	0.37	0.40	0.69	0.40	0.22	-0.40	–	–
15.29	20.51	0.22	0.25	0.45	0.73	0.49	–	–	–	–

Table 5: Table 5-23

NGC 4388										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.19	13.67	0.00	–	–	–	–	0.61	-81.10	–	–
0.20	13.68	0.00	1.15	0.01	1.22	0.00	0.58	-79.90	–	–
0.22	13.68	0.00	1.15	0.01	1.21	0.00	0.54	-77.90	–	–
0.23	13.68	0.00	1.15	0.01	1.20	0.00	0.51	-75.30	–	–
0.24	13.68	0.00	1.15	0.01	1.19	0.00	0.47	-73.30	–	–
0.24	13.69	0.00	1.15	0.01	1.19	0.00	0.36	-62.20	–	–
0.28	13.69	0.00	1.16	0.01	1.18	0.00	0.41	-55.10	–	–
0.29	13.70	0.00	1.16	0.01	1.16	0.00	0.36	-58.10	–	–
0.31	13.71	0.00	1.15	0.01	1.15	0.00	0.32	-62.30	–	–
0.34	13.72	0.00	1.15	0.01	1.13	0.00	0.28	-69.00	–	–
0.38	13.73	0.00	1.15	0.01	1.11	0.00	0.33	-72.70	–	–
0.43	13.75	0.00	1.15	0.01	1.07	0.00	0.35	-71.60	–	–
0.45	13.76	0.00	1.14	0.01	1.05	0.00	0.28	-73.60	–	–
0.48	13.79	0.00	1.14	0.01	1.02	0.00	0.26	-76.70	–	–
0.53	13.82	0.00	1.13	0.01	0.99	0.00	0.25	-78.60	–	–
0.59	13.86	0.00	1.13	0.01	0.95	0.00	0.27	-75.80	–	–
0.63	13.89	0.00	1.13	0.01	0.89	0.01	0.23	-75.20	–	–
0.70	13.93	0.00	1.13	0.01	0.83	0.00	0.23	-75.10	–	–
0.75	13.99	0.00	1.12	0.01	0.78	0.01	0.21	-81.40	–	–
0.85	14.07	0.00	1.10	0.01	0.73	0.01	0.24	-85.10	–	–
0.95	14.15	0.00	1.08	0.01	0.68	0.01	0.27	-88.20	–	–
1.03	14.23	0.00	1.07	0.01	0.63	0.01	0.24	-90.80	–	–
1.14	14.32	0.00	1.07	0.02	0.57	0.01	0.26	-91.50	–	–
1.28	14.43	0.01	1.05	0.02	0.54	0.01	0.28	-93.30	–	–
1.44	14.53	0.01	1.02	0.02	0.51	0.01	0.31	-94.50	–	–
1.63	14.65	0.01	0.99	0.02	0.49	0.01	0.35	-94.80	–	–
1.79	14.75	0.01	0.99	0.02	0.45	0.01	0.35	-95.70	–	–
2.04	14.86	0.01	0.96	0.02	0.44	0.01	0.39	-95.40	–	–
2.28	14.97	0.01	0.94	0.02	0.42	0.02	0.41	-94.80	–	–
2.52	15.08	0.01	0.93	0.03	0.40	0.02	0.42	-94.50	–	–
2.77	15.19	0.01	0.91	0.03	0.38	0.02	0.42	-94.20	–	–
3.02	15.29	0.01	0.90	0.03	0.37	0.02	0.41	-94.60	–	–
3.29	15.40	0.01	0.88	0.04	0.36	0.02	0.40	-93.90	–	–
3.56	15.50	0.01	0.87	0.04	0.35	0.03	0.38	-95.80	–	–
3.87	15.60	0.02	0.85	0.04	0.33	0.03	0.36	-96.30	–	–
4.23	15.70	0.02	0.84	0.04	0.33	0.03	0.35	-97.20	–	–
4.62	15.80	0.02	0.83	0.05	0.32	0.04	0.34	-98.40	–	–
4.99	15.89	0.02	0.82	0.05	0.31	0.04	0.32	-98.90	–	–
5.37	15.98	0.02	0.81	0.06	0.30	0.04	0.29	-97.50	–	–
5.73	16.07	0.03	0.80	0.06	0.30	0.04	0.25	-95.90	–	–
6.19	16.15	0.03	0.79	0.07	0.30	0.05	0.22	-89.10	–	–
6.82	16.24	0.03	0.79	0.07	0.29	0.05	0.22	-87.90	–	–
7.59	16.33	0.03	0.78	0.08	0.29	0.06	0.24	-87.60	–	–
8.52	16.42	0.04	0.77	0.08	0.28	0.06	0.27	-91.10	–	–
9.59	16.51	0.04	0.76	0.09	0.28	0.07	0.30	-92.20	–	–
10.91	16.59	0.04	0.75	0.09	0.27	0.07	0.35	-92.30	–	–
12.32	16.67	0.05	0.75	0.10	0.27	0.08	0.38	-88.60	–	–
14.14	16.75	0.05	0.74	0.11	0.27	0.09	0.43	-83.30	–	–
16.76	16.82	0.05	0.75	0.12	0.27	0.09	0.51	-82.40	–	–
20.00	16.88	0.05	0.75	0.12	0.27	0.10	0.58	-82.90	–	–
23.53	16.95	0.06	0.76	0.13	0.27	0.10	0.64	-83.80	–	–
28.05	17.03	0.06	0.77	0.15	0.28	0.11	0.69	-84.90	–	–
32.10	17.16	0.07	0.78	0.16	0.28	0.12	0.71	-86.20	–	–
35.45	17.36	0.09	0.76	0.20	0.26	0.16	0.72	-86.60	–	–
37.06	17.65	0.11	0.73	0.26	0.21	0.21	0.69	-86.90	–	–
38.62	17.99	0.15	0.72	0.32	0.15	0.28	0.65	-86.90	–	–
41.61	18.31	0.20	0.72	0.44	0.05	0.41	0.63	-87.40	–	–
44.99	18.66	0.28	0.69	0.60	0.12	0.54	0.62	-87.70	–	–
48.46	19.02	0.40	0.65	0.77	0.17	0.69	0.61	-88.30	–	–
54.42	19.31	0.51	0.59	0.97	0.23	0.87	0.62	-89.10	0.66	-90.09
59.81	19.63	0.69	–	–	–	–	0.62	-89.20	0.70	-90.15
65.36	–	–	–	–	–	–	–	–	0.71	-90.40
71.90	–	–	–	–	–	–	–	–	0.72	-90.82
79.09	–	–	–	–	–	–	–	–	0.72	-91.28
87.00	–	–	–	–	–	–	–	–	0.72	-91.62
95.70	–	–	–	–	–	–	–	–	0.73	-91.65
105.61	–	–	–	–	–	–	–	–	0.74	-91.60
130.10	–	–	–	–	–	–	–	–	0.75	-91.70
160.36	–	–	–	–	–	–	–	–	0.76	-90.30
199.34	–	–	–	–	–	–	–	–	0.78	-89.50
238.28	–	–	–	–	–	–	–	–	0.78	-89.10
277.91	–	–	–	–	–	–	–	–	0.76	-88.50

A subarcsecond resolution near-infrared study of Seyfert and 'normal' galaxies: I. Imaging data - Tables 4

arXiv:astro-ph/9905076v1 6 May 1999

Table 5: Figure 5-24

Mrk 231										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.16	11.34	0.00	–	–	–	–	0.41	83.40	–	–
0.17	11.34	0.00	–	–	–	–	0.38	81.20	–	–
0.18	11.34	0.00	–	–	–	–	0.36	78.60	–	–
0.20	11.35	0.00	–	–	–	–	0.33	76.10	–	–
0.21	11.36	0.00	1.08	0.00	1.52	0.00	0.28	72.90	–	–
0.22	11.37	0.00	1.08	0.00	1.51	0.00	0.25	68.00	–	–
0.24	11.38	0.00	1.09	0.00	1.50	0.00	0.22	64.80	–	–
0.26	11.39	0.00	1.09	0.00	1.49	0.00	0.18	60.30	–	–
0.28	11.41	0.00	1.09	0.00	1.48	0.00	0.15	54.70	–	–
0.30	11.43	0.00	1.10	0.00	1.46	0.00	0.12	52.70	–	–
0.33	11.45	0.00	1.11	0.00	1.44	0.00	0.08	63.80	–	–
0.36	11.48	0.00	1.12	0.00	1.42	0.00	0.06	73.50	–	–
0.39	11.51	0.00	1.14	0.00	1.39	0.00	0.04	83.60	–	–
0.43	11.55	0.00	1.16	0.00	1.35	0.00	0.04	105.90	–	–
0.48	11.60	0.00	1.17	0.00	1.32	0.00	0.09	107.90	–	–
0.55	11.66	0.00	1.20	0.00	1.27	0.00	0.14	112.20	–	–
0.60	11.74	0.00	1.23	0.00	1.23	0.00	0.15	115.30	–	–
0.65	11.85	0.00	1.25	0.00	1.19	0.00	0.13	120.00	–	–
0.71	11.99	0.00	1.25	0.00	1.14	0.00	0.09	124.90	–	–
0.79	12.13	0.00	1.27	0.00	1.07	0.00	0.12	118.20	–	–
0.87	12.32	0.00	1.28	0.00	1.02	0.00	0.11	116.10	–	–
0.94	12.57	0.00	1.27	0.00	0.99	0.00	0.09	123.60	–	–
1.02	12.84	0.00	1.27	0.00	0.92	0.00	0.08	113.40	–	–
1.12	13.15	0.00	1.25	0.00	0.88	0.00	0.07	111.10	–	–
1.23	13.50	0.00	1.20	0.00	0.86	0.00	0.05	117.60	–	–
1.35	13.85	0.00	1.16	0.00	0.83	0.00	0.05	107.00	–	–
1.47	14.22	0.00	1.10	0.00	0.83	0.00	0.04	116.30	–	–
1.61	14.56	0.00	1.04	0.00	0.83	0.00	0.03	119.30	–	–
1.77	14.89	0.00	0.99	0.01	0.84	0.00	0.03	124.10	–	–
1.95	15.20	0.00	0.95	0.01	0.86	0.00	0.03	150.10	–	–
2.15	15.48	0.00	0.92	0.01	0.86	0.00	0.03	163.20	–	–
2.37	15.75	0.00	0.89	0.01	0.86	0.00	0.04	169.30	–	–
2.62	15.99	0.00	0.85	0.01	0.86	0.01	0.05	178.00	–	–
2.91	16.22	0.01	0.83	0.02	0.84	0.01	0.07	175.90	–	–
3.26	16.41	0.01	0.82	0.02	0.82	0.01	0.10	177.50	–	–
3.66	16.63	0.01	0.80	0.02	0.81	0.01	0.14	174.90	–	–
4.07	16.85	0.01	0.81	0.03	0.80	0.01	0.16	176.10	–	–
4.41	17.08	0.01	0.81	0.04	0.79	0.02	0.13	180.60	–	–
4.75	17.33	0.02	0.81	0.04	0.80	0.02	0.09	181.30	–	–
5.13	17.56	0.02	0.79	0.05	0.80	0.03	0.06	188.10	–	–
5.60	17.78	0.03	0.81	0.07	0.79	0.04	0.04	177.90	–	–
6.24	18.01	0.03	0.77	0.08	0.78	0.04	0.07	162.20	–	–
6.88	18.21	0.04	0.76	0.10	0.77	0.05	0.07	160.60	0.18	176.64
7.46	18.41	0.05	0.75	0.12	0.76	0.06	0.04	154.40	0.20	179.57
8.12	18.62	0.06	0.72	0.14	0.74	0.08	0.02	200.60	0.18	171.73
9.14	18.85	0.07	0.67	0.16	0.73	0.09	0.07	74.10	0.11	150.60
10.10	19.06	0.08	0.69	0.20	0.72	0.11	0.08	68.30	0.11	136.57
11.60	19.23	0.10	0.69	0.24	0.71	0.14	0.15	62.90	0.13	114.28
12.59	19.44	0.12	0.68	0.27	0.73	0.16	0.13	52.00	0.12	94.64
14.28	19.61	0.14	0.70	0.33	0.66	0.20	0.18	228.50	0.14	53.92
15.92	19.82	0.17	0.64	0.38	0.62	0.24	0.20	222.50	0.20	32.68
17.58	20.16	0.23	0.58	0.49	0.74	0.31	0.21	216.90	0.22	74.19
19.17	20.54	0.33	0.48	0.64	0.87	0.41	0.20	222.40	0.20	167.65
21.09	20.92	0.47	0.40	0.84	0.96	0.55	–	–	0.20	233.46
23.20	21.35	0.69	–	–	1.07	0.82	–	–	0.21	230.35
25.52	–	–	–	–	–	–	–	–	0.24	211.59
28.07	–	–	–	–	–	–	–	–	0.27	210.58
30.87	–	–	–	–	–	–	–	–	0.29	209.72
33.96	–	–	–	–	–	–	–	–	0.31	206.81
37.36	–	–	–	–	–	–	–	–	0.32	202.03
38.27	–	–	–	–	–	–	–	–	0.32	200.50
49.10	–	–	–	–	–	–	–	–	0.41	177.70
69.92	–	–	–	–	–	–	–	–	0.58	189.30
81.39	–	–	–	–	–	–	–	–	0.56	203.10

Table 5: Figure 5-25

NGC 5033										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.13	13.54	0.00	–	–	–	–	0.10	-26.80	–	–
0.14	13.54	0.00	–	–	–	–	0.07	-42.80	–	–
0.15	13.54	0.00	–	–	–	–	0.07	-62.30	–	–
0.17	13.55	0.00	–	–	–	–	0.11	99.80	–	–
0.19	13.55	0.00	–	–	–	–	0.12	95.50	–	–
0.21	13.55	0.00	0.71	0.00	0.51	0.00	0.14	94.60	–	–
0.23	13.56	0.00	0.71	0.00	0.50	0.00	0.16	94.90	–	–
0.26	13.56	0.00	0.71	0.00	0.50	0.00	0.19	95.80	–	–
0.31	13.57	0.00	0.72	0.00	0.49	0.00	0.28	97.10	–	–
0.34	13.58	0.00	0.72	0.00	0.48	0.00	0.28	97.80	–	–
0.36	13.59	0.00	0.72	0.00	0.47	0.00	0.25	94.60	–	–
0.39	13.60	0.00	0.73	0.00	0.46	0.00	0.21	97.50	–	–
0.42	13.61	0.00	0.73	0.00	0.45	0.00	0.18	101.50	–	–
0.46	13.63	0.00	0.74	0.00	0.44	0.00	0.17	104.50	–	–
0.51	13.65	0.00	0.75	0.00	0.42	0.00	0.18	-67.50	–	–
0.55	13.67	0.00	0.76	0.00	0.42	0.00	0.16	-60.00	–	–
0.60	13.70	0.00	0.77	0.00	0.40	0.00	0.15	-46.90	–	–
0.65	13.74	0.00	0.79	0.00	0.38	0.00	0.13	-43.80	–	–
0.72	13.78	0.00	0.80	0.00	0.35	0.00	0.13	-43.40	–	–
0.80	13.83	0.00	0.82	0.00	0.33	0.00	0.15	-33.60	–	–
0.89	13.90	0.00	0.83	0.00	0.31	0.00	0.16	-24.90	–	–
0.98	13.99	0.00	0.84	0.00	0.29	0.00	0.17	-18.10	–	–
1.09	14.07	0.00	0.85	0.00	0.27	0.00	0.18	-16.70	–	–
1.20	14.18	0.00	0.85	0.00	0.25	0.00	0.18	-15.00	–	–
1.34	14.28	0.00	0.84	0.01	0.24	0.00	0.21	-12.80	–	–
1.47	14.39	0.00	0.83	0.00	0.23	0.00	0.21	-11.90	–	–
1.62	14.50	0.00	0.83	0.01	0.22	0.00	0.21	-10.70	–	–
1.79	14.61	0.00	0.82	0.01	0.22	0.00	0.21	-9.40	–	–
1.95	14.72	0.00	0.81	0.01	0.21	0.00	0.20	-9.50	–	–
2.14	14.82	0.00	0.81	0.01	0.21	0.01	0.19	-8.90	–	–
2.35	14.93	0.00	0.80	0.01	0.21	0.01	0.19	-8.80	–	–
2.58	15.03	0.00	0.80	0.01	0.21	0.01	0.19	-9.80	–	–
2.83	15.12	0.00	0.80	0.01	0.20	0.01	0.19	-13.00	–	–
3.13	15.22	0.00	0.79	0.01	0.21	0.01	0.19	-13.20	–	–
3.48	15.32	0.00	0.79	0.01	0.21	0.01	0.21	-13.70	–	–
3.87	15.41	0.01	0.79	0.01	0.21	0.01	0.23	-17.50	–	–
4.30	15.51	0.01	0.79	0.01	0.21	0.01	0.24	-18.50	–	–
4.81	15.60	0.01	0.79	0.02	0.21	0.01	0.27	-19.40	–	–
5.40	15.69	0.01	0.79	0.02	0.21	0.01	0.30	-19.90	–	–
6.05	15.79	0.01	0.79	0.02	0.21	0.01	0.32	-19.50	–	–
6.77	15.89	0.01	0.80	0.02	0.22	0.02	0.35	-20.50	–	–
7.54	16.01	0.01	0.80	0.02	0.22	0.02	0.36	-20.80	–	–
8.38	16.15	0.01	0.81	0.03	0.23	0.02	0.38	-19.30	–	–
9.28	16.30	0.01	0.81	0.03	0.23	0.02	0.38	-16.80	–	–
10.40	16.45	0.01	0.81	0.04	0.23	0.03	0.41	-14.90	–	–
11.79	16.59	0.02	0.81	0.04	0.23	0.03	0.44	-12.40	–	–
13.26	16.73	0.02	0.81	0.05	0.23	0.03	0.47	-10.40	–	–
14.74	16.89	0.02	0.80	0.05	0.23	0.04	0.48	-9.00	–	–
16.46	17.04	0.03	0.80	0.06	0.22	0.04	0.49	-8.20	–	–
18.05	17.23	0.03	0.80	0.07	0.22	0.05	0.49	-6.70	–	–
19.90	17.41	0.04	0.79	0.08	0.22	0.06	0.49	-5.90	–	–
22.51	17.56	0.04	0.78	0.10	0.22	0.07	0.52	-6.10	–	–
27.19	17.63	0.04	0.79	0.10	0.22	0.08	0.60	-5.90	–	–
30.96	17.78	0.05	0.81	0.12	0.20	0.09	0.63	-7.10	–	–
33.61	18.04	0.06	0.79	0.16	0.20	0.11	0.62	-7.00	–	–
35.38	18.31	0.08	0.77	0.19	0.19	0.14	0.58	-7.20	–	–
37.52	18.53	0.10	0.75	0.23	0.17	0.18	0.55	-8.70	–	–
39.66	18.87	0.14	0.74	0.30	0.18	0.24	0.51	-6.50	–	–
42.88	19.23	0.19	0.73	0.39	0.11	0.27	0.50	-5.90	0.57	-9.46
46.23	19.68	0.29	0.70	0.63	0.16	0.52	0.47	-6.50	0.57	-8.79
49.16	20.27	0.50	–	–	–	–	0.44	-6.60	0.58	-8.29
57.12	19.56	0.26	-0.11	-0.45	-0.32	-0.58	–	–	0.60	-7.48
55.76	–	–	0.01	0.04	0.03	0.06	–	–	0.60	-7.55
60.38	–	–	–	–	–	–	–	–	0.61	-7.40
71.58	–	–	–	–	–	–	–	–	0.60	-8.00
81.55	–	–	–	–	–	–	–	–	0.56	-8.50
92.31	–	–	–	–	–	–	–	–	0.50	-8.00
121.95	–	–	–	–	–	–	–	–	0.59	-3.30
139.16	–	–	–	–	–	–	–	–	0.55	-7.50
171.83	–	–	–	–	–	–	–	–	0.57	-6.10
209.69	–	–	–	–	–	–	–	–	0.58	4.60
274.76	–	–	–	–	–	–	–	–	0.65	1.00

Table 5: Figure 5-26

Mrk 789										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	15.11	0.00	0.73	0.00	0.46	0.00	0.00	90.00	–	–
0.27	15.14	0.00	0.73	0.00	0.46	0.00	0.00	90.00	–	–
0.30	15.18	0.00	0.73	0.00	0.46	0.00	0.00	90.00	–	–
0.33	15.22	0.00	0.73	0.00	0.45	0.00	0.00	90.00	–	–
0.36	15.28	0.00	0.73	0.00	0.43	0.00	0.00	90.00	–	–
0.39	15.34	0.00	0.73	0.00	0.42	0.00	0.00	90.00	–	–
0.43	15.41	0.00	0.72	0.00	0.41	0.00	0.00	90.00	–	–
0.48	15.50	0.00	0.72	0.00	0.41	0.00	0.00	90.00	–	–
0.52	15.59	0.00	0.72	0.00	0.40	0.00	0.00	90.00	–	–
0.58	15.70	0.00	0.72	0.00	0.39	0.00	0.00	90.00	–	–
0.63	15.81	0.00	0.72	0.01	0.38	0.01	0.00	90.00	–	–
0.70	15.94	0.00	0.72	0.00	0.37	0.01	0.00	90.00	–	–
0.77	16.06	0.00	0.72	0.01	0.37	0.01	0.00	90.00	–	–
0.85	16.19	0.00	0.72	0.01	0.37	0.01	0.00	90.00	–	–
0.93	16.33	0.00	0.72	0.01	0.39	0.01	0.00	90.00	–	–
1.02	16.46	0.00	0.72	0.01	0.39	0.01	0.00	90.00	–	–
1.12	16.59	0.00	0.73	0.01	0.39	0.01	0.00	90.00	–	–
1.24	16.73	0.01	0.74	0.01	0.40	0.01	0.00	90.00	–	–
1.36	16.89	0.01	0.73	0.01	0.43	0.01	0.00	90.00	–	–
1.50	17.05	0.01	0.73	0.01	0.45	0.01	0.00	90.00	–	–
1.65	17.19	0.01	0.74	0.02	0.46	0.02	0.00	90.00	–	–
1.81	17.31	0.01	0.76	0.02	0.46	0.02	0.00	90.00	–	–
1.99	17.42	0.01	0.78	0.02	0.47	0.02	0.00	90.00	–	–
2.19	17.49	0.01	0.81	0.02	0.51	0.02	0.00	90.00	–	–
2.41	17.52	0.01	0.84	0.02	0.53	0.02	0.00	90.00	–	–
2.65	17.48	0.01	0.87	0.02	0.55	0.02	0.00	90.00	–	–
2.92	17.49	0.01	0.88	0.02	0.50	0.02	0.00	90.00	–	–
3.21	17.58	0.01	0.84	0.02	0.47	0.02	0.00	90.00	–	–
3.53	17.79	0.02	0.81	0.03	0.43	0.03	0.00	90.00	–	–
3.89	18.11	0.02	0.77	0.04	0.33	0.04	0.00	90.00	–	–
4.28	18.49	0.03	0.72	0.05	0.38	0.06	0.00	90.00	–	–
4.70	18.92	0.04	0.66	0.07	0.35	0.09	0.00	90.00	–	–
5.17	19.30	0.06	0.66	0.10	0.36	0.12	0.00	90.00	–	–
5.69	19.64	0.09	0.67	0.14	0.32	0.17	0.00	90.00	–	–
6.26	19.90	0.11	0.69	0.18	0.14	0.24	0.00	90.00	–	–
6.89	20.27	0.16	0.70	0.26	0.35	0.29	0.00	90.00	–	–
7.57	20.59	0.21	0.77	0.36	0.16	0.45	0.00	90.00	–	–
8.33	20.99	0.30	0.61	0.46	–	–	0.00	90.00	–	–
9.16	21.33	0.41	–	–	–	–	0.00	90.00	–	–
10.08	21.56	0.51	–	–	–	–	0.00	90.00	–	–
11.09	21.91	0.70	–	–	–	–	0.00	90.00	–	–
12.20	21.97	0.74	–	–	–	–	0.00	90.00	–	–
38.28	–	–	–	–	–	–	–	–	0.23	56.80
42.11	–	–	–	–	–	–	–	–	0.23	56.80
46.32	–	–	–	–	–	–	–	–	0.23	56.80
51.51	–	–	–	–	–	–	–	–	0.23	56.80
61.83	–	–	–	–	–	–	–	–	0.23	56.80
74.19	–	–	–	–	–	–	–	–	0.23	56.80
89.03	–	–	–	–	–	–	–	–	0.23	56.80

Table 5: Figure 5-27

UGC 8621										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	15.12	0.00	0.76	0.00	1.07	0.00	0.08	237.20	–	–
0.31	15.22	0.00	0.74	0.00	1.04	0.00	0.07	231.90	–	–
0.36	15.35	0.00	0.71	0.00	1.00	0.00	0.06	226.90	–	–
0.44	15.53	0.00	0.67	0.00	0.94	0.00	0.06	226.40	–	–
0.52	15.75	0.00	0.62	0.01	0.85	0.00	0.06	233.80	–	–
0.62	16.00	0.00	0.57	0.01	0.75	0.01	0.05	229.50	–	–
0.74	16.25	0.00	0.54	0.01	0.65	0.01	0.02	242.40	–	–
0.90	16.48	0.01	0.52	0.01	0.57	0.01	0.06	88.60	–	–
1.11	16.68	0.01	0.51	0.01	0.52	0.01	0.10	86.20	–	–
1.33	16.86	0.01	0.48	0.01	0.47	0.02	0.09	89.40	–	–
1.54	17.01	0.01	0.48	0.02	0.45	0.02	0.03	105.10	–	–
1.92	17.14	0.01	0.46	0.02	0.44	0.02	0.10	216.00	–	–
2.50	17.24	0.01	0.47	0.02	0.41	0.02	0.23	249.00	–	–
3.10	17.36	0.01	0.46	0.02	0.39	0.03	0.28	93.20	–	–
3.18	17.49	0.01	0.46	0.03	0.38	0.03	0.02	102.00	–	–
4.27	17.61	0.02	0.47	0.03	0.40	0.03	0.22	148.10	–	–
4.64	17.75	0.02	0.45	0.03	0.42	0.04	0.05	235.70	–	–
5.89	17.88	0.02	0.45	0.04	0.43	0.04	0.15	227.40	–	–
6.85	18.18	0.03	0.44	0.05	0.46	0.05	0.09	88.40	–	–
8.76	18.56	0.04	0.46	0.07	0.40	0.08	0.20	121.10	–	–
10.55	18.97	0.06	0.47	0.10	0.40	0.11	0.21	140.70	0.25	106.93
12.12	19.35	0.08	0.51	0.15	0.41	0.16	0.14	142.20	0.17	116.18
14.17	19.82	0.13	0.53	0.22	0.46	0.23	0.09	167.70	0.09	131.11
17.05	20.21	0.18	0.65	0.35	0.45	0.34	0.09	203.80	0.16	142.91
20.07	20.73	0.29	0.78	0.59	0.55	0.50	0.06	226.10	0.11	162.75
24.43	21.34	0.51	–	–	0.73	0.77	0.09	158.20	0.07	218.43
28.73	21.82	0.80	–	–	–	–	0.05	194.60	0.09	234.67
34.47	21.67	0.69	–	–	–	–	–	–	0.04	179.46
41.36	–	–	–	–	–	–	–	–	0.04	78.93
49.64	–	–	–	–	–	–	–	–	0.05	139.13
61.16	–	–	–	–	–	–	–	–	0.21	200.30
70.97	–	–	–	–	–	–	–	–	0.16	171.90

Table 5: Figure 5-28

NGC 5252										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	14.49	0.00	0.60	0.00	1.28	0.00	0.12	-4.70	–	–
0.29	14.54	0.00	0.59	0.00	1.26	0.00	0.13	-3.00	–	–
0.32	14.58	0.00	0.59	0.00	1.23	0.00	0.13	-1.40	–	–
0.35	14.64	0.00	0.58	0.00	1.20	0.00	0.14	0.70	–	–
0.39	14.70	0.00	0.58	0.00	1.16	0.00	0.14	2.30	–	–
0.43	14.77	0.00	0.57	0.00	1.12	0.00	0.15	3.70	–	–
0.47	14.86	0.00	0.56	0.00	1.08	0.00	0.15	4.90	–	–
0.52	14.95	0.00	0.55	0.00	1.03	0.00	0.16	5.90	–	–
0.58	15.05	0.00	0.54	0.00	1.00	0.00	0.17	6.80	–	–
0.64	15.15	0.00	0.53	0.00	0.95	0.00	0.19	7.80	–	–
0.72	15.27	0.00	0.51	0.00	0.92	0.00	0.21	8.70	–	–
0.80	15.39	0.00	0.50	0.00	0.89	0.00	0.24	9.80	–	–
0.89	15.51	0.00	0.49	0.00	0.87	0.00	0.26	11.00	–	–
0.99	15.62	0.00	0.48	0.00	0.85	0.00	0.27	13.00	–	–
1.10	15.74	0.00	0.47	0.00	0.84	0.00	0.29	13.80	–	–
1.23	15.85	0.00	0.47	0.00	0.82	0.00	0.31	14.10	–	–
1.36	15.97	0.00	0.46	0.00	0.80	0.00	0.32	13.90	–	–
1.51	16.09	0.00	0.46	0.01	0.79	0.01	0.32	14.00	–	–
1.68	16.20	0.00	0.46	0.01	0.78	0.01	0.34	15.00	–	–
1.87	16.32	0.00	0.47	0.01	0.78	0.01	0.36	15.10	–	–
2.08	16.44	0.00	0.47	0.01	0.78	0.01	0.37	14.60	–	–
2.32	16.56	0.00	0.46	0.01	0.78	0.01	0.39	14.30	–	–
2.59	16.67	0.00	0.47	0.01	0.77	0.01	0.41	13.70	–	–
2.89	16.78	0.00	0.47	0.01	0.75	0.01	0.42	13.40	–	–
3.21	16.90	0.01	0.46	0.01	0.76	0.01	0.44	13.30	–	–
3.55	17.02	0.01	0.45	0.01	0.77	0.01	0.44	13.00	–	–
3.95	17.15	0.01	0.44	0.01	0.78	0.02	0.45	12.80	–	–
4.39	17.27	0.01	0.45	0.01	0.76	0.02	0.46	13.40	–	–
4.83	17.40	0.01	0.45	0.02	0.77	0.02	0.46	13.60	–	–
5.35	17.53	0.01	0.44	0.02	0.77	0.02	0.47	13.20	–	–
5.85	17.67	0.01	0.44	0.02	0.76	0.03	0.47	13.50	–	–
6.67	17.81	0.01	0.45	0.02	0.75	0.03	0.50	14.00	–	–
7.38	17.96	0.02	0.45	0.03	0.76	0.03	0.51	13.00	–	–
8.23	18.10	0.02	0.45	0.03	0.77	0.04	0.52	13.40	–	–
9.17	18.26	0.02	0.45	0.04	0.71	0.04	0.53	12.50	–	–
10.23	18.42	0.02	0.44	0.04	0.69	0.05	0.55	12.90	–	–
11.35	18.59	0.03	0.45	0.05	0.70	0.06	0.55	12.80	–	–
12.47	18.76	0.03	0.46	0.06	0.68	0.07	0.55	12.70	–	–
14.02	18.95	0.04	0.45	0.07	0.70	0.08	0.57	12.10	–	–
15.41	19.14	0.05	0.44	0.08	0.70	0.10	0.57	12.20	–	–
17.19	19.31	0.06	0.46	0.10	0.66	0.12	0.58	11.40	–	–
19.25	19.50	0.07	0.45	0.12	0.69	0.14	0.60	12.40	–	–
20.80	19.72	0.08	0.44	0.14	0.70	0.17	0.58	12.10	–	–
22.78	19.95	0.10	0.45	0.17	0.63	0.21	0.58	11.80	0.58	11.90
24.77	20.16	0.12	0.46	0.21	0.62	0.27	0.57	11.70	0.62	12.60
26.62	20.43	0.16	0.43	0.27	0.63	0.34	0.55	11.90	0.62	13.16
28.92	20.70	0.20	0.41	0.31	0.55	0.41	0.54	11.30	0.60	13.63
30.48	20.95	0.25	0.43	0.34	0.45	0.47	0.50	11.00	0.58	13.78
32.70	21.24	0.33	0.50	0.77	–	–	0.47	11.10	0.56	13.69
34.19	21.51	0.42	–	–	–	–	0.41	10.60	0.55	13.47
38.69	21.75	0.52	–	–	–	–	0.45	5.80	0.54	13.73
38.47	22.17	0.77	–	–	–	–	0.32	4.00	0.54	13.66
42.53	–	–	–	–	–	–	0.33	-3.90	0.53	14.83
47.98	–	–	–	–	–	–	0.36	2.40	0.49	14.19
52.78	–	–	–	–	–	–	–	–	0.44	12.84
58.05	–	–	–	–	–	–	–	–	0.40	11.00
63.86	–	–	–	–	–	–	–	–	0.41	8.29
70.11	–	–	–	–	–	–	–	–	0.44	6.10
82.93	–	–	–	–	–	–	–	–	0.42	10.20
92.11	–	–	–	–	–	–	–	–	0.32	26.00
117.63	–	–	–	–	–	–	–	–	0.40	0.30
130.07	–	–	–	–	–	–	–	–	0.30	142.90
199.15	–	–	–	–	–	–	–	–	0.38	-12.40

Table 5: Figure 5-29

Mrk 266										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.31	14.42	0.00	1.48	0.00	0.71	0.00	0.36	-7.90	–	–
0.34	14.43	0.00	1.48	0.00	0.71	0.00	0.37	-7.60	–	–
0.38	14.44	0.00	1.48	0.00	0.70	0.00	0.38	-7.60	–	–
0.42	14.45	0.00	1.47	0.00	0.70	0.00	0.39	-7.80	–	–
0.46	14.47	0.00	1.47	0.00	0.70	0.00	0.41	-8.20	–	–
0.52	14.49	0.00	1.47	0.00	0.69	0.00	0.42	-8.50	–	–
0.58	14.52	0.00	1.47	0.00	0.69	0.00	0.44	-8.80	–	–
0.65	14.55	0.00	1.46	0.00	0.68	0.00	0.45	-9.10	–	–
0.72	14.58	0.00	1.46	0.00	0.68	0.00	0.47	-9.40	–	–
0.81	14.62	0.00	1.45	0.00	0.67	0.00	0.49	-9.80	–	–
0.91	14.67	0.00	1.45	0.00	0.66	0.00	0.51	-10.20	–	–
1.00	14.73	0.00	1.45	0.00	0.65	0.00	0.52	-10.60	–	–
1.11	14.79	0.00	1.44	0.00	0.63	0.00	0.52	-10.90	–	–
1.20	14.87	0.00	1.43	0.00	0.62	0.00	0.51	-11.20	–	–
1.31	14.95	0.00	1.42	0.00	0.61	0.00	0.49	-11.70	–	–
1.41	15.05	0.00	1.41	0.01	0.60	0.00	0.47	-12.40	–	–
1.53	15.16	0.00	1.39	0.01	0.59	0.01	0.46	-13.00	–	–
1.67	15.28	0.00	1.38	0.01	0.58	0.01	0.45	-12.90	–	–
1.83	15.42	0.00	1.37	0.01	0.57	0.01	0.45	-13.60	–	–
2.01	15.56	0.00	1.34	0.01	0.55	0.01	0.44	-13.40	–	–
2.19	15.71	0.00	1.32	0.01	0.50	0.01	0.43	-12.60	–	–
2.41	15.87	0.01	1.29	0.01	0.47	0.01	0.43	-12.30	–	–
2.64	16.01	0.01	1.26	0.01	0.44	0.01	0.43	-14.40	–	–
2.88	16.15	0.01	1.23	0.02	0.42	0.02	0.42	-17.10	–	–
3.09	16.31	0.01	1.21	0.02	0.39	0.02	0.39	-15.90	–	–
3.33	16.47	0.01	1.18	0.02	0.36	0.02	0.37	-17.30	–	–
3.69	16.61	0.01	1.15	0.02	0.33	0.03	0.37	-16.20	–	–
4.00	16.77	0.01	1.14	0.03	0.31	0.03	0.35	-17.00	–	–
4.28	16.95	0.02	1.13	0.03	0.29	0.03	0.32	-15.50	–	–
4.55	17.12	0.02	1.11	0.03	0.29	0.04	0.27	-13.70	–	–
4.88	17.30	0.02	1.10	0.04	0.34	0.05	0.23	-9.00	–	–
5.16	17.48	0.03	1.10	0.05	0.37	0.05	0.17	-7.50	–	–
5.59	17.64	0.03	1.11	0.06	0.31	0.06	0.14	5.90	–	–
6.38	17.85	0.04	1.14	0.07	0.27	0.08	0.20	16.20	–	–
6.54	18.05	0.04	1.14	0.08	0.23	0.10	0.08	5.10	–	–
7.43	18.34	0.06	1.14	0.11	0.21	0.13	0.14	10.60	–	–
8.17	18.56	0.07	1.16	0.13	0.08	0.17	–	–	–	–
8.99	18.77	0.09	1.19	0.17	0.07	0.22	–	–	–	–
9.89	18.97	0.10	1.22	0.20	0.03	0.27	–	–	–	–
10.88	19.21	0.13	1.19	0.24	0.08	0.31	–	–	–	–
11.97	19.39	0.15	1.20	0.28	0.15	0.35	–	–	0.14	42.61
13.17	19.49	0.17	1.13	0.32	-0.02	0.47	–	–	0.44	37.58
14.48	19.64	0.19	1.05	0.37	0.06	0.54	–	–	0.27	46.68
15.93	19.82	0.23	1.08	0.45	-0.05	0.71	–	–	0.15	43.10
17.52	19.97	0.26	1.07	0.54	0.03	0.79	–	–	0.09	19.85
19.27	20.13	0.30	1.07	0.65	0.15	0.88	–	–	0.05	-5.01
21.20	20.30	0.35	1.08	0.79	–	–	–	–	0.07	-12.67
23.32	20.37	0.38	1.14	0.97	–	–	–	–	0.10	-10.70
25.66	20.51	0.43	–	–	–	–	–	–	0.13	-3.68
28.22	20.71	0.52	–	–	–	–	–	–	0.15	5.45
31.04	20.93	0.63	–	–	–	–	–	–	0.15	9.72
34.15	21.29	0.88	–	–	–	–	–	–	0.16	13.89
37.56	–	–	–	–	–	–	–	–	0.23	22.20
41.32	–	–	–	–	–	–	–	–	0.28	30.65
45.45	–	–	–	–	–	–	–	–	0.25	36.05
49.99	–	–	–	–	–	–	–	–	0.16	35.32
54.99	–	–	–	–	–	–	–	–	0.18	24.26
60.49	–	–	–	–	–	–	–	–	0.23	9.74
66.54	–	–	–	–	–	–	–	–	0.27	1.34
76.70	–	–	–	–	–	–	–	–	0.28	-4.20
89.83	–	–	–	–	–	–	–	–	0.24	-17.60
116.22	–	–	–	–	–	–	–	–	0.35	1.10

Table 5: Figure 5-30

Mrk 270										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	13.49	0.00	0.59	0.00	0.44	0.00	0.14	28.60	–	–
0.29	13.53	0.00	0.59	0.00	0.44	0.00	0.14	27.50	–	–
0.32	13.57	0.00	0.58	0.00	0.45	0.00	0.13	26.60	–	–
0.35	13.63	0.00	0.57	0.00	0.45	0.00	0.13	25.70	–	–
0.38	13.69	0.00	0.56	0.00	0.46	0.00	0.12	24.70	–	–
0.42	13.76	0.00	0.56	0.00	0.46	0.00	0.12	24.80	–	–
0.46	13.84	0.00	0.55	0.00	0.46	0.00	0.12	23.90	–	–
0.50	13.93	0.00	0.54	0.00	0.46	0.00	0.11	23.60	–	–
0.55	14.03	0.00	0.53	0.00	0.45	0.00	0.09	21.90	–	–
0.60	14.14	0.00	0.52	0.00	0.46	0.00	0.08	21.30	–	–
0.66	14.26	0.00	0.51	0.00	0.46	0.00	0.07	197.70	–	–
0.72	14.39	0.00	0.51	0.00	0.46	0.00	0.06	190.80	–	–
0.79	14.52	0.00	0.50	0.00	0.46	0.00	0.06	180.60	–	–
0.87	14.66	0.00	0.49	0.00	0.46	0.00	0.06	170.00	–	–
0.97	14.80	0.00	0.49	0.00	0.47	0.00	0.08	165.20	–	–
1.08	14.94	0.00	0.48	0.00	0.47	0.00	0.10	162.40	–	–
1.20	15.09	0.00	0.48	0.00	0.47	0.00	0.12	161.70	–	–
1.34	15.24	0.00	0.48	0.00	0.46	0.00	0.15	161.80	–	–
1.50	15.39	0.00	0.48	0.00	0.46	0.00	0.17	159.70	–	–
1.67	15.55	0.00	0.48	0.00	0.45	0.01	0.19	160.00	–	–
1.84	15.71	0.00	0.48	0.01	0.45	0.01	0.20	160.00	–	–
2.00	15.88	0.00	0.48	0.01	0.45	0.01	0.18	159.00	–	–
2.19	16.06	0.00	0.47	0.01	0.46	0.01	0.17	161.40	–	–
2.35	16.24	0.00	0.47	0.01	0.45	0.01	0.13	159.50	–	–
2.54	16.42	0.01	0.47	0.01	0.47	0.01	0.09	153.80	–	–
2.73	16.60	0.01	0.47	0.01	0.46	0.01	0.06	148.10	–	–
2.97	16.77	0.01	0.47	0.01	0.45	0.02	0.03	130.40	–	–
3.23	16.94	0.01	0.47	0.02	0.46	0.02	0.01	128.50	–	–
3.53	17.10	0.01	0.47	0.02	0.46	0.02	0.00	75.10	–	–
3.92	17.26	0.01	0.48	0.02	0.44	0.03	0.02	94.40	–	–
4.32	17.39	0.01	0.49	0.02	0.44	0.03	0.02	56.10	–	–
4.77	17.57	0.02	0.47	0.03	0.47	0.03	0.03	45.80	–	–
5.30	17.70	0.02	0.49	0.03	0.46	0.04	0.05	35.60	–	–
5.91	17.82	0.02	0.49	0.04	0.43	0.04	0.07	37.70	–	–
6.48	17.98	0.02	0.48	0.04	0.45	0.05	0.07	45.90	–	–
7.17	18.12	0.03	0.50	0.05	0.43	0.06	0.08	62.50	–	–
7.77	18.32	0.03	0.50	0.06	0.41	0.07	0.05	66.50	–	–
8.53	18.56	0.04	0.47	0.07	0.42	0.09	0.05	77.60	–	–
9.40	18.82	0.05	0.48	0.09	0.40	0.11	0.05	90.20	–	–
10.35	19.12	0.07	0.50	0.12	0.40	0.15	0.05	93.50	–	–
11.38	19.42	0.09	0.49	0.16	0.42	0.19	0.05	108.00	–	–
12.62	19.73	0.12	0.50	0.21	0.42	0.25	0.07	97.60	–	–
13.87	19.96	0.15	0.47	0.25	0.41	0.31	0.06	94.40	0.04	92.39
15.16	20.15	0.18	0.46	0.30	0.41	0.36	0.05	140.00	0.03	94.63
16.34	20.31	0.21	0.48	0.35	0.45	0.41	0.01	74.90	0.04	97.56
18.15	20.52	0.25	0.49	0.42	0.52	0.46	0.03	87.30	0.07	105.45
21.41	20.61	0.27	0.55	0.48	0.52	0.51	0.16	132.10	0.10	134.13
23.71	20.90	0.35	0.55	0.62	0.64	0.60	0.17	131.50	0.12	144.01
25.86	21.22	0.47	0.49	0.79	0.81	0.72	0.16	124.20	0.14	136.90
28.11	21.55	0.64	–	–	0.85	0.93	0.14	148.00	0.14	129.32
31.30	21.95	0.93	–	–	–	–	0.16	150.60	0.10	131.80
33.71	–	–	–	–	–	–	0.12	149.60	0.08	130.16
37.45	–	–	–	–	–	–	–	–	0.11	118.23
41.19	–	–	–	–	–	–	–	–	0.13	110.61
45.31	–	–	–	–	–	–	–	–	0.13	113.12
49.84	–	–	–	–	–	–	–	–	0.12	118.60
54.83	–	–	–	–	–	–	–	–	0.13	123.64
58.41	–	–	–	–	–	–	–	–	0.14	126.00
79.51	–	–	–	–	–	–	–	–	0.33	109.00
96.52	–	–	–	–	–	–	–	–	0.34	117.70
114.11	–	–	–	–	–	–	–	–	0.32	103.40

Table 5: Figure 5-31

NGC 5273										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	13.84	0.00	1.07	0.00	0.58	0.00	0.06	33.70	–	–
0.28	13.87	0.00	1.07	0.00	0.58	0.00	0.06	26.00	–	–
0.31	13.91	0.00	1.07	0.00	0.57	0.00	0.06	28.50	–	–
0.34	13.95	0.00	1.07	0.00	0.56	0.00	0.07	27.50	–	–
0.37	13.99	0.00	1.07	0.00	0.56	0.00	0.07	27.40	–	–
0.41	14.05	0.00	1.07	0.00	0.54	0.00	0.07	28.50	–	–
0.45	14.11	0.00	1.07	0.00	0.53	0.00	0.07	30.10	–	–
0.50	14.17	0.00	1.07	0.00	0.52	0.00	0.08	31.00	–	–
0.55	14.24	0.00	1.06	0.00	0.51	0.00	0.08	34.20	–	–
0.60	14.31	0.00	1.06	0.00	0.49	0.00	0.08	32.20	–	–
0.66	14.40	0.00	1.06	0.00	0.48	0.00	0.07	32.60	–	–
0.72	14.48	0.00	1.05	0.00	0.48	0.00	0.07	33.70	–	–
0.80	14.57	0.00	1.05	0.00	0.47	0.00	0.07	34.90	–	–
0.87	14.66	0.00	1.04	0.00	0.46	0.00	0.06	34.00	–	–
0.96	14.77	0.00	1.04	0.00	0.45	0.00	0.05	33.60	–	–
1.05	14.87	0.00	1.04	0.00	0.45	0.00	0.05	30.60	–	–
1.15	14.99	0.00	1.04	0.00	0.44	0.00	0.05	26.10	–	–
1.27	15.11	0.00	1.04	0.00	0.43	0.00	0.05	20.70	–	–
1.40	15.25	0.00	1.03	0.00	0.43	0.00	0.06	18.10	–	–
1.54	15.39	0.00	1.01	0.01	0.43	0.00	0.06	13.00	–	–
1.70	15.55	0.00	1.00	0.01	0.43	0.01	0.06	8.90	–	–
1.88	15.70	0.00	1.00	0.01	0.42	0.01	0.07	8.20	–	–
2.08	15.87	0.00	1.00	0.01	0.41	0.01	0.08	9.20	–	–
2.29	16.03	0.00	1.00	0.01	0.41	0.01	0.09	7.70	–	–
2.52	16.20	0.00	1.00	0.01	0.40	0.01	0.08	7.40	–	–
2.77	16.37	0.01	1.00	0.01	0.40	0.01	0.09	9.00	–	–
3.05	16.51	0.01	1.01	0.01	0.40	0.01	0.09	6.60	–	–
3.37	16.65	0.01	1.02	0.02	0.39	0.02	0.09	6.00	–	–
3.72	16.79	0.01	1.01	0.02	0.39	0.02	0.10	4.30	–	–
4.12	16.92	0.01	1.00	0.02	0.39	0.02	0.11	4.30	–	–
4.49	17.06	0.01	1.00	0.02	0.39	0.02	0.09	2.50	–	–
4.92	17.19	0.01	1.00	0.02	0.39	0.03	0.09	5.10	–	–
5.50	17.32	0.01	1.00	0.03	0.37	0.03	0.12	5.10	–	–
6.00	17.45	0.02	0.99	0.03	0.37	0.03	0.10	3.90	–	–
6.64	17.56	0.02	0.99	0.03	0.37	0.04	0.11	1.10	–	–
7.41	17.67	0.02	0.99	0.04	0.37	0.04	0.14	-0.70	–	–
8.22	17.81	0.02	0.99	0.04	0.36	0.05	0.15	1.60	–	–
9.09	17.96	0.03	0.99	0.05	0.34	0.05	0.16	4.00	–	–
9.98	18.12	0.03	0.99	0.06	0.34	0.06	0.16	8.30	–	–
10.94	18.26	0.04	0.99	0.06	0.34	0.07	0.15	9.10	–	–
11.99	18.37	0.04	0.99	0.07	0.34	0.08	0.14	13.90	–	–
12.81	18.47	0.04	0.98	0.08	0.34	0.09	0.09	8.40	–	–
14.16	18.61	0.05	0.98	0.09	0.33	0.10	0.10	-3.80	–	–
15.84	18.75	0.06	0.98	0.10	0.32	0.11	0.13	2.70	–	–
17.73	18.90	0.06	0.98	0.12	0.28	0.14	0.16	7.00	–	–
19.31	19.06	0.08	0.97	0.13	0.28	0.16	0.14	13.80	–	–
20.51	19.20	0.09	0.97	0.15	0.27	0.18	0.08	14.20	–	–
22.62	19.36	0.10	0.97	0.17	0.27	0.21	0.09	-3.80	–	–
25.78	19.52	0.12	0.98	0.20	0.25	0.24	0.15	-11.50	–	–
28.82	19.69	0.14	0.98	0.24	0.22	0.30	0.18	-1.90	–	–
31.59	19.89	0.16	0.99	0.28	0.17	0.34	0.17	5.20	–	–
35.27	20.12	0.20	0.68	0.45	–	–	0.20	5.70	0.12	-10.19
39.15	20.40	0.26	1.51	0.28	–	–	0.21	6.20	0.16	-3.19
42.61	20.86	0.40	1.59	0.41	–	–	0.19	7.00	0.19	1.60
42.86	21.63	0.80	1.21	0.54	–	–	0.04	17.30	0.19	1.88
50.10	–	–	–	–	–	–	–	–	0.20	6.63
55.11	–	–	–	–	–	–	–	–	0.18	5.83
59.51	–	–	–	–	–	–	–	–	0.17	5.20
71.17	–	–	–	–	–	–	–	–	0.16	10.00
85.71	–	–	–	–	–	–	–	–	0.17	9.10
101.96	–	–	–	–	–	–	–	–	0.15	9.40
122.19	–	–	–	–	–	–	–	–	0.15	5.90
141.02	–	–	–	–	–	–	–	–	0.08	2.00
178.48	–	–	–	–	–	–	–	–	0.17	17.00
208.91	–	–	–	–	–	–	–	–	0.13	9.80

A subarcsecond resolution near-infrared study of Seyfert and 'normal' galaxies: I. Imaging data - Tables 5

arXiv:astro-ph/9905076v1 6 May 1999

Table 5: Table 5-32

Mrk 461										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.14	14.39	0.00	–	–	–	–	0.27	-80.20	–	–
0.15	14.40	0.00	–	–	–	–	0.23	-95.40	–	–
0.28	14.40	0.00	0.59	0.00	0.63	0.00	0.72	-71.70	–	–
0.18	14.40	0.00	–	–	–	–	0.21	-65.40	–	–
0.37	14.40	0.00	0.60	0.00	0.62	0.00	0.77	-69.70	–	–
0.22	14.41	0.00	0.61	0.00	0.62	0.00	0.34	-0.53	–	–
0.39	14.41	0.00	0.61	0.00	0.60	0.00	0.70	-70.60	–	–
0.40	14.41	0.00	0.62	0.00	0.60	0.00	0.65	-74.60	–	–
0.42	14.42	0.00	0.62	0.00	0.58	0.00	0.62	-72.80	–	–
0.44	14.42	0.00	0.63	0.00	0.57	0.00	0.57	-73.70	–	–
0.46	14.43	0.00	0.64	0.00	0.56	0.00	0.54	-74.90	–	–
0.49	14.45	0.00	0.65	0.00	0.53	0.00	0.50	-75.40	–	–
0.51	14.47	0.00	0.66	0.00	0.51	0.00	0.45	-74.70	–	–
0.55	14.48	0.00	0.67	0.00	0.47	0.00	0.42	-71.90	–	–
0.57	14.51	0.00	0.67	0.00	0.45	0.00	0.36	-74.10	–	–
0.61	14.55	0.00	0.70	0.00	0.40	0.00	0.30	-72.90	–	–
0.64	14.59	0.00	0.73	0.00	0.36	0.00	0.26	-65.20	–	–
0.69	14.65	0.00	0.76	0.00	0.32	0.00	0.21	-65.80	–	–
0.74	14.73	0.00	0.78	0.00	0.28	0.00	0.17	-64.40	–	–
0.81	14.83	0.00	0.80	0.00	0.22	0.00	0.16	-60.60	–	–
0.87	14.94	0.00	0.82	0.00	0.19	0.00	0.12	-55.40	–	–
0.95	15.08	0.00	0.84	0.00	0.16	0.00	0.11	-53.30	–	–
1.05	15.24	0.00	0.84	0.00	0.14	0.00	0.12	-50.50	–	–
1.15	15.40	0.00	0.83	0.01	0.13	0.00	0.12	-48.80	–	–
1.28	15.57	0.00	0.82	0.01	0.13	0.01	0.13	-50.50	–	–
1.41	15.73	0.00	0.81	0.01	0.13	0.01	0.14	-45.80	–	–
1.57	15.88	0.00	0.80	0.01	0.15	0.01	0.15	-46.50	–	–
1.74	16.03	0.00	0.79	0.01	0.17	0.01	0.17	-44.90	–	–
1.94	16.16	0.00	0.78	0.01	0.18	0.01	0.19	-43.00	–	–
2.13	16.29	0.01	0.77	0.01	0.19	0.01	0.19	-43.50	–	–
2.38	16.41	0.01	0.77	0.01	0.19	0.01	0.21	-41.10	–	–
2.62	16.53	0.01	0.77	0.02	0.19	0.01	0.22	-40.00	–	–
2.92	16.65	0.01	0.76	0.02	0.20	0.01	0.23	-39.70	–	–
3.23	16.77	0.01	0.75	0.02	0.21	0.02	0.24	-36.40	–	–
3.57	16.88	0.01	0.75	0.02	0.21	0.02	0.25	-35.80	–	–
3.91	17.00	0.01	0.76	0.02	0.22	0.02	0.24	-35.90	–	–
4.21	17.12	0.01	0.76	0.03	0.21	0.02	0.21	-36.10	–	–
4.53	17.26	0.01	0.75	0.03	0.21	0.03	0.18	-37.20	–	–
4.91	17.40	0.02	0.75	0.03	0.20	0.03	0.15	-32.80	–	–
5.34	17.58	0.02	0.75	0.04	0.21	0.03	0.13	-29.00	–	–
6.00	17.75	0.02	0.74	0.05	0.20	0.04	0.17	-25.10	–	–
6.74	17.91	0.03	0.73	0.05	0.20	0.05	0.20	-27.00	–	–
7.71	18.06	0.03	0.73	0.06	0.20	0.05	0.26	-31.00	–	–
8.80	18.22	0.03	0.74	0.07	0.19	0.06	0.31	-37.10	–	–
9.81	18.43	0.04	0.73	0.09	0.18	0.08	0.33	-39.00	–	–
10.94	18.62	0.05	0.72	0.10	0.19	0.09	0.35	-43.20	–	–
12.23	18.77	0.05	0.71	0.12	0.18	0.10	0.37	-47.10	–	–
13.63	18.92	0.06	0.71	0.13	0.17	0.12	0.39	-50.70	–	–
15.07	19.09	0.08	0.71	0.16	0.16	0.14	0.39	-54.20	–	–
15.95	19.30	0.09	0.68	0.19	0.17	0.16	0.34	-56.80	–	–
17.35	19.52	0.11	0.70	0.23	0.12	0.21	0.33	-59.90	0.40	-54.99
18.98	19.85	0.15	0.67	0.31	0.09	0.29	0.32	-62.50	0.40	-57.12
20.21	20.24	0.22	0.63	0.42	0.05	0.42	0.28	-65.30	0.40	-57.98
21.42	20.61	0.30	0.61	0.58	0.01	0.60	0.22	-61.50	0.40	-58.63
23.45	21.06	0.46	0.56	0.82	-0.01	0.89	0.21	-53.20	0.39	-59.99
26.55	21.57	0.73	–	–	–	–	0.26	-52.20	0.34	-63.29
28.64	–	–	–	–	–	–	0.23	-55.40	0.29	-65.66
31.51	–	–	–	–	–	–	–	–	0.23	-63.79
34.66	–	–	–	–	–	–	–	–	0.22	-55.74
61.40	–	–	–	–	–	–	–	–	0.21	-52.49
79.17	–	–	–	–	–	–	–	–	0.32	-17.80
96.42	–	–	–	–	–	–	–	–	0.34	45.70
116.54	–	–	–	–	–	–	–	–	0.35	66.40
121.26	–	–	–	–	–	–	–	–	0.14	44.00

Table 5: Table 5-33

Mrk 279										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.27	12.14	0.00	0.75	0.00	0.25	0.00	0.19	115.00	–	–
0.30	12.22	0.00	0.75	0.00	0.26	0.00	0.19	114.90	–	–
0.33	12.30	0.00	0.75	0.00	0.28	0.00	0.20	114.30	–	–
0.37	12.41	0.00	0.74	0.00	0.31	0.00	0.20	113.80	–	–
0.40	12.54	0.00	0.73	0.00	0.35	0.00	0.21	113.30	–	–
0.44	12.69	0.00	0.71	0.00	0.39	0.00	0.21	113.80	–	–
0.49	12.86	0.00	0.69	0.00	0.44	0.00	0.20	114.20	–	–
0.54	13.06	0.00	0.68	0.00	0.50	0.00	0.20	114.80	–	–
0.58	13.29	0.00	0.68	0.00	0.56	0.00	0.20	114.40	–	–
0.64	13.53	0.00	0.67	0.00	0.63	0.00	0.19	113.20	–	–
0.70	13.80	0.00	0.65	0.00	0.70	0.00	0.18	112.50	–	–
0.77	14.05	0.00	0.63	0.00	0.76	0.00	0.18	109.40	–	–
0.84	14.29	0.00	0.63	0.00	0.79	0.00	0.16	103.70	–	–
0.92	14.51	0.00	0.64	0.00	0.79	0.00	0.15	97.60	–	–
0.99	14.72	0.00	0.65	0.00	0.76	0.00	0.12	95.00	–	–
1.07	14.93	0.00	0.66	0.00	0.73	0.00	0.08	85.50	–	–
1.16	15.14	0.00	0.66	0.00	0.69	0.00	0.05	64.80	–	–
1.28	15.36	0.00	0.67	0.01	0.65	0.00	0.07	43.20	–	–
1.44	15.57	0.00	0.67	0.01	0.60	0.00	0.11	36.00	–	–
1.61	15.77	0.00	0.67	0.01	0.54	0.00	0.14	33.50	–	–
1.80	15.96	0.00	0.67	0.01	0.48	0.01	0.16	30.40	–	–
2.01	16.15	0.00	0.67	0.01	0.41	0.01	0.18	29.00	–	–
2.24	16.33	0.00	0.67	0.01	0.35	0.01	0.21	28.60	–	–
2.51	16.50	0.00	0.66	0.01	0.29	0.01	0.24	31.30	–	–
2.81	16.67	0.00	0.66	0.02	0.23	0.01	0.26	32.30	–	–
3.13	16.83	0.01	0.67	0.02	0.16	0.02	0.28	32.90	–	–
3.54	16.98	0.01	0.67	0.02	0.10	0.02	0.32	32.80	–	–
4.02	17.12	0.01	0.67	0.03	0.05	0.02	0.36	33.00	–	–
4.55	17.26	0.01	0.67	0.03	0.02	0.03	0.40	31.80	–	–
5.11	17.43	0.01	0.66	0.03	-0.02	0.03	0.42	31.00	–	–
5.65	17.64	0.01	0.66	0.04	-0.05	0.04	0.43	31.10	–	–
6.14	17.90	0.02	0.67	0.05	-0.04	0.05	0.41	30.10	–	–
6.73	18.17	0.02	0.66	0.07	-0.03	0.06	0.41	31.60	–	–
7.35	18.46	0.03	0.65	0.09	-0.03	0.08	0.40	31.70	–	–
8.22	18.68	0.03	0.66	0.11	-0.10	0.11	0.42	33.20	–	–
9.04	18.89	0.04	0.66	0.13	-0.13	0.13	0.42	34.80	0.25	27.13
10.32	19.03	0.05	0.66	0.15	-0.20	0.16	0.46	34.90	0.29	30.67
11.45	19.12	0.05	0.67	0.16	-0.26	0.18	0.47	28.90	0.32	34.70
12.56	19.26	0.06	0.66	0.19	-0.25	0.21	0.47	27.40	0.35	36.98
13.28	19.40	0.07	0.62	0.20	-0.22	0.23	0.42	33.30	0.36	36.65
13.81	19.50	0.07	0.61	0.22	-0.20	0.25	0.35	35.00	0.36	34.79
14.73	19.62	0.08	0.61	0.25	-0.18	0.27	0.31	36.70	0.37	31.62
16.03	19.75	0.09	0.63	0.28	-0.14	0.30	0.30	35.30	0.37	29.38
18.10	19.97	0.11	0.62	0.34	-0.06	0.34	0.34	35.00	0.35	33.60
20.16	20.30	0.15	0.59	0.45	0.06	0.42	0.35	33.80	0.34	35.49
22.44	20.66	0.21	0.57	0.60	0.10	0.55	0.37	32.00	0.33	35.03
24.77	21.03	0.30	0.55	0.85	0.20	0.72	0.37	30.30	0.33	34.17
26.22	21.34	0.39	–	–	0.28	0.88	0.32	33.30	0.33	33.81
29.54	21.89	0.65	–	–	–	–	0.35	31.80	0.35	34.89
32.50	22.24	0.90	–	–	–	–	–	–	0.34	28.34
35.74	–	–	–	–	–	–	–	–	0.29	8.12
39.32	–	–	–	–	–	–	–	–	0.27	-2.02
43.25	–	–	–	–	–	–	–	–	0.31	9.93
47.58	–	–	–	–	–	–	–	–	0.38	39.31
52.33	–	–	–	–	–	–	–	–	0.34	41.91

Table 5: Table 5-34

NGC 5548										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.27	11.67	0.00	1.01	0.00	1.07	0.00	0.18	180.90	–	–
0.30	11.76	0.00	1.01	0.00	1.08	0.00	0.18	181.00	–	–
0.33	11.86	0.00	1.01	0.00	1.09	0.00	0.17	181.00	–	–
0.36	11.97	0.00	1.00	0.00	1.10	0.00	0.17	182.00	–	–
0.39	12.11	0.00	1.00	0.00	1.10	0.00	0.16	182.20	–	–
0.43	12.27	0.00	0.99	0.00	1.11	0.00	0.16	182.40	–	–
0.47	12.46	0.00	0.98	0.00	1.11	0.00	0.15	182.50	–	–
0.52	12.68	0.00	0.95	0.00	1.11	0.00	0.15	182.30	–	–
0.57	12.93	0.00	0.94	0.00	1.10	0.00	0.15	180.20	–	–
0.62	13.20	0.00	0.90	0.00	1.08	0.00	0.14	182.60	–	–
0.68	13.48	0.00	0.88	0.00	1.05	0.00	0.12	184.20	–	–
0.73	13.74	0.00	0.86	0.00	1.00	0.00	0.09	182.80	–	–
0.78	13.97	0.00	0.84	0.00	0.94	0.00	0.04	183.30	–	–
0.87	14.14	0.00	0.84	0.00	0.86	0.00	0.05	91.30	–	–
0.98	14.34	0.00	0.83	0.00	0.79	0.00	0.10	93.10	–	–
1.10	14.55	0.00	0.81	0.00	0.73	0.00	0.12	90.40	–	–
1.20	14.74	0.00	0.80	0.00	0.66	0.00	0.12	95.70	–	–
1.30	14.92	0.00	0.79	0.00	0.60	0.00	0.09	99.70	–	–
1.41	15.09	0.00	0.78	0.00	0.55	0.00	0.06	102.80	–	–
1.53	15.24	0.00	0.78	0.01	0.51	0.01	0.05	109.90	–	–
1.68	15.39	0.00	0.77	0.01	0.49	0.01	0.04	116.70	–	–
1.87	15.52	0.00	0.77	0.01	0.46	0.01	0.06	117.50	–	–
2.07	15.66	0.00	0.77	0.01	0.44	0.01	0.07	119.80	–	–
2.27	15.80	0.00	0.77	0.01	0.42	0.01	0.07	120.90	–	–
2.52	15.95	0.01	0.76	0.01	0.41	0.01	0.09	117.10	–	–
2.77	16.10	0.01	0.76	0.01	0.40	0.01	0.08	113.30	–	–
3.02	16.27	0.01	0.76	0.01	0.38	0.01	0.07	105.90	–	–
3.30	16.43	0.01	0.76	0.02	0.37	0.02	0.05	105.10	–	–
3.61	16.59	0.01	0.76	0.02	0.36	0.02	0.04	102.70	–	–
3.99	16.73	0.01	0.76	0.02	0.34	0.02	0.05	101.60	–	–
4.40	16.87	0.01	0.76	0.02	0.33	0.03	0.06	107.20	–	–
4.89	17.01	0.01	0.76	0.03	0.33	0.03	0.07	94.00	–	–
5.39	17.15	0.02	0.76	0.03	0.33	0.03	0.08	90.00	–	–
5.97	17.31	0.02	0.75	0.04	0.31	0.04	0.09	82.30	–	–
6.47	17.48	0.02	0.75	0.04	0.29	0.05	0.06	72.60	–	–
7.10	17.66	0.03	0.75	0.05	0.26	0.06	0.06	66.50	–	–
7.80	17.82	0.03	0.76	0.05	0.23	0.07	0.06	60.70	–	–
8.51	18.00	0.04	0.76	0.06	0.22	0.08	0.04	82.50	–	–
9.25	18.18	0.04	0.75	0.08	0.21	0.09	0.02	52.90	–	–
10.43	18.33	0.05	0.75	0.09	0.18	0.11	0.07	53.40	–	–
11.43	18.50	0.06	0.75	0.10	0.18	0.13	0.06	53.10	–	–
12.57	18.70	0.07	0.77	0.12	0.17	0.16	0.06	212.90	–	–
13.83	18.93	0.09	0.77	0.15	0.13	0.20	0.06	66.00	–	–
15.18	19.14	0.11	0.78	0.19	0.06	0.26	0.05	108.80	–	–
17.03	19.39	0.13	0.79	0.23	0.03	0.31	0.09	133.10	–	–
18.97	19.67	0.17	0.85	0.32	-0.15	0.51	0.11	139.20	–	–
20.48	20.00	0.23	0.88	0.43	-0.26	0.71	0.08	131.00	–	–
22.53	20.19	0.28	0.90	0.51	-0.25	0.83	–	–	–	–
24.78	20.19	0.28	0.94	0.54	-0.19	0.81	–	–	–	–
27.26	20.25	0.29	0.94	0.56	-0.14	0.81	–	–	0.07	135.61
29.98	20.38	0.33	0.95	0.65	–	–	–	–	0.02	148.33
32.98	20.64	0.42	1.01	0.79	–	–	–	–	0.06	143.16
36.28	21.04	0.61	–	–	–	–	–	–	0.15	127.84
39.91	21.54	0.96	–	–	–	–	–	–	0.24	112.28
43.90	–	–	–	–	–	–	–	–	0.26	106.67
48.29	–	–	–	–	–	–	–	–	0.18	117.75
53.12	–	–	–	–	–	–	–	–	0.15	115.13
58.43	–	–	–	–	–	–	–	–	0.16	103.29
59.25	–	–	–	–	–	–	–	–	0.16	101.50
71.66	–	–	–	–	–	–	–	–	0.17	92.20
84.67	–	–	–	–	–	–	–	–	0.15	73.40
96.03	–	–	–	–	–	–	–	–	0.05	178.30
125.05	–	–	–	–	–	–	–	–	0.19	180.30
138.33	–	–	–	–	–	–	–	–	0.05	197.80

Table 5: Table 5-35

NGC 5674										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.28	13.72	0.00	0.73	0.00	0.49	0.00	0.25	-41.70	–	–
0.31	13.74	0.00	0.74	0.00	0.48	0.00	0.26	-40.90	–	–
0.34	13.77	0.00	0.74	0.00	0.48	0.00	0.25	-40.00	–	–
0.38	13.81	0.00	0.75	0.00	0.47	0.00	0.25	-39.40	–	–
0.41	13.86	0.00	0.75	0.00	0.46	0.00	0.24	-38.80	–	–
0.45	13.91	0.00	0.75	0.00	0.46	0.00	0.23	-38.10	–	–
0.49	13.98	0.00	0.75	0.00	0.45	0.00	0.22	-37.50	–	–
0.54	14.05	0.00	0.75	0.00	0.43	0.00	0.21	-36.70	–	–
0.58	14.14	0.00	0.75	0.00	0.42	0.00	0.19	-36.20	–	–
0.64	14.24	0.00	0.75	0.00	0.40	0.00	0.18	-35.90	–	–
0.69	14.36	0.00	0.75	0.00	0.38	0.00	0.16	-36.10	–	–
0.75	14.48	0.00	0.74	0.00	0.37	0.00	0.14	-35.80	–	–
0.81	14.62	0.00	0.73	0.00	0.35	0.00	0.10	-36.20	–	–
0.88	14.77	0.00	0.72	0.00	0.33	0.00	0.08	-34.20	–	–
0.96	14.92	0.00	0.71	0.00	0.32	0.00	0.06	-32.40	–	–
1.05	15.08	0.00	0.71	0.00	0.31	0.00	0.05	-31.40	–	–
1.15	15.24	0.00	0.70	0.01	0.29	0.01	0.04	-22.80	–	–
1.27	15.41	0.00	0.69	0.01	0.28	0.01	0.05	-15.80	–	–
1.40	15.58	0.00	0.68	0.01	0.27	0.01	0.06	-8.10	–	–
1.56	15.75	0.00	0.67	0.01	0.26	0.01	0.08	-2.20	–	–
1.74	15.91	0.00	0.66	0.01	0.25	0.01	0.10	0.80	–	–
1.93	16.07	0.01	0.66	0.01	0.25	0.01	0.12	1.30	–	–
2.16	16.24	0.01	0.65	0.01	0.24	0.01	0.15	2.70	–	–
2.42	16.40	0.01	0.65	0.01	0.24	0.02	0.18	3.40	–	–
2.70	16.55	0.01	0.65	0.02	0.25	0.02	0.20	2.00	–	–
3.02	16.70	0.01	0.66	0.02	0.23	0.02	0.23	1.90	–	–
3.44	16.85	0.01	0.66	0.02	0.22	0.02	0.28	2.60	–	–
3.93	16.98	0.01	0.65	0.02	0.24	0.03	0.33	1.90	–	–
4.54	17.11	0.01	0.65	0.03	0.21	0.03	0.40	0.20	–	–
5.38	17.21	0.02	0.65	0.03	0.21	0.03	0.48	-2.00	–	–
6.23	17.29	0.02	0.66	0.03	0.21	0.04	0.53	-1.10	–	–
7.24	17.46	0.02	0.66	0.04	0.20	0.04	0.58	-1.50	–	–
7.73	17.66	0.03	0.66	0.05	0.20	0.05	0.55	-1.50	–	–
8.34	17.91	0.03	0.66	0.06	0.20	0.06	0.53	-0.70	–	–
8.93	18.17	0.04	0.68	0.08	0.18	0.08	0.51	0.90	–	–
9.54	18.43	0.05	0.69	0.10	0.15	0.11	0.48	0.60	–	–
10.27	18.67	0.06	0.70	0.12	0.13	0.14	0.46	1.60	–	–
11.42	18.85	0.07	0.71	0.14	0.13	0.16	0.47	2.70	–	–
13.15	18.95	0.08	0.72	0.16	0.10	0.18	0.51	-0.60	–	–
14.52	19.04	0.09	0.74	0.17	0.08	0.20	0.52	-6.00	–	–
15.33	19.11	0.09	0.74	0.19	0.09	0.21	0.48	-4.20	–	–
16.19	19.19	0.10	0.74	0.20	0.10	0.22	0.43	-4.00	–	–
17.09	19.13	0.10	0.73	0.20	0.10	0.23	0.38	-4.00	–	–
17.76	19.20	0.10	0.72	0.20	0.09	0.23	0.31	-4.00	–	–
18.45	19.16	0.10	0.71	0.20	0.09	0.23	0.23	-4.00	–	–
19.30	19.21	0.10	0.70	0.20	0.10	0.23	0.14	-4.00	–	–
21.17	19.23	0.10	0.69	0.20	0.12	0.23	0.14	-2.10	–	–
23.28	19.36	0.12	0.69	0.22	0.12	0.26	–	–	–	–
25.61	19.60	0.15	0.67	0.27	0.10	0.32	–	–	–	–
28.17	19.93	0.20	0.66	0.36	0.09	0.43	–	–	–	–
30.99	20.32	0.28	0.72	0.53	-0.01	0.68	–	–	–	–
34.09	20.66	0.39	0.97	0.89	–	–	–	–	–	–
37.50	20.84	0.46	–	–	–	–	–	–	–	–
41.25	20.97	0.52	–	–	–	–	–	–	–	–
45.37	21.12	0.60	–	–	–	–	–	–	–	–
49.91	21.28	0.69	–	–	–	–	–	–	–	–

Table 5: Table 5-36

Mrk 817										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	12.43	0.00	0.98	0.00	1.49	0.00	0.13	-56.20	–	–
0.29	12.48	0.00	0.99	0.00	1.47	0.00	0.13	-56.20	–	–
0.32	12.53	0.00	0.99	0.00	1.45	0.00	0.12	-57.20	–	–
0.35	12.59	0.00	0.99	0.00	1.41	0.00	0.12	-58.70	–	–
0.38	12.67	0.00	0.99	0.00	1.36	0.00	0.12	-60.80	–	–
0.42	12.76	0.00	1.00	0.00	1.31	0.00	0.13	-64.20	–	–
0.47	12.86	0.00	1.01	0.00	1.27	0.00	0.13	-67.60	–	–
0.52	12.98	0.00	1.02	0.00	1.19	0.00	0.14	-71.20	–	–
0.57	13.13	0.00	1.03	0.00	1.13	0.00	0.15	-74.60	–	–
0.63	13.29	0.00	1.04	0.00	1.04	0.00	0.15	-77.40	–	–
0.69	13.48	0.00	1.05	0.00	0.97	0.00	0.15	-79.10	–	–
0.76	13.71	0.00	1.04	0.00	0.90	0.00	0.16	-81.90	–	–
0.84	13.96	0.00	1.01	0.00	0.85	0.00	0.17	-84.10	–	–
0.93	14.23	0.00	0.97	0.00	0.82	0.00	0.18	-86.10	–	–
1.03	14.52	0.00	0.92	0.01	0.79	0.00	0.19	-87.50	–	–
1.14	14.80	0.00	0.87	0.01	0.76	0.01	0.20	-87.60	–	–
1.26	15.07	0.00	0.83	0.01	0.73	0.01	0.20	-87.50	–	–
1.38	15.33	0.00	0.78	0.01	0.68	0.01	0.20	-85.90	–	–
1.50	15.56	0.01	0.75	0.01	0.64	0.01	0.18	-84.80	–	–
1.65	15.76	0.01	0.72	0.02	0.62	0.02	0.17	-84.90	–	–
1.81	15.94	0.01	0.71	0.02	0.61	0.02	0.17	-85.60	–	–
1.98	16.12	0.01	0.69	0.02	0.60	0.02	0.16	-83.70	–	–
2.18	16.30	0.01	0.67	0.02	0.59	0.02	0.16	-87.00	–	–
2.41	16.45	0.01	0.66	0.03	0.57	0.03	0.17	-85.30	–	–
2.70	16.58	0.02	0.66	0.03	0.57	0.03	0.20	-86.80	–	–
3.07	16.72	0.02	0.65	0.03	0.56	0.04	0.25	-85.30	–	–
3.49	16.86	0.02	0.65	0.04	0.54	0.04	0.30	-84.90	–	–
4.16	16.97	0.02	0.65	0.04	0.53	0.05	0.41	-84.80	–	–
4.63	17.09	0.03	0.66	0.05	0.51	0.06	0.42	-82.20	–	–
5.31	17.20	0.03	0.67	0.05	0.48	0.06	0.46	-77.80	–	–
5.89	17.35	0.03	0.62	0.06	0.52	0.07	0.47	-75.70	–	–
6.49	17.49	0.04	0.61	0.06	0.48	0.08	0.47	-71.30	–	–
6.82	17.62	0.04	0.62	0.07	0.44	0.09	0.42	-73.40	–	–
7.28	17.75	0.05	0.60	0.09	0.46	0.12	0.39	-70.60	–	–
7.34	17.86	0.05	0.60	0.10	0.47	0.12	0.27	-64.40	–	–
7.91	18.09	0.06	0.61	0.12	0.48	0.15	0.24	-65.40	–	–
8.55	18.33	0.08	0.63	0.15	0.49	0.18	0.22	-60.10	–	–
9.10	18.60	0.10	0.63	0.19	0.51	0.22	0.16	-61.50	–	–
9.93	18.88	0.13	0.60	0.23	0.53	0.28	0.15	-54.00	–	–
11.09	19.11	0.17	0.63	0.29	0.60	0.33	0.17	-58.80	0.21	-77.35
12.20	19.33	0.20	0.63	0.35	0.60	0.40	–	–	0.19	-73.67
13.43	19.44	0.22	0.70	0.41	0.51	0.47	–	–	0.19	-64.05
14.77	19.71	0.29	0.69	0.52	0.52	0.60	–	–	0.19	-51.75
16.24	20.00	0.37	0.66	0.65	0.61	0.71	–	–	0.18	-39.85
17.87	20.17	0.44	0.76	0.82	0.59	0.85	–	–	0.22	-33.37
19.65	20.57	0.64	–	–	–	–	–	–	0.25	-26.48
21.62	21.06	1.00	–	–	–	–	–	–	0.18	-10.19
23.78	–	–	–	–	–	–	–	–	0.09	7.21
26.16	–	–	–	–	–	–	–	–	0.05	15.24
28.78	–	–	–	–	–	–	–	–	0.03	21.69
31.65	–	–	–	–	–	–	–	–	0.03	24.51
34.82	–	–	–	–	–	–	–	–	0.07	19.91
38.30	–	–	–	–	–	–	–	–	0.15	7.45
42.13	–	–	–	–	–	–	–	–	0.21	-7.43
46.34	–	–	–	–	–	–	–	–	0.15	-7.14

Table 5: Table 5-37

Mrk 686										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	14.31	0.00	0.85	0.00	0.52	0.00	0.09	59.70	–	–
0.28	14.33	0.00	0.85	0.00	0.52	0.00	0.09	58.00	–	–
0.31	14.36	0.00	0.85	0.00	0.52	0.00	0.09	57.00	–	–
0.34	14.39	0.00	0.85	0.00	0.52	0.00	0.08	56.50	–	–
0.37	14.43	0.00	0.85	0.00	0.52	0.00	0.08	56.70	–	–
0.41	14.47	0.00	0.85	0.00	0.53	0.00	0.08	56.90	–	–
0.45	14.52	0.00	0.85	0.00	0.53	0.00	0.08	57.70	–	–
0.50	14.59	0.00	0.85	0.00	0.53	0.00	0.08	59.30	–	–
0.55	14.65	0.00	0.84	0.00	0.53	0.00	0.08	60.00	–	–
0.60	14.73	0.00	0.84	0.00	0.53	0.00	0.07	59.50	–	–
0.66	14.82	0.00	0.83	0.00	0.53	0.00	0.07	60.40	–	–
0.73	14.91	0.00	0.83	0.00	0.53	0.00	0.07	61.90	–	–
0.80	15.01	0.00	0.83	0.00	0.53	0.00	0.07	65.00	–	–
0.87	15.12	0.00	0.82	0.00	0.53	0.00	0.06	66.30	–	–
0.96	15.24	0.00	0.82	0.01	0.52	0.01	0.05	68.30	–	–
1.04	15.37	0.00	0.82	0.01	0.52	0.01	0.04	70.00	–	–
1.14	15.50	0.00	0.82	0.01	0.52	0.01	0.02	-97.70	–	–
1.25	15.64	0.00	0.82	0.01	0.52	0.01	0.02	-65.00	–	–
1.39	15.78	0.00	0.82	0.01	0.52	0.01	0.05	-48.80	–	–
1.56	15.93	0.00	0.82	0.01	0.52	0.01	0.08	-43.10	–	–
1.74	16.08	0.00	0.82	0.01	0.53	0.01	0.10	-42.50	–	–
1.95	16.24	0.01	0.81	0.01	0.52	0.01	0.14	-44.70	–	–
2.17	16.40	0.01	0.82	0.01	0.52	0.01	0.16	-45.30	–	–
2.40	16.56	0.01	0.81	0.02	0.53	0.02	0.16	-47.10	–	–
2.67	16.71	0.01	0.82	0.02	0.52	0.02	0.18	-47.10	–	–
2.97	16.86	0.01	0.81	0.02	0.53	0.02	0.20	-48.30	–	–
3.35	17.00	0.01	0.82	0.02	0.52	0.03	0.24	-49.10	–	–
3.74	17.14	0.01	0.82	0.03	0.51	0.03	0.26	-49.40	–	–
4.20	17.28	0.02	0.81	0.03	0.52	0.03	0.29	-50.80	–	–
4.66	17.42	0.02	0.80	0.03	0.55	0.04	0.30	-49.00	–	–
5.26	17.54	0.02	0.81	0.04	0.50	0.04	0.34	-53.90	–	–
5.76	17.66	0.02	0.83	0.04	0.54	0.05	0.34	-56.00	–	–
6.59	17.79	0.03	0.81	0.05	0.54	0.05	0.38	-57.00	–	–
7.64	17.90	0.03	0.80	0.06	0.54	0.06	0.45	-57.30	–	–
8.67	18.00	0.03	0.82	0.06	0.53	0.07	0.48	-59.40	–	–
9.95	18.13	0.04	0.82	0.07	0.54	0.07	0.52	-58.60	–	–
11.13	18.27	0.04	0.81	0.08	0.55	0.08	0.54	-57.50	–	–
12.09	18.43	0.05	0.82	0.09	0.55	0.10	0.53	-56.20	–	–
13.27	18.59	0.05	0.81	0.10	0.54	0.11	0.52	-55.50	–	–
13.94	18.73	0.06	0.81	0.12	0.55	0.13	0.48	-54.80	–	–
14.64	18.87	0.07	0.81	0.13	0.56	0.14	0.43	-52.10	–	–
15.45	19.02	0.08	0.82	0.15	0.57	0.16	0.38	-48.30	–	–
17.06	19.21	0.10	0.81	0.18	0.55	0.20	0.38	-46.70	–	–
18.16	19.40	0.12	0.78	0.21	0.55	0.23	0.34	-45.00	–	–
19.79	19.62	0.14	0.75	0.26	0.58	0.28	0.33	-41.70	–	–
21.69	19.86	0.18	0.74	0.31	0.63	0.33	0.32	-39.50	–	–
23.75	20.10	0.22	0.71	0.38	0.66	0.40	0.32	-41.60	0.37	-48.34
26.17	20.39	0.29	0.66	0.49	0.72	0.50	0.32	-40.30	0.36	-39.99
28.13	20.72	0.39	0.61	0.61	0.82	0.62	0.29	-38.30	0.35	-38.03
30.97	21.11	0.56	0.55	0.89	0.78	0.91	0.29	-36.50	0.34	-38.85
33.72	21.49	0.80	–	–	–	–	0.27	-38.40	0.33	-39.82
37.18	–	–	–	–	–	–	0.28	-39.50	0.31	-39.79
49.59	–	–	–	–	–	–	–	–	0.35	-37.05
47.49	–	–	–	–	–	–	–	–	0.34	-36.54
52.24	–	–	–	–	–	–	–	–	0.36	-37.81
57.47	–	–	–	–	–	–	–	–	0.37	-39.00
63.21	–	–	–	–	–	–	–	–	0.34	-38.98
69.53	–	–	–	–	–	–	–	–	0.32	-39.43
79.14	–	–	–	–	–	–	–	–	0.32	-41.60
96.32	–	–	–	–	–	–	–	–	0.34	-39.90

Table 5: Table 5-38

Mrk 841										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	12.25	0.00	0.91	0.00	1.26	0.00	0.09	23.90	–	–
0.28	12.30	0.00	0.91	0.00	1.24	0.00	0.08	26.10	–	–
0.31	12.36	0.00	0.90	0.00	1.22	0.00	0.08	27.80	–	–
0.34	12.44	0.00	0.90	0.00	1.20	0.00	0.07	32.40	–	–
0.37	12.52	0.00	0.89	0.00	1.17	0.00	0.08	35.40	–	–
0.41	12.62	0.00	0.88	0.00	1.13	0.00	0.08	37.20	–	–
0.45	12.74	0.00	0.88	0.00	1.10	0.00	0.07	38.70	–	–
0.50	12.89	0.00	0.87	0.00	1.07	0.00	0.07	41.20	–	–
0.54	13.05	0.00	0.86	0.00	1.04	0.00	0.07	46.70	–	–
0.60	13.24	0.00	0.85	0.00	1.00	0.00	0.08	54.50	–	–
0.67	13.46	0.00	0.83	0.00	0.96	0.00	0.09	62.40	–	–
0.74	13.70	0.00	0.82	0.00	0.93	0.00	0.10	66.80	–	–
0.81	13.97	0.00	0.79	0.00	0.90	0.00	0.10	70.70	–	–
0.90	14.26	0.00	0.77	0.01	0.90	0.00	0.11	74.50	–	–
1.00	14.55	0.00	0.75	0.01	0.91	0.00	0.12	82.10	–	–
1.10	14.84	0.00	0.72	0.01	0.91	0.01	0.14	85.10	–	–
1.22	15.12	0.01	0.70	0.01	0.91	0.01	0.15	86.00	–	–
1.33	15.38	0.01	0.68	0.01	0.90	0.01	0.13	87.80	–	–
1.45	15.64	0.01	0.68	0.02	0.87	0.02	0.12	85.70	–	–
1.56	15.90	0.01	0.68	0.02	0.84	0.02	0.08	89.30	–	–
1.71	16.16	0.01	0.68	0.03	0.83	0.03	0.06	98.60	–	–
1.86	16.40	0.02	0.68	0.04	0.81	0.03	0.05	118.40	–	–
2.04	16.62	0.02	0.69	0.05	0.76	0.04	0.04	121.60	–	–
2.27	16.83	0.03	0.70	0.06	0.74	0.05	0.07	135.60	–	–
2.52	17.05	0.03	0.70	0.07	0.77	0.06	0.08	144.00	–	–
2.77	17.26	0.04	0.69	0.08	0.78	0.07	0.09	162.60	–	–
3.11	17.48	0.05	0.69	0.10	0.73	0.09	0.12	163.20	–	–
3.44	17.70	0.06	0.67	0.12	0.75	0.11	0.13	164.40	–	–
3.75	17.94	0.08	0.67	0.15	0.79	0.13	0.11	162.70	–	–
4.06	18.12	0.09	0.65	0.17	0.76	0.16	0.09	156.40	–	–
4.60	18.33	0.11	0.69	0.22	0.76	0.19	0.14	2.30	–	–
4.94	18.45	0.12	0.74	0.25	0.72	0.22	0.09	128.50	–	–
5.45	18.69	0.16	0.69	0.30	0.66	0.28	0.10	156.90	–	–
5.93	18.89	0.19	0.61	0.35	0.67	0.34	0.08	122.70	–	–
6.57	19.12	0.23	0.58	0.40	0.72	0.39	0.09	125.10	0.05	165.25
7.41	19.34	0.28	0.62	0.51	0.81	0.46	0.14	141.90	0.05	176.38
7.89	19.55	0.34	0.60	0.61	0.89	0.52	0.08	125.20	0.05	176.65
8.49	19.82	0.44	0.52	0.73	0.91	0.66	0.04	119.90	0.04	166.29
9.38	20.10	0.57	0.47	0.89	0.97	0.80	0.05	72.20	0.05	117.78
10.16	20.24	0.65	–	–	1.16	0.84	0.02	41.70	0.08	58.36
11.09	20.45	0.79	–	–	1.27	0.95	0.00	114.40	0.09	11.87
12.30	20.65	0.95	–	–	–	–	0.02	21.80	0.05	27.99
14.04	–	–	–	–	–	–	0.09	137.00	0.08	55.75
15.33	–	–	–	–	–	–	0.07	167.80	0.15	66.34
16.61	–	–	–	–	–	–	0.05	154.30	0.21	76.98
18.27	–	–	–	–	–	–	–	–	0.21	95.83
20.10	–	–	–	–	–	–	–	–	0.19	116.01
22.11	–	–	–	–	–	–	–	–	0.28	128.46
24.32	–	–	–	–	–	–	–	–	0.28	140.94
26.75	–	–	–	–	–	–	–	–	0.09	157.35

A subarcsecond resolution near-infrared study of Seyfert and 'normal' galaxies: I. Imaging data - Tables 6

arXiv:astro-ph/9905076v1 6 May 1999

Table 5: Table 5-39

NGC 5929										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	14.01	0.00	0.90	0.01	0.14	0.01	0.07	-58.50	–	–
0.28	14.02	0.00	0.90	0.01	0.14	0.01	0.07	-62.90	–	–
0.31	14.04	0.00	0.89	0.01	0.14	0.01	0.08	-66.60	–	–
0.34	14.06	0.00	0.89	0.01	0.15	0.01	0.08	-70.40	–	–
0.37	14.08	0.00	0.88	0.01	0.16	0.01	0.09	-73.40	–	–
0.41	14.10	0.00	0.87	0.01	0.16	0.01	0.09	-75.70	–	–
0.46	14.13	0.00	0.86	0.01	0.17	0.01	0.10	-79.80	–	–
0.50	14.17	0.00	0.86	0.01	0.17	0.01	0.11	-82.00	–	–
0.56	14.21	0.00	0.85	0.01	0.18	0.01	0.11	-83.60	–	–
0.61	14.26	0.00	0.84	0.01	0.18	0.01	0.12	-84.50	–	–
0.68	14.32	0.00	0.82	0.01	0.19	0.01	0.12	-84.10	–	–
0.74	14.38	0.00	0.81	0.01	0.20	0.01	0.11	-83.60	–	–
0.81	14.46	0.00	0.79	0.01	0.21	0.01	0.10	-82.40	–	–
0.89	14.55	0.00	0.77	0.01	0.21	0.01	0.09	-80.50	–	–
0.97	14.65	0.00	0.74	0.01	0.21	0.01	0.08	-77.30	–	–
1.06	14.76	0.01	0.71	0.01	0.22	0.01	0.07	-72.60	–	–
1.16	14.88	0.01	0.69	0.01	0.23	0.01	0.07	-66.70	–	–
1.28	15.02	0.01	0.66	0.01	0.23	0.02	0.07	-61.20	–	–
1.41	15.16	0.01	0.64	0.02	0.22	0.02	0.07	-56.50	–	–
1.55	15.31	0.01	0.62	0.02	0.20	0.02	0.06	-53.90	–	–
1.71	15.46	0.01	0.61	0.02	0.19	0.02	0.06	-49.80	–	–
1.88	15.61	0.01	0.60	0.02	0.20	0.03	0.07	-46.10	–	–
2.05	15.77	0.01	0.59	0.03	0.19	0.03	0.05	-42.80	–	–
2.23	15.92	0.02	0.59	0.03	0.17	0.04	0.04	-34.10	–	–
2.44	16.07	0.02	0.59	0.03	0.16	0.04	0.02	-29.40	–	–
2.68	16.21	0.02	0.60	0.04	0.14	0.05	0.02	36.10	–	–
3.02	16.35	0.03	0.61	0.04	0.18	0.06	0.06	44.80	–	–
3.37	16.50	0.03	0.60	0.05	0.16	0.06	0.09	42.30	–	–
3.77	16.64	0.03	0.60	0.06	0.14	0.07	0.12	40.10	–	–
4.18	16.79	0.04	0.60	0.07	0.13	0.08	0.14	38.80	–	–
4.66	16.95	0.04	0.60	0.08	0.14	0.10	0.16	42.70	–	–
5.16	17.12	0.05	0.60	0.09	0.14	0.11	0.17	43.70	–	–
5.67	17.32	0.06	0.57	0.11	0.16	0.13	0.17	44.40	–	–
6.28	17.50	0.07	0.57	0.13	0.16	0.16	0.18	49.10	–	–
6.88	17.70	0.09	0.56	0.15	0.19	0.19	0.17	49.40	–	–
7.70	17.87	0.10	0.54	0.17	0.19	0.22	0.20	49.00	–	–
8.59	18.05	0.12	0.55	0.20	0.19	0.26	0.22	50.20	–	–
9.43	18.22	0.14	0.54	0.23	0.20	0.30	0.22	48.30	–	–
10.43	18.36	0.16	0.54	0.27	0.18	0.34	0.23	46.70	–	–
11.58	18.51	0.18	0.53	0.30	0.19	0.39	0.24	45.90	–	–
12.89	18.70	0.22	0.51	0.35	0.21	0.45	0.26	45.90	–	–
14.44	18.88	0.25	0.49	0.42	0.23	0.53	0.29	42.20	–	–
15.62	19.09	0.31	0.48	0.49	0.32	0.59	0.26	44.50	–	–
17.18	19.32	0.38	0.43	0.59	0.52	0.64	0.26	44.50	–	–
18.90	19.60	0.49	0.40	0.72	0.76	0.68	–	–	–	–
20.79	19.78	0.59	0.38	0.86	1.04	0.73	–	–	–	–
22.87	20.10	0.78	–	–	1.42	0.86	–	–	–	–

Table 5: Table 5-40

NGC 5940										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	13.81	0.00	1.20	0.00	1.21	0.00	0.045	-17.80	–	–
0.29	13.95	0.00	1.19	0.00	1.18	0.00	0.029	-44.40	–	–
0.35	14.15	0.00	1.14	0.00	1.11	0.00	0.040	-64.70	–	–
0.42	14.39	0.00	1.13	0.00	1.02	0.00	0.040	-60.50	–	–
0.51	14.68	0.00	1.10	0.00	0.95	0.00	0.038	-56.90	–	–
0.61	15.02	0.00	1.05	0.01	0.89	0.00	0.043	-54.70	–	–
0.73	15.38	0.00	0.98	0.01	0.83	0.01	0.059	-65.50	–	–
0.88	15.74	0.00	0.94	0.01	0.79	0.01	0.107	-79.20	–	–
1.05	16.09	0.01	0.88	0.01	0.73	0.01	0.123	-77.00	–	–
1.26	16.44	0.01	0.82	0.02	0.69	0.02	0.102	-62.80	–	–
1.52	16.74	0.01	0.87	0.03	0.60	0.03	0.022	-40.80	–	–
1.82	17.05	0.02	0.87	0.04	0.67	0.04	0.037	-22.10	–	–
2.18	17.27	0.02	0.83	0.04	0.60	0.05	0.089	-9.50	–	–
2.62	17.51	0.03	0.82	0.05	0.59	0.06	0.197	-5.80	–	–
3.15	17.74	0.03	0.78	0.06	0.65	0.07	0.133	-10.60	–	–
3.78	17.90	0.04	0.76	0.07	0.68	0.08	0.401	-16.30	–	–
4.53	18.07	0.05	0.71	0.08	0.58	0.10	0.538	-22.00	–	–
5.44	18.36	0.06	0.70	0.10	0.60	0.13	0.437	-19.30	–	–
6.52	18.56	0.07	0.73	0.13	0.56	0.16	0.319	-59.70	–	–
7.83	18.71	0.08	0.70	0.14	0.62	0.18	–	–	–	–
9.39	18.94	0.10	0.66	0.17	0.51	0.23	–	–	–	–
11.27	19.17	0.13	0.67	0.21	0.57	0.27	–	–	–	–
13.53	19.55	0.18	0.61	0.29	0.52	0.40	–	–	–	–
16.23	20.08	0.29	0.64	0.47	0.52	0.64	–	–	–	–
19.48	20.52	0.44	0.63	0.69	–	–	–	–	–	–
23.37	21.39	0.99	–	–	–	–	–	–	–	–

Table 5: Table 5-41

NGC 6104										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	14.94	0.00	0.81	0.01	0.60	0.01	0.00	89.50	–	–
0.27	14.98	0.00	0.81	0.01	0.57	0.00	0.00	86.40	–	–
0.30	15.01	0.00	0.80	0.01	0.54	0.00	0.00	87.10	–	–
0.33	15.06	0.00	0.80	0.01	0.49	0.01	0.00	87.40	–	–
0.36	15.11	0.00	0.79	0.01	0.44	0.01	0.00	87.30	–	–
0.39	15.17	0.00	0.78	0.01	0.38	0.01	0.00	86.90	–	–
0.43	15.24	0.00	0.77	0.01	0.35	0.01	0.00	87.50	–	–
0.48	15.33	0.00	0.76	0.01	0.32	0.01	0.00	86.60	–	–
0.52	15.42	0.00	0.75	0.01	0.29	0.01	0.00	86.40	–	–
0.58	15.52	0.00	0.74	0.01	0.26	0.01	0.00	85.40	–	–
0.63	15.62	0.00	0.74	0.01	0.23	0.01	0.00	84.40	–	–
0.70	15.73	0.00	0.73	0.01	0.20	0.01	0.00	84.20	–	–
0.77	15.85	0.01	0.72	0.01	0.16	0.01	0.00	84.10	–	–
0.85	15.98	0.01	0.72	0.01	0.13	0.02	0.00	83.10	–	–
0.93	16.11	0.01	0.71	0.01	0.12	0.02	0.00	83.80	–	–
1.02	16.24	0.01	0.70	0.02	0.12	0.02	0.00	84.40	–	–
1.12	16.38	0.01	0.69	0.02	0.11	0.02	0.00	84.20	–	–
1.24	16.51	0.01	0.68	0.02	0.10	0.03	0.00	83.80	–	–
1.36	16.64	0.01	0.68	0.02	0.10	0.03	0.00	84.90	–	–
1.50	16.76	0.01	0.67	0.03	0.10	0.03	0.00	84.20	–	–
1.65	16.87	0.01	0.68	0.03	0.09	0.04	0.00	84.10	–	–
1.81	16.99	0.02	0.69	0.03	0.11	0.04	0.00	86.10	–	–
1.99	17.10	0.02	0.68	0.03	0.12	0.05	0.00	83.70	–	–
2.19	17.22	0.02	0.66	0.04	0.08	0.05	0.00	86.50	–	–
2.41	17.33	0.02	0.66	0.04	0.08	0.06	0.00	87.80	–	–
2.65	17.46	0.03	0.67	0.05	0.06	0.07	0.00	89.60	–	–
2.92	17.59	0.03	0.67	0.05	0.09	0.07	0.00	90.20	–	–
3.21	17.73	0.03	0.66	0.06	0.13	0.08	0.00	90.80	–	–
3.53	17.86	0.04	0.67	0.07	0.15	0.09	0.00	91.00	–	–
3.89	18.00	0.04	0.70	0.08	0.15	0.10	0.00	90.70	–	–
4.28	18.15	0.05	0.66	0.09	0.12	0.12	0.00	90.70	–	–
4.70	18.26	0.05	0.64	0.10	0.20	0.12	0.00	90.70	–	–
5.17	18.34	0.06	0.64	0.10	0.09	0.15	0.00	90.70	–	–
5.69	18.38	0.06	0.63	0.11	0.13	0.15	0.00	90.70	–	–
6.26	18.39	0.06	0.70	0.11	0.06	0.16	0.00	90.70	–	–
6.89	18.46	0.07	0.67	0.12	0.04	0.17	0.00	90.70	–	–
7.57	18.50	0.07	0.67	0.12	0.11	0.17	0.00	90.70	–	–
8.33	18.53	0.07	0.67	0.12	0.11	0.17	0.00	90.70	–	–
9.16	18.57	0.07	0.64	0.13	0.13	0.17	0.00	90.70	–	–
10.08	18.66	0.08	0.66	0.14	0.08	0.20	0.00	90.70	–	–
11.09	18.78	0.09	0.64	0.15	0.07	0.22	0.00	90.70	–	–
12.20	18.92	0.10	0.63	0.17	0.13	0.24	0.00	90.70	–	–
13.42	19.16	0.13	0.60	0.21	0.15	0.29	0.00	90.70	–	–
14.76	19.43	0.16	0.64	0.28	0.12	0.38	0.00	90.70	–	–
16.23	19.82	0.23	0.62	0.38	0.01	0.59	0.00	90.70	–	–
17.86	20.27	0.35	0.59	0.57	0.06	0.86	0.00	90.70	–	–
19.64	20.71	0.53	0.59	0.83	–	–	0.00	90.70	–	–
21.61	21.05	0.72	–	–	–	–	0.00	90.70	–	–
46.32	–	–	–	–	–	–	–	–	0.18	64.02
50.95	–	–	–	–	–	–	–	–	0.18	56.03
65.11	–	–	–	–	–	–	–	–	0.30	46.10
73.52	–	–	–	–	–	–	–	–	0.21	56.00
88.22	–	–	–	–	–	–	–	–	0.21	56.00

Table 5: Table 5-42

UGC 12138										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	13.29	0.00	0.89	0.00	0.98	0.00	0.08	79.30	–	–
0.28	13.33	0.00	0.89	0.00	0.97	0.00	0.06	77.50	–	–
0.31	13.38	0.00	0.90	0.00	0.95	0.00	0.06	75.60	–	–
0.33	13.44	0.00	0.90	0.00	0.93	0.00	0.04	72.60	–	–
0.36	13.51	0.00	0.91	0.00	0.90	0.00	0.04	69.40	–	–
0.40	13.60	0.00	0.92	0.00	0.86	0.00	0.02	65.90	–	–
0.44	13.69	0.00	0.92	0.00	0.83	0.00	0.02	46.80	–	–
0.48	13.81	0.00	0.93	0.00	0.81	0.00	0.02	32.30	–	–
0.53	13.93	0.00	0.93	0.00	0.77	0.00	0.02	25.40	–	–
0.58	14.07	0.00	0.94	0.00	0.73	0.00	0.01	30.70	–	–
0.64	14.23	0.00	0.95	0.00	0.69	0.00	0.01	56.30	–	–
0.70	14.39	0.00	0.95	0.00	0.66	0.00	0.02	77.70	–	–
0.78	14.58	0.00	0.95	0.00	0.63	0.00	0.02	83.70	–	–
0.86	14.77	0.00	0.95	0.00	0.61	0.00	0.04	85.00	–	–
0.96	14.96	0.00	0.96	0.00	0.59	0.01	0.05	81.80	–	–
1.06	15.16	0.00	0.96	0.01	0.57	0.01	0.07	82.30	–	–
1.18	15.36	0.00	0.97	0.01	0.55	0.01	0.09	82.60	–	–
1.31	15.58	0.00	0.97	0.01	0.53	0.01	0.10	83.80	–	–
1.44	15.78	0.00	0.96	0.01	0.51	0.01	0.11	84.80	–	–
1.59	15.98	0.01	0.97	0.01	0.49	0.01	0.12	86.60	–	–
1.77	16.18	0.01	0.96	0.01	0.48	0.02	0.13	86.50	–	–
1.97	16.35	0.01	0.96	0.02	0.47	0.02	0.15	87.10	–	–
2.18	16.53	0.01	0.95	0.02	0.46	0.02	0.16	88.80	–	–
2.44	16.70	0.01	0.94	0.02	0.45	0.03	0.19	87.50	–	–
2.73	16.86	0.01	0.94	0.03	0.46	0.03	0.22	87.40	–	–
3.09	17.03	0.02	0.94	0.03	0.45	0.04	0.26	86.10	–	–
3.51	17.18	0.02	0.93	0.03	0.42	0.04	0.31	86.20	–	–
3.95	17.36	0.02	0.92	0.04	0.43	0.05	0.34	85.20	–	–
4.58	17.51	0.03	0.92	0.05	0.46	0.06	0.40	85.00	–	–
5.52	17.63	0.03	0.90	0.05	0.45	0.07	0.50	85.90	–	–
6.36	17.81	0.03	0.89	0.06	0.46	0.08	0.55	85.90	–	–
6.97	17.99	0.04	0.91	0.07	0.44	0.09	0.55	87.80	–	–
7.55	18.22	0.05	0.90	0.09	0.40	0.12	0.53	89.20	–	–
8.13	18.47	0.06	0.89	0.11	0.41	0.15	0.51	89.10	–	–
8.66	18.72	0.08	0.90	0.14	0.44	0.18	0.48	89.90	–	–
9.29	19.01	0.10	0.91	0.18	0.45	0.23	0.45	90.80	–	–
10.06	19.25	0.13	0.92	0.23	0.41	0.30	0.43	90.10	–	–
11.10	19.55	0.17	0.91	0.30	0.38	0.40	0.44	91.10	–	–
11.99	19.78	0.21	0.94	0.38	0.37	0.50	0.42	91.70	0.35	92.23
13.34	20.09	0.28	0.92	0.49	0.37	0.65	–	–	0.33	91.21
14.67	20.31	0.34	0.85	0.57	0.39	0.78	–	–	0.35	90.10
16.14	20.51	0.41	0.84	0.67	0.50	0.86	–	–	0.39	90.53
17.75	20.71	0.49	0.91	0.84	0.56	0.97	–	–	0.48	93.25
19.53	20.91	0.59	0.88	0.98	–	–	–	–	0.30	101.64
21.48	21.16	0.74	–	–	–	–	–	–	-0.02	109.78
23.63	21.25	0.81	–	–	–	–	–	–	0.37	96.22
25.99	–	–	–	–	–	–	–	–	0.25	65.38
28.59	–	–	–	–	–	–	–	–	0.07	61.29
31.45	–	–	–	–	–	–	–	–	0.10	82.69
34.60	–	–	–	–	–	–	–	–	0.14	98.60
41.86	–	–	–	–	–	–	–	–	0.18	66.24
46.05	–	–	–	–	–	–	–	–	0.14	54.25

Table 5: Table 5-43

NGC 7469										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	11.32	0.00	1.06	0.00	1.09	0.00	0.13	101.70	–	–
0.29	11.38	0.00	1.06	0.00	1.09	0.00	0.13	101.20	–	–
0.32	11.46	0.00	1.07	0.00	1.10	0.00	0.13	100.80	–	–
0.35	11.56	0.00	1.07	0.00	1.10	0.00	0.13	100.40	–	–
0.38	11.67	0.00	1.06	0.00	1.09	0.00	0.12	100.20	–	–
0.43	11.79	0.00	1.05	0.00	1.08	0.00	0.14	99.00	–	–
0.47	11.93	0.00	1.04	0.00	1.05	0.00	0.14	99.10	–	–
0.51	12.07	0.00	1.03	0.00	1.00	0.00	0.13	99.80	–	–
0.56	12.23	0.00	1.01	0.00	0.95	0.00	0.13	100.50	–	–
0.62	12.41	0.00	0.98	0.00	0.88	0.00	0.13	101.70	–	–
0.68	12.59	0.00	0.96	0.00	0.81	0.00	0.13	100.80	–	–
0.75	12.77	0.00	0.94	0.00	0.74	0.00	0.14	99.40	–	–
0.84	12.93	0.00	0.93	0.00	0.67	0.00	0.16	97.90	–	–
0.93	13.09	0.00	0.91	0.00	0.62	0.00	0.18	95.60	–	–
1.03	13.23	0.00	0.90	0.00	0.60	0.00	0.19	93.10	–	–
1.14	13.36	0.00	0.89	0.00	0.59	0.00	0.20	90.90	–	–
1.26	13.48	0.00	0.88	0.00	0.58	0.00	0.20	88.00	–	–
1.38	13.58	0.00	0.87	0.00	0.58	0.00	0.20	84.80	–	–
1.51	13.67	0.00	0.87	0.00	0.59	0.00	0.19	74.20	–	–
1.67	13.77	0.00	0.87	0.00	0.61	0.00	0.19	63.50	–	–
1.83	13.92	0.00	0.86	0.00	0.61	0.00	0.19	61.00	–	–
2.01	14.11	0.00	0.86	0.00	0.61	0.00	0.19	63.80	–	–
2.20	14.34	0.00	0.87	0.00	0.58	0.00	0.18	69.50	–	–
2.40	14.60	0.00	0.88	0.00	0.56	0.00	0.17	75.30	–	–
2.65	14.88	0.00	0.88	0.00	0.54	0.00	0.17	80.50	–	–
2.91	15.15	0.00	0.87	0.01	0.52	0.01	0.17	86.90	–	–
3.17	15.40	0.00	0.86	0.01	0.51	0.01	0.15	92.90	–	–
3.46	15.63	0.00	0.83	0.01	0.51	0.01	0.14	101.70	–	–
3.79	15.83	0.01	0.82	0.01	0.52	0.01	0.13	117.00	–	–
4.18	16.07	0.01	0.81	0.01	0.51	0.02	0.14	123.90	–	–
4.58	16.32	0.01	0.79	0.02	0.47	0.02	0.13	125.90	–	–
5.05	16.55	0.01	0.78	0.02	0.45	0.03	0.13	120.70	–	–
5.61	16.77	0.01	0.75	0.03	0.44	0.03	0.15	116.00	–	–
6.27	16.95	0.02	0.75	0.03	0.41	0.04	0.17	115.90	–	–
6.99	17.12	0.02	0.72	0.04	0.43	0.04	0.20	111.80	–	–
7.78	17.27	0.02	0.72	0.04	0.40	0.05	0.22	112.80	–	–
8.79	17.40	0.03	0.72	0.05	0.38	0.06	0.26	111.60	–	–
10.20	17.51	0.03	0.72	0.05	0.39	0.06	0.33	113.30	–	–
11.35	17.68	0.03	0.71	0.06	0.39	0.08	0.35	116.50	–	–
12.15	17.93	0.04	0.70	0.07	0.39	0.09	0.31	114.10	–	–
13.37	18.24	0.05	0.63	0.10	0.46	0.12	–	–	–	–
14.71	18.51	0.07	0.63	0.12	0.44	0.15	–	–	–	–
16.18	18.87	0.10	0.60	0.17	0.43	0.21	–	–	0.37	113.61
17.80	19.19	0.13	0.69	0.23	0.39	0.29	–	–	0.37	116.92
19.58	19.61	0.19	0.76	0.36	0.42	0.42	–	–	0.38	119.96
21.54	20.00	0.28	0.72	0.49	0.38	0.61	–	–	0.39	122.47
23.69	20.37	0.39	0.73	0.68	0.37	0.86	–	–	0.36	126.31
26.06	20.75	0.55	0.72	0.94	–	–	–	–	0.32	126.12
28.67	20.92	0.65	–	–	–	–	–	–	0.42	96.12
31.53	21.11	0.78	–	–	–	–	–	–	0.27	126.73
34.68	–	–	–	–	–	–	–	–	-0.05	207.82
38.15	–	–	–	–	–	–	–	–	0.02	221.69
41.97	–	–	–	–	–	–	–	–	0.20	198.97
46.17	–	–	–	–	–	–	–	–	0.20	177.95
50.78	–	–	–	–	–	–	–	–	0.14	158.14
55.86	–	–	–	–	–	–	–	–	0.14	140.46
61.45	–	–	–	–	–	–	–	–	0.19	127.21
67.59	–	–	–	–	–	–	–	–	0.24	121.40
75.52	–	–	–	–	–	–	–	–	0.25	125.70
84.82	–	–	–	–	–	–	–	–	0.15	140.00
106.12	–	–	–	–	–	–	–	–	0.22	103.60
120.86	–	–	–	–	–	–	–	–	0.13	209.50
139.09	–	–	–	–	–	–	–	–	0.06	116.70

Table 5: Table 5-44

Mrk 530										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	12.56	0.00	1.20	0.00	0.65	0.00	0.11	-96.40	–	–
0.28	12.64	0.00	1.20	0.00	0.66	0.00	0.10	-96.80	–	–
0.31	12.73	0.00	1.20	0.00	0.67	0.00	0.09	-97.30	–	–
0.34	12.84	0.00	1.20	0.00	0.68	0.00	0.09	-98.20	–	–
0.37	12.96	0.00	1.19	0.00	0.69	0.00	0.08	-98.60	–	–
0.41	13.10	0.00	1.19	0.00	0.70	0.00	0.08	-97.40	–	–
0.45	13.26	0.00	1.20	0.00	0.70	0.00	0.08	-95.10	–	–
0.50	13.44	0.00	1.20	0.00	0.69	0.00	0.09	-93.60	–	–
0.55	13.63	0.00	1.20	0.00	0.68	0.00	0.09	-92.40	–	–
0.61	13.85	0.00	1.19	0.00	0.67	0.00	0.09	-89.00	–	–
0.67	14.07	0.00	1.19	0.00	0.66	0.00	0.10	-85.90	–	–
0.74	14.28	0.00	1.18	0.00	0.63	0.00	0.11	-86.10	–	–
0.81	14.48	0.00	1.18	0.00	0.58	0.00	0.11	-82.70	–	–
0.90	14.66	0.00	1.18	0.00	0.53	0.00	0.11	-80.50	–	–
0.98	14.84	0.00	1.17	0.00	0.47	0.00	0.10	-79.10	–	–
1.07	15.01	0.00	1.17	0.00	0.42	0.00	0.08	-73.00	–	–
1.16	15.16	0.00	1.18	0.00	0.38	0.00	0.06	-61.60	–	–
1.28	15.32	0.00	1.18	0.01	0.35	0.01	0.06	-38.30	–	–
1.44	15.47	0.00	1.18	0.01	0.32	0.01	0.11	-25.50	–	–
1.63	15.61	0.00	1.18	0.01	0.30	0.01	0.15	-20.90	–	–
1.82	15.76	0.00	1.18	0.01	0.28	0.01	0.18	-19.30	–	–
2.02	15.91	0.00	1.18	0.01	0.25	0.01	0.19	-19.00	–	–
2.22	16.05	0.01	1.18	0.01	0.24	0.01	0.19	-16.60	–	–
2.42	16.19	0.01	1.17	0.01	0.24	0.01	0.18	-14.10	–	–
2.68	16.33	0.01	1.15	0.01	0.21	0.01	0.19	-11.80	–	–
2.95	16.48	0.01	1.14	0.02	0.21	0.02	0.19	-12.30	–	–
3.26	16.61	0.01	1.14	0.02	0.20	0.02	0.20	-13.20	–	–
3.59	16.75	0.01	1.14	0.02	0.19	0.02	0.20	-12.40	–	–
3.97	16.89	0.01	1.13	0.02	0.19	0.03	0.21	-15.80	–	–
4.38	17.05	0.01	1.12	0.03	0.18	0.03	0.21	-15.50	–	–
4.82	17.19	0.02	1.12	0.03	0.15	0.04	0.21	-12.40	–	–
5.28	17.36	0.02	1.11	0.03	0.16	0.04	0.21	-12.00	–	–
5.83	17.52	0.02	1.11	0.04	0.16	0.05	0.21	-12.30	–	–
6.39	17.70	0.03	1.09	0.05	0.16	0.05	0.21	-14.50	–	–
7.10	17.87	0.03	1.09	0.05	0.15	0.06	0.22	-14.70	–	–
7.72	18.03	0.03	1.10	0.06	0.14	0.08	0.21	-16.20	–	–
8.49	18.21	0.04	1.09	0.07	0.13	0.09	0.20	-15.20	0.18	-5.80
9.49	18.39	0.05	1.07	0.09	0.14	0.10	0.23	-14.70	0.24	-10.62
10.59	18.55	0.05	1.06	0.10	0.13	0.12	0.25	-15.30	0.30	-13.06
11.47	18.74	0.06	1.06	0.12	0.14	0.14	0.23	-15.10	0.35	-11.03
12.62	18.91	0.08	1.06	0.14	0.14	0.17	0.23	-15.10	0.38	-8.51
13.89	19.09	0.09	1.05	0.16	0.10	0.21	–	–	0.38	-8.30
15.27	19.31	0.11	1.03	0.19	0.11	0.25	–	–	0.34	-10.04
16.80	19.51	0.13	1.00	0.23	0.14	0.29	–	–	0.33	-8.89
18.48	19.67	0.16	0.99	0.26	0.14	0.33	–	–	0.33	-6.74
20.33	19.83	0.18	0.99	0.30	0.11	0.40	–	–	0.34	-6.91
22.36	20.06	0.22	0.98	0.37	0.11	0.48	–	–	0.35	-8.53
24.60	20.38	0.30	0.95	0.48	0.14	0.64	–	–	0.35	-11.48
27.06	20.72	0.41	0.88	0.62	0.12	0.86	–	–	0.35	-14.10
29.76	21.09	0.57	0.79	0.83	–	–	–	–	0.37	-14.42
32.74	21.53	0.86	–	–	–	–	–	–	0.37	-13.35
36.01	–	–	–	–	–	–	–	–	0.34	-11.36
39.61	–	–	–	–	–	–	–	–	0.32	-10.96
43.58	–	–	–	–	–	–	–	–	0.34	-13.23
58.00	–	–	–	–	–	–	–	–	0.36	-22.95
71.75	–	–	–	–	–	–	–	–	0.43	-29.80
94.70	–	–	–	–	–	–	–	–	0.53	-27.20
102.47	–	–	–	–	–	–	–	–	0.42	-31.90
128.55	–	–	–	–	–	–	–	–	0.47	-30.20
124.72	–	–	–	–	–	–	–	–	0.19	-25.10
151.95	–	–	–	–	–	–	–	–	0.21	2.60

Table 5: Table 5-45

Mrk 533										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	13.11	0.00	1.33	0.00	1.37	0.00	0.14	94.10	–	–
0.29	13.19	0.00	1.31	0.00	1.38	0.00	0.13	95.90	–	–
0.31	13.27	0.00	1.29	0.00	1.39	0.00	0.11	96.50	–	–
0.34	13.37	0.00	1.26	0.00	1.41	0.00	0.10	96.40	–	–
0.38	13.49	0.00	1.22	0.00	1.42	0.00	0.09	97.70	–	–
0.41	13.62	0.00	1.18	0.00	1.44	0.00	0.08	99.10	–	–
0.45	13.77	0.00	1.15	0.00	1.45	0.00	0.07	100.10	–	–
0.50	13.95	0.00	1.10	0.00	1.45	0.00	0.08	101.20	–	–
0.55	14.13	0.00	1.05	0.00	1.44	0.00	0.09	99.50	–	–
0.61	14.32	0.00	1.00	0.00	1.39	0.00	0.10	97.00	–	–
0.67	14.52	0.00	0.97	0.00	1.33	0.00	0.10	96.00	–	–
0.74	14.71	0.00	0.94	0.00	1.26	0.00	0.11	96.40	–	–
0.82	14.91	0.00	0.91	0.00	1.17	0.00	0.12	96.50	–	–
0.91	15.10	0.00	0.90	0.00	1.09	0.00	0.13	96.00	–	–
1.01	15.29	0.00	0.89	0.01	1.00	0.00	0.16	95.40	–	–
1.12	15.49	0.00	0.89	0.01	0.92	0.00	0.16	94.40	–	–
1.22	15.68	0.00	0.88	0.01	0.82	0.01	0.16	95.30	–	–
1.35	15.87	0.00	0.87	0.01	0.73	0.01	0.15	96.80	–	–
1.48	16.06	0.00	0.86	0.01	0.67	0.01	0.16	100.90	–	–
1.64	16.24	0.01	0.84	0.01	0.62	0.01	0.16	103.80	–	–
1.81	16.42	0.01	0.82	0.01	0.57	0.02	0.17	104.50	–	–
2.00	16.61	0.01	0.79	0.02	0.55	0.02	0.18	105.50	–	–
2.25	16.77	0.01	0.76	0.02	0.56	0.02	0.21	103.70	–	–
2.51	16.93	0.01	0.75	0.02	0.57	0.03	0.24	103.90	–	–
2.80	17.07	0.01	0.75	0.03	0.57	0.03	0.25	104.70	–	–
3.12	17.22	0.01	0.73	0.03	0.58	0.03	0.28	102.60	–	–
3.55	17.35	0.02	0.72	0.03	0.58	0.04	0.32	101.80	–	–
4.09	17.48	0.02	0.71	0.04	0.58	0.04	0.38	101.80	–	–
4.70	17.59	0.02	0.71	0.04	0.56	0.05	0.44	100.40	–	–
5.30	17.71	0.02	0.70	0.04	0.56	0.05	0.46	99.90	–	–
6.08	17.82	0.03	0.70	0.05	0.54	0.06	0.51	100.30	–	–
7.09	17.89	0.03	0.70	0.05	0.53	0.06	0.56	102.90	–	–
7.80	18.00	0.03	0.70	0.06	0.51	0.07	0.56	103.70	–	–
8.19	18.12	0.04	0.69	0.06	0.52	0.08	0.52	103.20	–	–
9.02	18.22	0.04	0.69	0.07	0.54	0.08	0.52	107.30	–	–
9.67	18.33	0.04	0.70	0.08	0.53	0.09	0.49	109.10	–	–
10.19	18.44	0.05	0.70	0.09	0.52	0.10	0.45	107.90	–	–
10.60	18.53	0.05	0.69	0.09	0.52	0.11	0.38	107.20	–	–
11.14	18.64	0.06	0.69	0.10	0.52	0.13	0.32	108.20	–	–
11.73	18.83	0.07	0.67	0.12	0.50	0.15	0.26	110.00	–	–
12.71	19.07	0.08	0.66	0.15	0.48	0.19	0.24	100.20	–	–
14.01	19.25	0.10	0.64	0.18	0.49	0.23	0.24	82.10	0.55	110.43
14.93	19.46	0.12	0.63	0.21	0.50	0.27	0.19	64.70	0.45	107.12
16.48	19.76	0.16	0.64	0.28	0.50	0.35	0.20	83.60	0.36	104.02
18.12	19.95	0.19	0.65	0.33	0.48	0.43	0.20	83.60	0.37	100.58
19.93	20.15	0.22	0.65	0.39	0.47	0.51	–	–	0.20	75.18
21.93	20.33	0.27	0.65	0.46	0.57	0.56	–	–	0.12	120.23
24.12	20.52	0.32	0.64	0.54	0.56	0.64	–	–	0.18	213.13
26.53	20.77	0.40	0.62	0.67	–	–	–	–	0.18	201.44
29.19	21.12	0.55	0.62	0.93	–	–	–	–	0.23	174.59
32.10	21.58	0.84	–	–	–	–	–	–	0.35	170.00
35.32	–	–	–	–	–	–	–	–	0.55	219.53
38.85	–	–	–	–	–	–	–	–	0.34	150.24
42.73	–	–	–	–	–	–	–	–	0.01	54.54
47.01	–	–	–	–	–	–	–	–	0.07	89.32
51.71	–	–	–	–	–	–	–	–	0.12	76.53
56.88	–	–	–	–	–	–	–	–	-0.02	48.80

Table 5: Table 5-46

NGC 7682										
Radius(")	μ_H	$\pm$	$J-H$	$\pm$	$H-K$	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	14.53	0.00	0.84	0.00	-0.01	0.00	0.11	-53.60	–	–
0.29	14.56	0.00	0.84	0.00	-0.01	0.00	0.12	-54.60	–	–
0.31	14.60	0.00	0.83	0.00	-0.01	0.00	0.12	-56.70	–	–
0.35	14.64	0.00	0.83	0.00	-0.01	0.00	0.12	-57.50	–	–
0.38	14.69	0.00	0.82	0.00	0.00	0.00	0.12	-58.00	–	–
0.42	14.74	0.00	0.81	0.00	0.00	0.00	0.11	-57.70	–	–
0.46	14.81	0.00	0.80	0.00	0.00	0.00	0.11	-57.30	–	–
0.50	14.88	0.00	0.79	0.00	0.01	0.00	0.10	-56.70	–	–
0.55	14.95	0.00	0.78	0.00	0.01	0.01	0.10	-56.10	–	–
0.61	15.03	0.00	0.77	0.00	0.01	0.01	0.10	-56.30	–	–
0.67	15.12	0.00	0.76	0.01	0.01	0.01	0.09	-58.30	–	–
0.73	15.22	0.00	0.76	0.01	0.01	0.01	0.08	-60.30	–	–
0.80	15.31	0.00	0.76	0.01	0.01	0.01	0.07	-61.60	–	–
0.87	15.41	0.00	0.76	0.01	0.01	0.01	0.06	-61.40	–	–
0.96	15.52	0.00	0.76	0.01	0.01	0.01	0.05	-59.90	–	–
1.05	15.63	0.00	0.76	0.01	0.01	0.01	0.05	-53.90	–	–
1.16	15.74	0.00	0.76	0.01	0.01	0.01	0.05	-47.00	–	–
1.27	15.85	0.00	0.76	0.01	0.01	0.01	0.06	-43.80	–	–
1.40	15.97	0.01	0.77	0.01	0.02	0.01	0.05	-40.70	–	–
1.54	16.08	0.01	0.77	0.01	0.02	0.02	0.05	-35.90	–	–
1.70	16.20	0.01	0.78	0.01	0.02	0.02	0.06	-29.00	–	–
1.89	16.32	0.01	0.78	0.02	0.02	0.02	0.08	-26.50	–	–
2.09	16.44	0.01	0.78	0.02	0.01	0.02	0.09	-24.00	–	–
2.34	16.55	0.01	0.78	0.02	0.01	0.02	0.12	-21.80	–	–
2.60	16.66	0.01	0.78	0.02	0.03	0.03	0.14	-21.10	–	–
2.87	16.78	0.01	0.78	0.02	0.03	0.03	0.15	-20.90	–	–
3.20	16.89	0.01	0.79	0.03	0.02	0.03	0.17	-20.10	–	–
3.54	17.01	0.01	0.79	0.03	0.02	0.04	0.17	-20.40	–	–
3.96	17.12	0.02	0.77	0.03	0.04	0.04	0.20	-20.40	–	–
4.37	17.24	0.02	0.77	0.04	0.04	0.05	0.21	-19.90	–	–
4.89	17.37	0.02	0.77	0.04	0.01	0.05	0.23	-18.40	–	–
5.51	17.50	0.02	0.78	0.05	0.02	0.06	0.27	-20.10	–	–
6.16	17.62	0.03	0.78	0.05	0.04	0.06	0.29	-19.70	–	–
6.89	17.76	0.03	0.77	0.06	0.03	0.07	0.32	-20.70	–	–
7.75	17.91	0.04	0.78	0.07	0.04	0.08	0.35	-20.00	–	–
8.79	18.06	0.04	0.79	0.08	0.04	0.09	0.39	-20.80	–	–
9.99	18.23	0.05	0.78	0.09	0.08	0.11	0.43	-20.30	–	–
11.55	18.38	0.05	0.78	0.11	0.08	0.12	0.48	-20.80	–	–
13.47	18.54	0.06	0.78	0.12	0.06	0.14	0.54	-21.40	–	–
15.16	18.73	0.08	0.79	0.15	0.06	0.17	0.56	-21.70	–	–
16.86	18.98	0.09	0.77	0.18	0.08	0.21	0.57	-21.90	–	–
18.49	19.21	0.12	0.77	0.22	0.10	0.26	0.56	-22.50	–	–
20.30	19.45	0.15	0.79	0.29	0.08	0.34	0.56	-23.60	–	–
21.90	19.70	0.18	0.77	0.32	0.14	0.36	0.55	-23.90	–	–
23.21	19.92	0.22	0.74	0.31	0.31	0.30	0.51	-24.20	–	–
24.43	20.06	0.26	0.74	0.38	0.34	0.36	0.47	-25.40	–	–
25.08	20.17	0.28	0.76	0.44	0.31	0.43	0.39	-24.10	–	–
24.82	20.24	0.30	0.75	0.42	0.32	0.40	0.24	-16.40	–	–
27.54	20.48	0.38	0.79	0.67	0.14	0.74	0.25	-17.40	–	–
29.52	20.72	0.47	0.85	0.92	–	–	0.22	-22.10	–	–
31.30	20.97	0.59	–	–	–	–	0.16	-17.70	–	–
33.55	21.27	0.78	–	–	–	–	0.11	-6.20	0.54	-30.51
37.90	–	–	–	–	–	–	0.16	-17.10	0.23	-11.36
41.69	–	–	–	–	–	–	–	–	0.19	-4.90
45.86	–	–	–	–	–	–	–	–	0.12	-11.50
50.45	–	–	–	–	–	–	–	–	0.10	-16.26
55.49	–	–	–	–	–	–	–	–	0.15	-18.54
60.18	–	–	–	–	–	–	–	–	0.19	-25.40
71.22	–	–	–	–	–	–	–	–	0.16	-35.90
81.37	–	–	–	–	–	–	–	–	0.08	90.00
105.31	–	–	–	–	–	–	–	–	0.21	33.30
123.84	–	–	–	–	–	–	–	–	0.17	0.50
141.47	–	–	–	–	–	–	–	–	0.09	23.50

A subarcsecond resolution near-infrared study of Seyfert and 'normal' galaxies: I. Imaging data - Tables 7

arXiv:astro-ph/9905076v1 6 May 1999

Table 5: Table 5-47

NGC 1093						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.34	14.64	0.00	0.88	94.50	–	–
0.41	14.65	0.00	0.88	95.90	–	–
0.18	14.66	0.00	–	–	–	–
0.42	14.66	0.00	0.75	98.10	–	–
0.45	14.67	0.00	0.69	89.70	–	–
0.53	14.68	0.00	0.68	87.00	–	–
0.58	14.71	0.00	0.61	89.00	–	–
0.63	14.77	0.00	0.52	89.10	–	–
0.70	14.85	0.00	0.44	89.70	–	–
0.83	14.94	0.00	0.43	89.40	–	–
0.92	15.12	0.00	0.34	92.00	–	–
1.10	15.30	0.00	0.33	95.40	–	–
1.31	15.51	0.01	0.32	101.00	–	–
1.61	15.71	0.01	0.36	105.10	–	–
1.97	15.91	0.01	0.38	110.50	–	–
2.47	16.12	0.01	0.43	112.40	–	–
3.10	16.30	0.01	0.48	114.20	–	–
3.94	16.51	0.01	0.54	117.00	–	–
5.21	16.69	0.02	0.62	118.60	–	–
6.75	16.88	0.02	0.67	119.50	–	–
8.40	17.10	0.03	0.69	121.50	–	–
9.33	17.37	0.03	0.64	122.60	–	–
9.63	17.57	0.04	0.52	121.40	–	–
10.47	17.86	0.05	0.41	113.60	–	–
12.64	18.33	0.08	0.42	108.60	–	–
15.47	18.68	0.11	0.44	115.00	–	–
18.56	19.00	0.15	0.44	115.00	0.45	112.69
22.27	19.37	0.22	–	–	0.36	108.86
26.73	19.65	0.28	–	–	0.31	96.05
32.07	19.83	0.33	–	–	0.23	102.27
38.49	20.05	0.40	–	–	0.23	110.33
46.18	–	–	–	–	0.33	99.69
55.42	–	–	–	–	0.41	95.07
66.50	–	–	–	–	0.39	102.92
79.80	–	–	–	–	0.42	110.56
93.98	–	–	–	–	0.52	104.30
104.13	–	–	–	–	0.44	102.00

Table 5: Table 5-48

UGC 3247						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.18	17.09	0.03	0.54	-17.40	–	–
0.21	17.11	0.03	0.54	-19.80	–	–
0.28	17.13	0.03	0.61	156.50	–	–
0.33	17.15	0.03	0.60	153.50	–	–
0.37	17.20	0.03	0.54	153.30	–	–
0.42	17.27	0.03	0.48	152.00	–	–
0.47	17.35	0.03	0.40	155.10	–	–
0.44	17.33	0.03	0.03	-1.00	–	–
0.61	17.38	0.03	0.27	11.40	–	–
0.84	17.41	0.04	0.45	23.50	–	–
0.82	17.43	0.04	0.16	-7.00	–	–
0.90	17.47	0.04	0.00	-7.80	–	–
1.19	17.53	0.04	0.18	118.50	–	–
1.41	17.57	0.04	0.16	66.30	–	–
1.92	17.65	0.04	0.34	79.40	–	–
2.42	17.71	0.05	0.40	55.80	–	–
2.76	17.84	0.05	0.34	56.10	–	–
3.06	18.01	0.06	0.23	46.80	–	–
3.41	18.15	0.07	0.11	43.60	–	–
4.50	18.31	0.08	0.26	56.30	–	–
5.44	18.48	0.09	0.27	56.90	–	–
6.50	18.62	0.11	0.27	53.20	0.49	66.86
7.87	18.76	0.12	0.28	51.50	0.52	82.25
9.14	18.98	0.15	0.23	48.60	0.41	65.75
10.84	19.15	0.18	0.21	24.60	0.38	56.04
12.64	19.42	0.22	0.17	21.40	0.33	44.91
15.71	19.69	0.29	0.22	23.80	0.31	36.50
19.39	20.07	0.41	0.26	37.40	0.16	16.73
23.44	20.42	0.57	0.28	26.80	0.19	27.32
30.70	20.67	0.71	0.39	29.50	0.18	8.89
34.52	20.86	0.85	0.31	30.90	0.15	11.69
41.42	20.77	0.78	–	–	0.13	58.62
49.70	–	–	–	–	0.18	27.59
59.64	–	–	–	–	0.29	9.71
71.57	–	–	–	–	0.20	30.98
72.13	–	–	–	–	0.18	29.70

Table 5: Table 5-49

UGC 3407						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.14	12.73	0.00	0.20	-6.80	–	–
0.16	12.74	0.00	0.22	-8.10	–	–
0.20	12.75	0.00	0.21	-9.80	–	–
0.23	12.77	0.00	0.17	-12.90	–	–
0.27	12.79	0.00	0.15	-18.10	–	–
0.32	12.82	0.00	0.14	156.30	–	–
0.39	12.86	0.00	0.16	157.30	–	–
0.48	12.93	0.00	0.19	-16.40	–	–
0.58	13.02	0.00	0.19	-17.50	–	–
0.69	13.13	0.00	0.17	-18.40	–	–
0.84	13.29	0.00	0.20	-13.90	–	–
1.00	13.47	0.00	0.19	-12.20	–	–
1.21	13.71	0.00	0.21	-9.50	–	–
1.46	13.97	0.00	0.21	-8.40	–	–
1.75	14.27	0.00	0.22	-6.00	–	–
2.12	14.58	0.00	0.22	-3.20	–	–
2.56	14.88	0.00	0.23	0.80	–	–
3.07	15.19	0.00	0.24	2.30	–	–
3.76	15.48	0.01	0.27	4.80	–	–
4.55	15.77	0.01	0.28	10.00	–	–
5.60	16.05	0.01	0.31	17.00	–	–
7.09	16.34	0.01	0.38	24.10	–	–
8.68	16.74	0.02	0.41	25.40	–	–
10.31	17.23	0.03	0.40	23.60	–	–
12.05	17.76	0.05	0.36	20.30	–	–
14.31	18.34	0.08	0.35	21.50	–	–
17.63	18.85	0.13	0.38	23.30	–	–
21.41	19.37	0.22	0.40	21.60	–	–
24.45	19.85	0.34	0.33	11.80	–	–
30.54	20.41	0.56	0.39	14.20	–	–
36.14	–	–	–	–	0.48	16.00
36.17	–	–	–	–	0.47	16.00
43.93	–	–	–	–	0.49	17.70
49.87	–	–	–	–	0.43	17.50
57.41	–	–	–	–	0.38	15.50
70.23	–	–	–	–	0.40	18.80
81.26	–	–	–	–	0.36	14.90
111.21	–	–	–	–	0.50	18.90
125.29	–	–	–	–	0.44	17.80
149.56	–	–	–	–	0.43	17.50

Table 5: Table 5-50

UGC 3463						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.21	15.16	0.00	–	–	–	–
0.28	15.16	0.00	–	–	–	–
0.31	15.17	0.00	–	–	–	–
0.34	15.17	0.00	0.45	116.20	–	–
0.38	15.18	0.00	0.36	123.90	–	–
0.42	15.20	0.00	0.26	122.10	–	–
0.47	15.23	0.00	0.16	118.10	–	–
0.56	15.26	0.00	0.12	116.20	–	–
0.67	15.30	0.00	0.13	128.20	–	–
0.84	15.35	0.00	0.20	135.40	–	–
1.03	15.41	0.01	0.24	138.20	–	–
1.23	15.51	0.01	0.23	126.90	–	–
1.47	15.60	0.01	0.22	120.40	–	–
1.76	15.72	0.01	0.22	123.00	–	–
2.15	15.84	0.01	0.25	119.80	–	–
2.54	15.97	0.01	0.23	122.80	–	–
3.12	16.10	0.01	0.26	121.90	–	–
3.84	16.22	0.01	0.30	126.70	–	–
4.67	16.35	0.01	0.31	125.00	–	–
5.70	16.49	0.01	0.34	125.50	–	–
7.01	16.64	0.02	0.37	123.50	–	–
8.29	16.87	0.02	0.35	120.80	–	–
10.04	17.10	0.03	0.36	125.90	–	–
13.00	17.30	0.03	0.45	130.80	–	–
17.54	17.47	0.04	0.57	128.60	–	–
21.49	17.68	0.05	0.58	121.30	–	–
24.00	17.84	0.05	0.52	112.40	–	–
25.25	18.05	0.06	0.38	110.70	–	–
29.40	18.30	0.08	0.34	121.00	0.70	271.62
37.30	18.65	0.11	0.41	114.20	0.83	314.62
44.76	19.14	0.17	–	–	0.18	141.65
53.71	19.90	0.35	–	–	0.08	244.18
64.45	–	–	–	–	0.20	262.60
77.34	–	–	–	–	0.52	249.01
91.99	–	–	–	–	0.50	246.10
95.15	–	–	–	–	0.32	244.70

Table 5: Table 5-51

UGC 3536						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.15	13.06	0.00	0.34	-5.30	–	–
0.17	13.07	0.00	0.31	-6.60	–	–
0.20	13.10	0.00	0.27	-9.10	–	–
0.24	13.13	0.00	0.22	-13.10	–	–
0.27	13.17	0.00	0.14	-27.70	–	–
0.32	13.21	0.00	0.12	-48.20	–	–
0.39	13.28	0.00	0.13	-37.50	–	–
0.47	13.38	0.00	0.15	-28.40	–	–
0.56	13.51	0.00	0.14	-37.10	–	–
0.67	13.65	0.00	0.14	-37.20	–	–
0.82	13.84	0.00	0.16	-34.20	–	–
1.00	14.04	0.00	0.19	-35.50	–	–
1.21	14.26	0.00	0.20	-37.00	–	–
1.48	14.48	0.00	0.23	-37.20	–	–
1.80	14.71	0.00	0.26	-36.70	–	–
2.19	14.94	0.00	0.28	-37.20	–	–
2.69	15.17	0.00	0.31	-36.90	–	–
3.36	15.41	0.01	0.36	-37.60	–	–
4.16	15.65	0.01	0.40	-38.20	–	–
5.20	15.91	0.01	0.45	-37.90	–	–
6.55	16.18	0.01	0.50	-38.40	–	–
8.32	16.48	0.01	0.55	-38.60	–	–
10.27	16.80	0.02	0.58	-39.00	–	–
12.41	17.17	0.03	0.58	-39.50	–	–
14.83	17.59	0.04	0.58	-39.40	–	–
17.67	18.06	0.06	0.57	-39.10	–	–
20.32	18.57	0.10	0.54	-38.60	–	–
23.62	19.12	0.17	0.50	-38.90	–	–
27.09	19.72	0.30	0.46	-39.80	–	–
30.26	20.48	0.60	0.37	-40.80	–	–
38.58	–	–	0.45	-39.70	0.30	-38.29
46.29	–	–	–	–	0.21	-47.83
55.55	–	–	–	–	0.21	-20.10
58.00	–	–	–	–	0.18	-31.20
60.47	–	–	–	–	0.09	-30.00
66.52	–	–	–	–	0.09	-30.00
73.17	–	–	–	–	0.09	-30.00

Table 5: Table 5-52

UGC 3576						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.14	13.37	0.00	0.30	18.70	–	–
0.18	13.37	0.00	0.36	166.60	–	–
0.21	13.39	0.00	0.31	163.10	–	–
0.23	13.40	0.00	0.20	152.70	–	–
0.28	13.43	0.00	0.19	128.70	–	–
0.34	13.46	0.00	0.20	118.60	–	–
0.40	13.52	0.00	0.19	126.10	–	–
0.48	13.58	0.00	0.20	138.60	–	–
0.59	13.68	0.00	0.21	127.20	–	–
0.70	13.81	0.00	0.21	127.90	–	–
0.84	13.97	0.00	0.20	127.30	–	–
1.01	14.18	0.00	0.22	127.40	–	–
1.22	14.41	0.00	0.21	124.90	–	–
1.47	14.66	0.00	0.22	126.50	–	–
1.79	14.93	0.00	0.24	126.90	–	–
2.17	15.19	0.00	0.26	128.20	–	–
2.65	15.45	0.01	0.29	128.00	–	–
3.23	15.72	0.01	0.31	129.00	–	–
3.95	15.97	0.01	0.33	129.20	–	–
4.87	16.25	0.01	0.37	129.80	–	–
6.04	16.53	0.02	0.41	132.60	–	–
7.86	16.78	0.02	0.50	134.70	–	–
10.40	17.03	0.03	0.59	136.40	–	–
12.44	17.46	0.04	0.58	135.60	–	–
14.46	18.04	0.06	0.56	133.90	–	–
16.79	18.62	0.11	0.53	133.30	–	–
20.58	19.01	0.15	0.55	137.70	–	–
22.72	19.36	0.21	0.47	141.90	–	–
28.47	19.71	0.29	0.51	137.50	–	–
34.17	20.03	0.39	–	–	0.48	138.08
41.00	20.63	0.68	–	–	0.36	126.10
49.20	–	–	–	–	0.44	120.01
105.91	–	–	–	–	0.49	258.90
105.63	–	–	–	–	0.26	162.40
127.33	–	–	–	–	0.26	159.20
134.31	–	–	–	–	0.05	126.60

Table 5: Table 5-53

UGC 3592						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.13	13.93	0.00	0.16	-27.70	–	–
0.16	13.94	0.00	0.17	-35.60	–	–
0.19	13.95	0.00	0.20	131.80	–	–
0.24	13.96	0.00	0.23	-32.00	–	–
0.29	13.98	0.00	0.24	-36.10	–	–
0.34	14.01	0.00	0.20	-32.90	–	–
0.40	14.06	0.00	0.17	-34.10	–	–
0.48	14.13	0.00	0.19	-38.40	–	–
0.59	14.20	0.00	0.22	-30.20	–	–
0.70	14.30	0.00	0.21	-32.50	–	–
0.86	14.42	0.00	0.24	-28.10	–	–
1.06	14.56	0.00	0.28	-29.60	–	–
1.31	14.69	0.00	0.32	-32.80	–	–
1.63	14.80	0.00	0.37	-33.50	–	–
1.87	14.93	0.00	0.31	-30.70	–	–
2.12	15.09	0.00	0.23	-26.70	–	–
2.43	15.39	0.00	0.16	-29.60	–	–
2.93	15.81	0.01	0.16	-27.90	–	–
3.60	16.20	0.01	0.20	-25.70	–	–
4.40	16.56	0.02	0.23	-21.80	–	–
5.41	16.87	0.02	0.26	-11.40	–	–
7.23	17.08	0.03	0.41	-1.00	–	–
10.52	17.25	0.03	0.60	5.60	–	–
12.79	17.58	0.04	0.61	5.40	–	–
14.80	17.96	0.06	0.58	4.40	–	–
17.36	18.34	0.08	0.56	0.80	–	–
19.62	18.81	0.13	0.50	1.00	0.79	116.07
22.24	19.25	0.19	0.44	3.60	0.79	118.05
23.39	19.55	0.25	0.27	10.50	0.79	118.41
25.27	20.16	0.44	0.10	32.70	0.77	118.66
33.36	–	–	0.26	9.30	0.78	118.84
40.03	–	–	–	–	0.79	117.64
69.17	–	–	–	–	0.76	118.31
76.64	–	–	–	–	0.76	118.30
89.79	–	–	–	–	0.75	117.90
98.93	–	–	–	–	0.70	118.40
107.05	–	–	–	–	0.63	116.00
118.02	–	–	–	–	0.56	122.40
153.70	–	–	–	–	0.63	118.80

Table 5: Table 5-54

NGC 2347						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.13	13.51	0.00	0.09	103.80	–	–
0.15	13.52	0.00	0.10	102.10	–	–
0.18	13.54	0.00	0.10	103.00	–	–
0.22	13.56	0.00	0.06	111.50	–	–
0.26	13.58	0.00	0.07	-23.10	–	–
0.32	13.61	0.00	0.11	-10.60	–	–
0.37	13.67	0.00	0.06	-9.70	–	–
0.45	13.74	0.00	0.06	-23.80	–	–
0.55	13.83	0.00	0.10	-6.30	–	–
0.65	13.95	0.00	0.08	-1.20	–	–
0.80	14.09	0.00	0.13	2.10	–	–
0.97	14.26	0.00	0.14	6.10	–	–
1.20	14.44	0.00	0.18	9.20	–	–
1.46	14.63	0.00	0.21	9.30	–	–
1.77	14.82	0.00	0.23	11.60	–	–
2.11	15.01	0.00	0.22	15.20	–	–
2.53	15.19	0.00	0.22	21.90	–	–
3.05	15.37	0.00	0.23	29.20	–	–
3.61	15.57	0.01	0.20	26.40	–	–
4.42	15.76	0.01	0.23	8.90	–	–
5.73	15.97	0.01	0.34	2.50	–	–
7.29	16.22	0.01	0.42	6.60	–	–
8.84	16.59	0.02	0.43	9.00	–	–
10.73	17.05	0.03	0.44	8.80	–	–
12.89	17.47	0.04	0.44	11.90	–	–
15.39	17.84	0.05	0.44	9.90	–	–
18.47	18.23	0.08	–	–	0.38	7.33
22.16	18.70	0.12	–	–	0.29	11.51
26.60	19.38	0.22	–	–	0.33	6.43
31.92	20.25	0.48	–	–	0.37	3.45
38.30	–	–	–	–	0.41	3.72
45.96	–	–	–	–	0.37	2.62
55.15	–	–	–	–	0.39	1.42
66.18	–	–	–	–	0.42	0.32
79.42	–	–	–	–	0.36	8.91
80.78	–	–	–	–	0.35	10.20
99.24	–	–	–	–	0.38	-2.80

Table 5: Table 5-55

UGC 3789						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.13	12.82	0.00	0.16	83.70	–	–
0.15	12.83	0.00	0.08	75.50	–	–
0.18	12.84	0.00	0.03	51.50	–	–
0.21	12.86	0.00	0.03	30.30	–	–
0.25	12.89	0.00	0.04	-8.60	–	–
0.31	12.93	0.00	0.06	2.40	–	–
0.37	12.98	0.00	0.06	-9.90	–	–
0.44	13.04	0.00	0.04	-12.70	–	–
0.53	13.13	0.00	0.05	-10.90	–	–
0.65	13.24	0.00	0.09	-5.30	–	–
0.78	13.38	0.00	0.08	-7.90	–	–
0.95	13.54	0.00	0.12	-4.70	–	–
1.16	13.72	0.00	0.14	-7.10	–	–
1.42	13.91	0.00	0.17	-5.20	–	–
1.76	14.12	0.00	0.22	-4.30	–	–
2.20	14.33	0.00	0.28	-1.90	–	–
2.76	14.54	0.00	0.34	-0.50	–	–
3.33	14.77	0.00	0.35	1.10	–	–
3.78	15.13	0.00	0.27	1.30	–	–
4.33	15.60	0.01	0.20	0.70	–	–
5.13	16.03	0.01	0.18	-3.40	–	–
6.18	16.36	0.01	0.19	-10.40	–	–
7.57	16.64	0.02	0.22	-13.30	–	–
9.28	16.90	0.02	0.25	-19.10	–	–
12.40	17.14	0.03	0.40	-25.00	–	–
18.07	17.26	0.03	0.59	-27.70	–	–
20.20	17.50	0.04	0.53	-24.30	–	–
22.44	17.96	0.06	0.45	-22.40	–	–
26.18	18.66	0.11	0.42	-20.80	0.52	-4.19
31.63	19.30	0.20	0.43	-22.60	0.50	-1.29
38.13	20.06	0.40	0.43	-22.00	0.53	-0.42
45.76	20.73	0.75	–	–	0.57	1.06
54.91	–	–	–	–	0.63	2.44
69.74	–	–	–	–	0.71	4.60
92.96	–	–	–	–	0.76	10.40
113.33	–	–	–	–	0.77	9.20
128.87	–	–	–	–	0.74	8.20

A subarcsecond resolution near-infrared study of Seyfert and 'normal' galaxies: I. Imaging data - Tables 8

arXiv:astro-ph/9905076v1 6 May 1999

Table 5: Table 5-56

NGC 2365						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.14	13.03	0.00	0.28	-10.60	–	–
0.17	13.04	0.00	0.26	-11.10	–	–
0.20	13.06	0.00	0.21	-14.40	–	–
0.23	13.09	0.00	0.17	-21.90	–	–
0.27	13.13	0.00	0.14	-28.80	–	–
0.32	13.18	0.00	0.13	-32.50	–	–
0.40	13.25	0.00	0.18	-22.40	–	–
0.48	13.33	0.00	0.19	-17.30	–	–
0.57	13.45	0.00	0.18	-20.40	–	–
0.71	13.58	0.00	0.22	-16.10	–	–
0.86	13.75	0.00	0.24	-14.30	–	–
1.05	13.93	0.00	0.27	-12.30	–	–
1.31	14.14	0.00	0.32	-10.80	–	–
1.60	14.37	0.00	0.35	-9.40	–	–
1.94	14.63	0.00	0.36	-7.80	–	–
2.33	14.93	0.00	0.36	-6.90	–	–
2.75	15.25	0.00	0.34	-5.90	–	–
3.28	15.56	0.01	0.33	-4.60	–	–
3.89	15.83	0.01	0.31	-2.80	–	–
4.64	16.06	0.01	0.31	-0.90	–	–
5.62	16.28	0.01	0.32	0.70	–	–
6.81	16.50	0.01	0.33	1.50	–	–
8.35	16.72	0.02	0.36	2.30	–	–
10.05	16.94	0.02	0.36	5.30	–	–
12.12	17.17	0.03	0.37	8.40	–	–
15.18	17.39	0.04	0.42	17.20	–	–
20.57	17.54	0.04	0.55	24.80	–	–
24.22	17.84	0.05	0.53	24.80	–	–
28.61	18.18	0.07	0.51	19.50	–	–
33.86	18.60	0.11	0.50	12.90	0.56	22.03
40.63	19.26	0.19	–	–	0.54	17.19
34.50	19.86	0.34	–	–	0.56	21.95
39.00	–	–	–	–	0.55	18.90
45.21	–	–	–	–	0.52	12.40
53.88	–	–	–	–	0.51	8.10
64.62	–	–	–	–	0.51	6.40
76.23	–	–	–	–	0.49	9.30
87.39	–	–	–	–	0.44	8.10
107.73	–	–	–	–	0.47	-7.00
133.13	–	–	–	–	0.50	-10.00
154.60	–	–	–	–	0.47	-7.10
180.71	–	–	–	–	0.44	-3.50

Table 5: Table 5-57

UGC 3850						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.16	12.99	0.00	0.44	95.40	–	–
0.18	13.00	0.00	0.35	96.30	–	–
0.20	13.01	0.00	0.26	97.40	–	–
0.23	13.02	0.00	0.14	102.70	–	–
0.26	13.04	0.00	0.05	142.10	–	–
0.32	13.07	0.00	0.09	-5.40	–	–
0.37	13.10	0.00	0.04	-7.50	–	–
0.44	13.15	0.00	0.03	92.10	–	–
0.53	13.21	0.00	0.04	6.20	–	–
0.63	13.30	0.00	0.03	7.50	–	–
0.76	13.41	0.00	0.02	-0.30	–	–
0.92	13.56	0.00	0.05	8.20	–	–
1.12	13.73	0.00	0.08	8.20	–	–
1.35	13.91	0.00	0.08	10.70	–	–
1.63	14.12	0.00	0.10	10.20	–	–
1.97	14.36	0.00	0.10	11.60	–	–
2.34	14.62	0.00	0.09	21.70	–	–
2.79	14.95	0.00	0.07	37.20	–	–
3.38	15.31	0.00	0.09	52.20	–	–
4.12	15.69	0.01	0.12	62.10	–	–
5.04	16.06	0.01	0.15	64.90	–	–
6.21	16.44	0.01	0.20	64.90	–	–
7.72	16.84	0.02	0.25	69.00	–	–
9.79	17.22	0.03	0.33	69.10	–	–
12.56	17.60	0.04	0.41	68.60	–	–
15.06	18.05	0.06	0.41	68.60	–	–
17.21	18.60	0.11	0.35	66.50	–	–
20.30	19.38	0.22	0.33	65.70	–	–
25.52	20.16	0.44	0.39	65.50	0.65	112.81
31.47	20.90	0.88	0.42	60.10	0.54	111.61
36.43	–	–	0.38	63.50	0.55	111.63
43.71	–	–	–	–	0.60	112.61
52.46	–	–	–	–	0.61	117.17
61.42	–	–	–	–	0.62	119.50
74.26	–	–	–	–	0.63	123.90
84.47	–	–	–	–	0.59	126.00
103.28	–	–	–	–	0.60	126.40
112.15	–	–	–	–	0.51	123.90
142.60	–	–	–	–	0.57	125.50

Table 5: Table 5-58

NGC 2431						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.13	13.04	0.00	0.07	57.70	–	–
0.15	13.05	0.00	0.07	56.70	–	–
0.18	13.06	0.00	0.06	57.60	–	–
0.22	13.09	0.00	0.06	63.10	–	–
0.26	13.11	0.00	0.07	72.30	–	–
0.31	13.15	0.00	0.08	78.80	–	–
0.37	13.21	0.00	0.06	83.40	–	–
0.44	13.28	0.00	0.05	91.00	–	–
0.54	13.37	0.00	0.07	90.30	–	–
0.65	13.50	0.00	0.08	93.70	–	–
0.78	13.66	0.00	0.07	97.90	–	–
0.94	13.86	0.00	0.08	95.90	–	–
1.12	14.09	0.00	0.07	91.90	–	–
1.33	14.36	0.00	0.06	82.40	–	–
1.59	14.66	0.00	0.04	70.70	–	–
1.90	14.98	0.00	0.04	59.80	–	–
2.27	15.30	0.00	0.03	46.50	–	–
2.71	15.61	0.01	0.02	14.30	–	–
3.27	15.90	0.01	0.03	141.80	–	–
4.11	16.20	0.01	0.11	128.30	–	–
5.33	16.50	0.01	0.24	124.40	–	–
7.36	16.74	0.02	0.43	124.20	–	–
8.58	17.16	0.03	0.39	124.20	–	–
9.44	17.55	0.04	0.28	122.70	–	–
10.72	17.99	0.06	0.19	121.60	–	–
12.83	18.36	0.09	0.19	129.60	0.31	121.47
15.54	18.68	0.11	0.20	148.70	0.23	133.61
17.80	18.94	0.14	0.13	1.10	0.21	127.64
22.80	19.24	0.19	0.23	31.20	0.10	163.07
26.46	19.94	0.36	0.18	37.50	0.12	91.22
30.90	20.86	0.85	–	–	0.20	30.14
36.05	–	–	–	–	0.24	36.30
42.15	–	–	–	–	0.20	39.20
51.47	–	–	–	–	0.23	34.20
62.58	–	–	–	–	0.25	31.40
73.15	–	–	–	–	0.21	28.00
88.89	–	–	–	–	0.23	31.30

Table 5: Table 5-59

NGC 2460						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.15	12.77	0.00	0.31	-3.50	–	–
0.17	12.77	0.00	0.25	-3.30	–	–
0.19	12.78	0.00	0.20	-2.60	–	–
0.22	12.80	0.00	0.13	-1.30	–	–
0.25	12.82	0.00	0.03	28.50	–	–
0.31	12.84	0.00	0.04	74.50	–	–
0.37	12.88	0.00	0.05	27.80	–	–
0.46	12.93	0.00	0.09	14.60	–	–
0.54	12.99	0.00	0.07	30.80	–	–
0.65	13.08	0.00	0.07	34.40	–	–
0.78	13.19	0.00	0.07	28.60	–	–
0.95	13.32	0.00	0.10	28.40	–	–
1.15	13.47	0.00	0.12	29.90	–	–
1.40	13.63	0.00	0.15	26.10	–	–
1.71	13.80	0.00	0.18	24.20	–	–
2.08	13.98	0.00	0.20	23.00	–	–
2.54	14.17	0.00	0.22	19.60	–	–
3.11	14.36	0.00	0.25	14.60	–	–
3.79	14.56	0.00	0.28	11.50	–	–
4.53	14.77	0.00	0.27	9.70	–	–
5.34	14.98	0.00	0.25	8.20	–	–
6.30	15.19	0.00	0.22	10.70	–	–
7.69	15.38	0.00	0.25	9.20	–	–
8.80	15.66	0.01	0.17	10.40	–	–
10.62	15.94	0.01	0.18	28.50	–	–
13.01	16.27	0.01	0.21	27.30	–	–
15.70	16.72	0.02	0.22	37.20	–	–
20.26	17.11	0.03	0.33	34.00	–	–
23.21	17.61	0.04	0.26	31.00	–	–
27.59	18.20	0.07	0.25	40.40	–	–
34.00	18.88	0.14	–	–	–	–
40.92	19.66	0.28	–	–	0.30	33.03
47.71	–	–	–	–	0.29	34.96
53.50	–	–	–	–	0.28	31.00
63.40	–	–	–	–	0.27	29.90
75.28	–	–	–	–	0.25	29.70
89.52	–	–	–	–	0.24	34.20
108.38	–	–	–	–	0.25	37.20
141.65	–	–	–	–	0.37	49.90
186.52	–	–	–	–	0.47	41.70
210.32	–	–	–	–	0.41	28.90
235.73	–	–	–	–	0.32	34.50

Table 5: Table 5-60

NGC 2487						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.13	13.22	0.00	0.17	99.40	–	–
0.16	13.23	0.00	0.17	100.10	–	–
0.19	13.24	0.00	0.16	104.10	–	–
0.22	13.26	0.00	0.11	121.60	–	–
0.27	13.29	0.00	0.11	126.60	–	–
0.32	13.32	0.00	0.14	134.00	–	–
0.39	13.37	0.00	0.15	132.20	–	–
0.47	13.44	0.00	0.15	125.00	–	–
0.56	13.53	0.00	0.13	140.20	–	–
0.67	13.66	0.00	0.12	133.80	–	–
0.79	13.84	0.00	0.10	134.50	–	–
0.95	14.05	0.00	0.10	130.50	–	–
1.14	14.32	0.00	0.10	139.10	–	–
1.36	14.63	0.00	0.10	137.60	–	–
1.63	14.95	0.00	0.09	131.90	–	–
1.94	15.27	0.00	0.07	123.30	–	–
2.30	15.59	0.01	0.05	109.60	–	–
2.77	15.87	0.01	0.06	96.00	–	–
3.35	16.15	0.01	0.07	84.50	–	–
4.08	16.39	0.01	0.10	66.40	–	–
5.05	16.63	0.02	0.16	62.30	–	–
6.20	16.86	0.02	0.19	60.30	–	–
7.62	17.10	0.03	0.23	55.80	–	–
9.60	17.35	0.03	0.30	52.90	–	–
12.41	17.59	0.04	0.40	52.10	–	–
16.99	17.81	0.05	0.54	48.60	–	–
21.72	18.06	0.06	0.59	50.00	–	–
25.94	18.37	0.09	0.59	45.80	–	–
28.91	18.68	0.11	0.52	49.30	–	–
29.47	18.89	0.14	0.34	52.50	–	–
33.12	19.55	0.25	–	–	–	–
40.17	20.60	0.67	–	–	0.64	33.76
49.51	–	–	–	–	0.23	37.89
52.65	–	–	–	–	0.26	36.40
60.85	–	–	–	–	0.20	26.30
69.83	–	–	–	–	0.13	31.40
78.94	–	–	–	–	0.02	154.80
105.66	–	–	–	–	0.21	123.40
118.86	–	–	–	–	0.10	147.70

Table 5: Table 5-61

NGC 2599						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.12	12.70	0.00	0.04	114.20	–	–
0.15	12.72	0.00	0.04	-33.40	–	–
0.18	12.74	0.00	0.06	-27.90	–	–
0.21	12.77	0.00	0.04	-24.50	–	–
0.26	12.80	0.00	0.07	-31.80	–	–
0.31	12.84	0.00	0.07	-29.20	–	–
0.37	12.91	0.00	0.04	-28.90	–	–
0.44	13.02	0.00	0.02	-22.50	–	–
0.53	13.13	0.00	0.03	-13.50	–	–
0.63	13.27	0.00	0.02	1.40	–	–
0.76	13.45	0.00	0.03	10.10	–	–
0.91	13.64	0.00	0.03	23.50	–	–
1.11	13.85	0.00	0.05	32.00	–	–
1.34	14.09	0.00	0.07	36.80	–	–
1.63	14.33	0.00	0.09	37.90	–	–
1.98	14.61	0.00	0.11	40.00	–	–
2.39	14.89	0.00	0.13	42.10	–	–
2.86	15.19	0.00	0.12	45.10	–	–
3.38	15.50	0.01	0.09	55.60	–	–
4.03	15.81	0.01	0.08	72.40	–	–
4.84	16.14	0.01	0.08	78.90	–	–
5.87	16.46	0.01	0.10	79.30	–	–
7.07	16.82	0.02	0.11	78.60	–	–
8.40	17.22	0.03	0.09	80.70	–	–
10.01	17.59	0.04	0.08	100.30	–	–
12.03	17.98	0.06	0.08	107.90	–	–
14.32	18.41	0.09	0.06	98.00	–	–
17.29	18.96	0.15	0.08	95.50	0.16	95.62
20.35	19.78	0.31	0.04	91.50	0.09	102.92
24.53	–	–	0.05	26.40	0.12	99.76
42.74	–	–	–	–	0.22	112.07
51.34	–	–	–	–	0.22	95.60
61.30	–	–	–	–	0.22	103.80
72.33	–	–	–	–	0.19	103.30
89.36	–	–	–	–	0.23	114.80
104.54	–	–	–	–	0.19	98.30
125.23	–	–	–	–	0.19	116.10
149.87	–	–	–	–	0.19	98.50
163.74	–	–	–	–	0.02	102.10
198.24	–	–	–	–	0.04	1.50

Table 5: Table 5-62

NGC 2855						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.16	12.36	0.00	0.41	171.70	–	–
0.17	12.36	0.00	0.27	165.90	–	–
0.20	12.38	0.00	0.23	151.00	–	–
0.24	12.39	0.00	0.21	128.10	–	–
0.27	12.42	0.00	0.16	121.60	–	–
0.34	12.46	0.00	0.19	106.70	–	–
0.40	12.51	0.00	0.20	104.40	–	–
0.47	12.57	0.00	0.15	105.80	–	–
0.55	12.67	0.00	0.11	112.80	–	–
0.68	12.78	0.00	0.15	107.50	–	–
0.79	12.92	0.00	0.09	118.00	–	–
0.96	13.09	0.00	0.13	117.00	–	–
1.14	13.28	0.00	0.10	119.50	–	–
1.36	13.47	0.00	0.09	123.70	–	–
1.64	13.66	0.00	0.10	124.60	–	–
1.98	13.85	0.00	0.11	123.10	–	–
2.38	14.04	0.00	0.12	126.30	–	–
2.88	14.24	0.00	0.13	125.10	–	–
3.47	14.45	0.00	0.14	123.10	–	–
4.19	14.65	0.00	0.15	123.80	–	–
5.02	14.86	0.00	0.14	122.80	–	–
6.06	15.09	0.00	0.16	123.20	–	–
7.31	15.32	0.00	0.16	123.60	–	–
8.82	15.57	0.01	0.17	124.40	–	–
10.59	15.85	0.01	0.17	124.50	–	–
12.74	16.14	0.01	0.18	124.70	–	–
15.40	16.44	0.01	0.19	126.50	–	–
18.75	16.76	0.02	0.21	127.70	–	–
22.90	17.09	0.03	0.24	131.70	–	–
27.65	17.46	0.04	0.25	132.50	–	–
33.56	17.84	0.05	0.27	124.00	–	–
41.53	18.24	0.08	0.31	123.30	–	–
51.11	18.72	0.12	0.34	122.40	–	–
59.67	19.37	0.21	0.31	123.20	–	–
71.60	–	–	–	–	0.22	122.25
73.93	–	–	–	–	0.22	122.20
89.08	–	–	–	–	0.23	124.40
106.61	–	–	–	–	0.22	133.10
125.64	–	–	–	–	0.20	133.80
150.02	–	–	–	–	0.19	133.50
176.34	–	–	–	–	0.15	141.70
202.77	–	–	–	–	0.08	157.60
251.72	–	–	–	–	0.14	207.00

Table 5: Table 5-63

NGC 3066						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.12	13.52	0.00	0.07	9.80	–	–
0.15	13.52	0.00	0.06	14.20	–	–
0.18	13.53	0.00	0.08	14.50	–	–
0.22	13.55	0.00	0.09	25.70	–	–
0.26	13.56	0.00	0.08	53.50	–	–
0.32	13.59	0.00	0.09	60.00	–	–
0.37	13.62	0.00	0.05	62.70	–	–
0.45	13.68	0.00	0.07	44.30	–	–
0.54	13.74	0.00	0.07	50.50	–	–
0.64	13.85	0.00	0.05	50.40	–	–
0.77	13.98	0.00	0.06	54.40	–	–
0.92	14.15	0.00	0.03	56.50	–	–
1.09	14.36	0.00	0.02	72.10	–	–
1.31	14.60	0.00	0.03	81.50	–	–
1.59	14.85	0.00	0.04	84.00	–	–
1.91	15.12	0.00	0.05	98.80	–	–
2.37	15.37	0.00	0.11	109.40	–	–
2.93	15.62	0.01	0.16	108.90	–	–
3.64	15.84	0.01	0.22	107.50	–	–
4.51	16.07	0.01	0.26	107.10	–	–
5.63	16.30	0.01	0.32	105.90	–	–
6.97	16.53	0.02	0.36	104.70	–	–
9.49	16.70	0.02	0.50	101.50	–	–
11.71	16.96	0.02	0.53	96.50	–	–
12.96	17.27	0.03	0.45	91.90	–	–
13.98	17.54	0.04	0.32	82.90	–	–
15.69	17.84	0.05	0.22	85.70	–	–
18.38	18.25	0.08	0.18	79.50	–	–
21.24	18.75	0.12	0.12	74.20	–	–
24.53	19.33	0.21	0.05	-2.90	0.25	79.72
31.37	19.93	0.36	0.16	-15.90	0.14	55.34
39.81	20.84	0.83	0.25	-21.90	0.08	-1.42
44.25	–	–	0.13	125.60	0.08	-16.72
47.00	–	–	–	–	0.07	-3.40
54.95	–	–	–	–	0.02	133.40
68.70	–	–	–	–	0.10	119.30
87.51	–	–	–	–	0.20	132.60
97.05	–	–	–	–	0.06	-2.30
178.97	–	–	–	–	0.60	117.30

Table 5: Table 5-64

NGC 3188						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.16	13.94	0.00	0.42	-13.30	–	–
0.18	13.94	0.00	0.36	-14.60	–	–
0.21	13.96	0.00	0.28	-17.40	–	–
0.24	13.98	0.00	0.23	-28.50	–	–
0.28	14.02	0.00	0.18	-39.80	–	–
0.33	14.06	0.00	0.17	-48.00	–	–
0.41	14.12	0.00	0.20	-36.00	–	–
0.48	14.20	0.00	0.19	-29.30	–	–
0.57	14.32	0.00	0.17	-39.60	–	–
0.69	14.48	0.00	0.19	-36.30	–	–
0.83	14.71	0.00	0.19	-38.20	–	–
0.99	14.97	0.00	0.18	-35.70	–	–
1.19	15.31	0.00	0.18	-40.70	–	–
1.42	15.68	0.01	0.17	-41.20	–	–
1.67	16.06	0.01	0.13	-42.50	–	–
1.96	16.42	0.01	0.09	-42.80	–	–
2.35	16.73	0.02	0.09	-31.70	–	–
2.82	17.05	0.03	0.09	-13.10	–	–
3.53	17.32	0.03	0.17	-10.40	–	–
4.43	17.55	0.04	0.24	2.90	–	–
5.52	17.79	0.05	0.29	6.60	–	–
7.39	17.99	0.06	0.43	3.10	0.11	-32.21
9.31	18.18	0.07	0.49	8.70	0.12	-31.54
12.57	18.38	0.09	0.59	10.40	0.41	12.55
15.76	18.65	0.11	0.63	9.00	0.54	6.84
17.94	18.94	0.14	0.59	5.30	0.62	6.38
18.27	19.19	0.18	0.43	2.40	0.63	6.27
19.65	19.65	0.28	0.28	-5.20	0.65	5.71
22.04	20.42	0.56	0.18	-10.90	0.74	7.06
28.95	20.75	0.77	0.32	-26.40	0.74	11.80
33.08	–	–	0.25	-15.00	0.21	-8.06
39.70	–	–	–	–	0.27	12.91
47.64	–	–	–	–	0.36	42.76
57.17	–	–	–	–	0.26	25.40
61.73	–	–	–	–	0.23	29.10

A subarcsecond resolution near-infrared study of Seyfert and 'normal' galaxies: I. Imaging data - Tables 9

arXiv:astro-ph/9905076v1 6 May 1999

Table 5: Table 5-65

NGC 3455						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	15.79	0.01	0.04	159.90	–	–
0.30	15.86	0.01	0.04	162.00	–	–
0.36	15.94	0.01	0.04	160.20	–	–
0.43	16.05	0.02	0.03	157.60	–	–
0.51	16.18	0.02	0.01	136.20	–	–
0.62	16.32	0.02	0.03	72.50	–	–
0.77	16.44	0.02	0.10	63.60	–	–
0.93	16.56	0.03	0.12	63.10	–	–
1.12	16.67	0.03	0.12	55.70	–	–
1.36	16.78	0.03	0.13	47.20	–	–
1.64	16.90	0.04	0.15	41.90	–	–
1.99	17.02	0.04	0.17	35.10	–	–
2.45	17.13	0.04	0.20	29.60	–	–
3.05	17.24	0.05	0.26	30.70	–	–
3.78	17.37	0.05	0.31	36.50	–	–
4.92	17.49	0.06	0.41	40.70	–	–
6.24	17.59	0.07	0.47	49.50	–	–
7.95	17.70	0.07	0.53	56.60	–	–
9.45	17.80	0.08	0.52	65.60	–	–
10.30	17.90	0.09	0.42	68.10	–	–
12.81	18.12	0.11	0.46	62.20	0.37	67.44
16.02	18.37	0.14	0.50	70.20	0.35	67.82
18.23	18.70	0.19	0.45	74.70	0.41	71.41
20.68	19.22	0.30	0.38	71.70	0.44	74.15
26.13	19.90	0.56	–	–	0.39	73.94
30.70	–	–	–	–	0.39	69.15
76.39	–	–	–	–	0.40	59.98
91.66	–	–	–	–	0.50	62.12
107.20	–	–	–	–	0.47	67.10
135.23	–	–	–	–	0.52	74.50
125.53	–	–	–	–	0.19	92.40
171.12	–	–	–	–	0.38	74.40

Table 5: Table 5-66

NGC 4146						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	13.29	0.00	0.03	-2.80	–	–
0.28	13.32	0.00	0.04	-2.20	–	–
0.30	13.36	0.00	0.05	-1.40	–	–
0.34	13.41	0.00	0.06	-1.90	–	–
0.37	13.47	0.00	0.06	-2.60	–	–
0.41	13.53	0.00	0.05	-1.30	–	–
0.44	13.61	0.00	0.05	-1.70	–	–
0.49	13.69	0.00	0.03	-1.10	–	–
0.53	13.77	0.00	0.02	-1.60	–	–
0.59	13.87	0.00	0.03	5.60	–	–
0.64	13.97	0.00	0.03	4.80	–	–
0.70	14.08	0.00	0.02	5.10	–	–
0.77	14.19	0.00	0.00	-3.50	–	–
0.85	14.31	0.00	0.01	-44.00	–	–
0.94	14.43	0.00	0.02	-62.70	–	–
1.04	14.56	0.00	0.03	-70.10	–	–
1.15	14.69	0.00	0.04	-73.40	–	–
1.27	14.82	0.00	0.06	-72.70	–	–
1.41	14.95	0.01	0.07	-74.90	–	–
1.56	15.09	0.01	0.07	-75.70	–	–
1.72	15.23	0.01	0.08	-75.50	–	–
1.91	15.37	0.01	0.10	-75.00	–	–
2.12	15.52	0.01	0.11	-74.40	–	–
2.35	15.68	0.01	0.13	-74.30	–	–
2.61	15.83	0.01	0.14	-74.30	–	–
2.91	15.99	0.01	0.17	-74.10	–	–
3.26	16.14	0.02	0.20	-74.80	–	–
3.65	16.30	0.02	0.22	-74.80	–	–
4.10	16.47	0.02	0.26	-74.10	–	–
4.61	16.63	0.03	0.29	-76.10	–	–
5.25	16.80	0.03	0.34	-76.20	–	–
5.98	16.96	0.04	0.38	-76.80	–	–
6.76	17.13	0.04	0.41	-77.60	–	–
7.56	17.32	0.05	0.43	-77.90	–	–
8.44	17.51	0.06	0.45	-76.90	–	–
9.28	17.70	0.08	0.45	-77.10	–	–
10.17	17.85	0.09	0.44	-79.10	–	–
11.14	17.96	0.09	0.44	-79.90	–	–
12.59	18.03	0.10	0.47	-81.20	–	–
13.43	18.11	0.11	0.44	-84.50	–	–
13.98	18.18	0.12	0.37	-79.40	–	–
14.14	18.23	0.12	0.25	-66.90	–	–
15.14	18.36	0.14	0.22	-59.40	–	–
16.23	18.47	0.15	0.17	-40.50	–	–
17.83	18.62	0.17	0.17	-23.60	–	–
20.62	18.75	0.19	0.25	-9.60	–	–
21.68	18.97	0.24	0.18	-22.50	–	–
23.84	19.13	0.28	–	–	–	–
26.23	19.32	0.33	–	–	–	–
28.85	19.66	0.45	–	–	–	–
31.74	20.38	0.88	–	–	–	–
34.91	–	–	–	–	0.06	32.99
38.40	–	–	–	–	0.02	20.49
42.24	–	–	–	–	0.05	16.17
46.46	–	–	–	–	0.11	14.52
56.22	–	–	–	–	0.10	-10.37
57.09	–	–	–	–	0.09	-15.40

Table 5: Table 5-67

NGC 4369						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.29	14.15	0.00	0.29	-27.20	–	–
0.32	14.16	0.00	0.30	-30.10	–	–
0.35	14.16	0.00	0.28	-32.40	–	–
0.36	14.17	0.00	0.19	-47.30	–	–
0.42	14.17	0.00	0.28	-43.20	–	–
0.48	14.18	0.00	0.32	-45.80	–	–
0.58	14.19	0.00	0.45	-42.90	–	–
0.66	14.20	0.00	0.47	-38.50	–	–
0.72	14.22	0.00	0.47	-36.50	–	–
0.81	14.23	0.00	0.49	-35.00	–	–
0.90	14.26	0.00	0.51	-33.70	–	–
1.01	14.28	0.00	0.53	-32.30	–	–
1.16	14.31	0.00	0.56	-31.00	–	–
1.35	14.33	0.00	0.61	-29.90	–	–
1.53	14.36	0.00	0.63	-30.00	–	–
1.76	14.38	0.00	0.66	-31.90	–	–
1.91	14.44	0.00	0.65	-30.20	–	–
2.06	14.50	0.00	0.64	-29.50	–	–
2.22	14.57	0.00	0.62	-28.70	–	–
2.40	14.65	0.00	0.61	-28.10	–	–
2.58	14.73	0.00	0.59	-27.90	–	–
2.83	14.82	0.00	0.59	-27.00	–	–
3.12	14.91	0.01	0.59	-26.50	–	–
3.54	14.99	0.01	0.62	-26.40	–	–
4.07	15.05	0.01	0.65	-25.20	–	–
4.51	15.14	0.01	0.65	-23.90	–	–
4.83	15.27	0.01	0.63	-24.50	–	–
5.10	15.40	0.01	0.60	-24.90	–	–
5.48	15.54	0.01	0.58	-25.90	–	–
5.87	15.69	0.01	0.56	-25.70	–	–
6.20	15.85	0.01	0.52	-27.60	–	–
6.63	16.02	0.02	0.50	-28.60	–	–
7.12	16.18	0.02	0.47	-29.00	–	–
7.67	16.35	0.02	0.45	-29.00	–	–
8.19	16.50	0.03	0.42	-29.40	–	–
8.83	16.63	0.03	0.39	-27.10	–	–
9.34	16.72	0.03	0.34	-20.70	–	–
9.93	16.87	0.03	0.30	-21.60	–	–
10.44	17.00	0.04	0.23	-16.90	–	–
11.16	17.14	0.04	0.19	-10.00	–	–
12.09	17.31	0.05	0.16	-9.70	–	–
13.15	17.50	0.06	0.14	-11.70	–	–
14.34	17.70	0.08	0.12	-12.40	–	–
15.24	17.89	0.09	0.06	-7.60	–	–
16.87	18.08	0.11	0.07	-5.80	–	–
18.29	18.33	0.13	0.05	1.40	–	–
20.27	18.59	0.17	0.06	-4.60	–	–
22.29	18.91	0.23	–	–	–	–
24.52	19.32	0.33	–	–	0.04	-61.07
26.98	19.80	0.52	–	–	0.03	-26.80
29.67	20.21	0.75	–	–	0.02	9.92
32.64	–	–	–	–	0.02	5.32
35.90	–	–	–	–	0.01	-56.14
43.44	–	–	–	–	0.05	-75.00
47.79	–	–	–	–	0.06	-58.97
55.56	–	–	–	–	0.05	-68.00
67.99	–	–	–	–	0.08	-73.10

Table 5: Table 5-68

NGC 4956						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	12.71	0.00	0.08	43.70	–	–
0.28	12.74	0.00	0.08	45.20	–	–
0.31	12.78	0.00	0.08	45.90	–	–
0.34	12.83	0.00	0.07	46.20	–	–
0.37	12.89	0.00	0.07	46.30	–	–
0.41	12.95	0.00	0.07	46.40	–	–
0.45	13.02	0.00	0.07	45.00	–	–
0.49	13.11	0.00	0.06	42.50	–	–
0.55	13.20	0.00	0.08	47.40	–	–
0.60	13.29	0.00	0.07	53.70	–	–
0.66	13.39	0.00	0.07	60.90	–	–
0.73	13.50	0.00	0.08	67.20	–	–
0.80	13.60	0.00	0.08	71.30	–	–
0.89	13.71	0.00	0.10	75.40	–	–
0.99	13.82	0.00	0.12	77.20	–	–
1.10	13.94	0.00	0.13	77.90	–	–
1.21	14.05	0.00	0.13	78.00	–	–
1.33	14.17	0.00	0.14	78.00	–	–
1.47	14.29	0.00	0.14	78.30	–	–
1.62	14.40	0.00	0.14	78.30	–	–
1.78	14.52	0.00	0.14	78.80	–	–
1.96	14.64	0.00	0.14	78.40	–	–
2.16	14.77	0.00	0.15	77.70	–	–
2.38	14.89	0.00	0.15	76.90	–	–
2.62	15.03	0.01	0.16	76.20	–	–
2.90	15.17	0.01	0.16	77.20	–	–
3.20	15.31	0.01	0.17	77.70	–	–
3.52	15.47	0.01	0.17	77.90	–	–
3.87	15.63	0.01	0.17	77.90	–	–
4.25	15.79	0.01	0.16	78.10	–	–
4.68	15.96	0.01	0.16	78.00	–	–
5.14	16.13	0.01	0.16	78.00	–	–
5.66	16.30	0.02	0.17	77.90	–	–
6.24	16.45	0.02	0.17	77.70	–	–
6.88	16.60	0.02	0.17	78.90	–	–
7.52	16.76	0.03	0.16	79.00	–	–
8.20	16.94	0.03	0.15	79.90	–	–
8.98	17.13	0.04	0.14	78.00	–	–
9.85	17.31	0.05	0.14	77.70	–	–
10.84	17.50	0.05	0.14	75.20	–	–
11.90	17.68	0.06	0.13	73.90	–	–
13.01	17.88	0.08	0.12	74.00	–	–
14.19	18.13	0.10	0.11	75.40	–	–
15.69	18.40	0.12	0.12	72.60	–	–
17.14	18.68	0.16	0.10	74.40	–	–
19.01	18.97	0.21	0.12	66.40	–	–
20.84	19.31	0.29	0.11	71.00	–	–
22.92	19.70	0.41	0.11	71.00	–	–
25.21	20.27	0.70	0.11	71.00	–	–
40.60	–	–	–	–	0.11	56.96
44.66	–	–	–	–	0.11	50.41
49.13	–	–	–	–	0.13	44.32
54.04	–	–	–	–	0.17	38.63
59.45	–	–	–	–	0.19	35.79
65.39	–	–	–	–	0.15	36.59
71.93	–	–	–	–	0.05	39.10
86.05	–	–	–	–	0.17	13.10

Table 5: Table 5-69

NGC 4966						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.27	13.14	0.00	0.17	173.90	–	–
0.29	13.17	0.00	0.16	173.50	–	–
0.32	13.21	0.00	0.15	173.20	–	–
0.35	13.26	0.00	0.15	173.10	–	–
0.39	13.32	0.00	0.15	173.20	–	–
0.43	13.38	0.00	0.15	173.60	–	–
0.47	13.45	0.00	0.16	174.20	–	–
0.52	13.54	0.00	0.17	174.90	–	–
0.58	13.63	0.00	0.17	175.80	–	–
0.64	13.74	0.00	0.18	176.00	–	–
0.70	13.85	0.00	0.18	176.30	–	–
0.77	13.97	0.00	0.19	176.40	–	–
0.86	14.10	0.00	0.20	176.40	–	–
0.94	14.23	0.00	0.20	175.60	–	–
1.04	14.37	0.00	0.20	173.90	–	–
1.14	14.52	0.00	0.19	172.60	–	–
1.25	14.68	0.00	0.19	168.10	–	–
1.37	14.85	0.00	0.19	165.10	–	–
1.51	15.03	0.01	0.18	159.90	–	–
1.65	15.21	0.01	0.17	152.70	–	–
1.82	15.39	0.01	0.17	148.70	–	–
2.01	15.56	0.01	0.19	146.10	–	–
2.25	15.73	0.01	0.21	142.30	–	–
2.51	15.88	0.01	0.24	138.10	–	–
2.81	16.02	0.01	0.26	135.20	–	–
3.17	16.15	0.02	0.30	132.60	–	–
3.62	16.28	0.02	0.35	130.40	–	–
4.14	16.41	0.02	0.40	129.60	–	–
4.75	16.53	0.02	0.45	130.30	–	–
5.59	16.65	0.03	0.52	131.10	–	–
6.39	16.80	0.03	0.55	133.00	–	–
6.97	17.01	0.04	0.54	134.70	–	–
7.46	17.27	0.04	0.52	135.90	–	–
7.98	17.54	0.06	0.49	136.10	–	–
8.57	17.78	0.07	0.47	135.90	–	–
9.27	17.93	0.08	0.45	132.30	–	–
10.50	18.04	0.09	0.48	134.10	–	–
12.12	18.08	0.09	0.53	142.30	0.40	134.37
14.32	18.16	0.10	0.59	139.50	0.50	132.21
15.88	18.28	0.11	0.60	140.40	0.90	120.31
16.33	18.39	0.12	0.54	144.50	1.00	117.35
16.99	18.46	0.13	0.48	141.60	1.12	114.09
18.87	18.63	0.15	0.50	139.00	1.17	114.34
20.90	18.90	0.20	0.50	140.50	0.76	129.54
22.62	19.40	0.31	0.49	140.10	0.39	141.87
24.33	20.10	0.60	0.46	140.60	0.42	139.83
27.31	–	–	0.48	140.40	0.47	139.48
30.04	–	–	–	–	0.49	140.68
48.38	–	–	–	–	0.48	141.56
53.22	–	–	–	–	0.49	143.35
58.53	–	–	–	–	0.50	143.39
64.39	–	–	–	–	0.50	141.20
70.83	–	–	–	–	0.49	139.00
85.70	–	–	–	–	–	–
94.27	–	–	–	–	–	–
103.70	–	–	–	–	–	–
114.07	–	–	–	–	–	–

Table 5: Table 5-70

NGC 5434						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	16.48	0.02	0.10	-70.60	–	–
0.30	16.49	0.02	0.20	-81.20	–	–
0.34	16.50	0.03	0.23	-83.00	–	–
0.37	16.50	0.03	0.24	-83.40	–	–
0.41	16.51	0.03	0.24	-85.20	–	–
0.44	16.52	0.03	0.21	-84.20	–	–
0.48	16.54	0.03	0.17	-81.30	–	–
0.51	16.55	0.03	0.12	-65.10	–	–
0.55	16.57	0.03	0.10	-51.10	–	–
0.61	16.59	0.03	0.10	-42.10	–	–
0.67	16.62	0.03	0.09	-36.30	–	–
0.73	16.66	0.03	0.09	-32.50	–	–
0.80	16.71	0.03	0.08	-33.60	–	–
0.88	16.76	0.03	0.08	-31.30	–	–
0.97	16.83	0.03	0.07	-32.40	–	–
1.06	16.90	0.04	0.06	-33.90	–	–
1.16	16.97	0.04	0.06	-37.50	–	–
1.27	17.04	0.04	0.05	-46.80	–	–
1.39	17.12	0.04	0.04	-47.80	–	–
1.52	17.19	0.05	0.02	-45.40	–	–
1.66	17.27	0.05	0.01	-59.40	–	–
1.83	17.34	0.05	0.02	-90.20	–	–
2.06	17.42	0.06	0.06	-107.90	–	–
2.28	17.49	0.06	0.08	-116.10	–	–
2.55	17.57	0.07	0.11	-122.80	–	–
2.86	17.65	0.07	0.14	-129.10	–	–
3.20	17.73	0.08	0.17	-130.20	–	–
3.59	17.81	0.08	0.20	-126.10	–	–
4.03	17.88	0.09	0.23	-115.00	–	–
4.52	17.96	0.09	0.26	-105.50	–	–
5.40	18.00	0.10	0.37	-93.40	0.16	-37.37
6.11	18.08	0.11	0.41	-89.00	0.12	-38.81
6.34	18.15	0.11	0.33	-85.90	0.11	-42.15
6.97	18.19	0.12	0.33	-74.80	0.13	-53.21
7.72	18.26	0.12	0.34	-60.70	0.20	-65.59
8.26	18.39	0.14	0.31	-57.20	0.24	-71.09
8.50	18.47	0.15	0.21	-57.70	0.24	-71.44
9.29	18.57	0.17	0.20	-57.70	0.24	-65.29
10.59	18.66	0.18	0.25	-45.70	0.26	-59.39
11.24	18.80	0.20	0.19	-44.60	0.28	-60.31
11.81	18.86	0.22	0.12	-21.90	0.31	-60.68
12.75	19.06	0.26	0.09	19.40	0.33	-58.79
14.22	19.24	0.31	0.11	-114.50	0.29	-48.09
14.85	19.44	0.37	0.01	-63.50	0.19	-40.57
17.17	19.60	0.43	0.11	-49.50	0.01	-54.67
19.27	20.05	0.64	0.14	-32.50	0.10	-92.91
20.50	20.49	0.97	0.08	-40.80	0.09	-85.50
22.55	–	–	–	–	0.08	-65.96
24.80	–	–	–	–	0.10	-62.33
27.28	–	–	–	–	0.12	-48.40
58.48	–	–	–	–	0.10	1.11
68.77	–	–	–	–	0.10	17.00
80.00	–	–	–	–	0.04	10.00

Table 5: Table 5-71

NGC 5534						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.14	13.57	0.00	0.25	87.90	–	–
0.17	13.58	0.00	0.25	90.10	–	–
0.19	13.60	0.00	0.12	90.20	–	–
0.22	13.62	0.00	0.10	92.50	–	–
0.28	13.65	0.00	0.21	94.20	–	–
0.37	13.70	0.00	0.32	89.60	–	–
0.47	13.75	0.00	0.41	90.90	–	–
0.57	13.81	0.00	0.43	90.40	–	–
0.67	13.90	0.00	0.39	88.90	–	–
0.77	14.01	0.00	0.34	87.60	–	–
0.86	14.15	0.00	0.25	85.70	–	–
0.96	14.30	0.00	0.12	88.20	–	–
1.10	14.46	0.00	0.03	103.80	–	–
1.31	14.66	0.00	0.02	108.20	–	–
1.59	14.95	0.00	0.04	103.50	–	–
1.94	15.32	0.00	0.08	91.90	–	–
2.37	15.71	0.01	0.11	83.40	–	–
2.87	16.02	0.01	0.13	68.10	–	–
3.56	16.28	0.01	0.18	66.70	–	–
4.34	16.55	0.02	0.21	70.20	–	–
5.36	16.84	0.02	0.25	74.60	–	–
6.72	17.14	0.03	0.31	76.20	–	–
8.60	17.44	0.04	0.40	78.70	–	–
11.68	17.71	0.05	0.53	79.40	–	–
14.42	18.05	0.06	0.56	77.00	–	–
16.65	18.52	0.10	0.52	73.30	–	–
18.99	18.99	0.15	0.47	70.20	–	–
23.74	19.38	0.22	0.51	74.70	–	–
30.56	19.74	0.30	0.57	82.30	–	–
33.02	20.46	0.59	0.47	81.30	–	–

Table 5: Table 5-72

NGC 5832						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	16.48	0.02	0.09	43.60	–	–
0.28	16.52	0.03	0.09	40.60	–	–
0.31	16.57	0.03	0.09	39.00	–	–
0.34	16.63	0.03	0.09	38.50	–	–
0.37	16.69	0.03	0.09	39.00	–	–
0.41	16.77	0.03	0.08	40.40	–	–
0.45	16.86	0.03	0.08	41.80	–	–
0.50	16.97	0.04	0.08	45.00	–	–
0.55	17.08	0.04	0.08	44.70	–	–
0.61	17.20	0.05	0.09	43.50	–	–
0.67	17.33	0.05	0.10	42.90	–	–
0.74	17.46	0.06	0.11	47.20	–	–
0.82	17.58	0.07	0.12	51.20	–	–
0.90	17.68	0.07	0.11	56.60	–	–
0.97	17.77	0.08	0.08	58.40	–	–
1.06	17.85	0.09	0.07	58.40	–	–
1.15	17.93	0.09	0.05	55.00	–	–
1.27	18.01	0.10	0.06	53.80	–	–
1.40	18.08	0.11	0.06	53.00	–	–
1.54	18.14	0.11	0.05	52.60	–	–
1.74	18.18	0.12	0.10	20.00	–	–
1.95	18.20	0.12	0.14	-23.00	–	–
2.33	18.23	0.12	0.26	5.30	–	–
2.58	18.26	0.12	0.28	14.30	–	–
2.82	18.27	0.13	0.27	57.90	–	–
3.07	18.31	0.13	0.25	69.40	–	–
3.24	18.34	0.13	0.19	69.80	–	–
3.29	18.35	0.14	0.04	44.60	–	–
4.21	18.36	0.14	0.30	24.90	–	–
4.70	18.37	0.14	0.32	18.30	–	–
4.57	18.41	0.14	0.13	-16.50	–	–
4.89	18.42	0.14	0.07	-3.30	–	–
5.99	18.43	0.15	0.25	50.20	–	–
6.79	18.48	0.15	0.30	48.00	–	–
7.31	18.53	0.16	0.27	37.80	–	–
8.11	18.60	0.17	0.28	37.20	–	–
8.53	18.65	0.18	0.21	35.50	–	–
9.86	18.70	0.19	0.29	25.40	–	–
10.78	18.80	0.20	0.28	18.80	–	–
11.17	18.87	0.22	0.19	18.60	–	–
12.02	19.00	0.25	0.15	17.10	–	–
13.61	19.06	0.26	0.20	2.80	–	–
15.19	19.23	0.30	0.22	2.80	–	–
15.77	19.40	0.36	0.12	7.60	–	–
20.87	19.43	0.37	0.40	-5.70	–	–
21.89	19.66	0.45	0.34	-5.50	–	–
23.16	19.90	0.56	0.28	-3.70	–	–
25.48	20.11	0.69	–	–	–	–
33.91	–	–	–	–	0.30	-4.11
60.08	–	–	–	–	0.19	19.67
62.46	–	–	–	–	0.24	23.40
81.19	–	–	–	–	0.36	36.00
100.59	–	–	–	–	0.40	43.00
124.91	–	–	–	–	0.44	43.70

A subarcsecond resolution near-infrared study of Seyfert and 'normal' galaxies: I. Imaging data - Tables 10

arXiv:astro-ph/9905076v1 6 May 1999

Table 5: Table 5-73

NGC 5869						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.27	15.06	0.01	0.18	-86.50	–	–
0.32	15.10	0.01	0.17	-87.20	–	–
0.38	15.16	0.01	0.15	-85.40	–	–
0.46	15.24	0.01	0.15	-82.40	–	–
0.55	15.35	0.01	0.15	-77.50	–	–
0.67	15.51	0.01	0.18	-73.90	–	–
0.82	15.71	0.01	0.21	-73.50	–	–
0.99	15.98	0.01	0.22	-73.30	–	–
1.18	16.29	0.02	0.20	-73.00	–	–
1.41	16.62	0.03	0.20	-72.40	–	–
1.68	16.93	0.04	0.18	-72.80	–	–
1.97	17.22	0.05	0.15	-69.40	–	–
2.33	17.49	0.06	0.12	-63.00	–	–
2.74	17.72	0.08	0.08	-41.20	–	–
3.33	17.91	0.09	0.11	-12.40	–	–
4.12	18.11	0.11	0.16	-5.60	–	–
4.90	18.35	0.14	0.15	6.30	–	–
5.96	18.59	0.17	0.17	24.40	–	–
6.54	18.62	0.17	0.00	24.90	–	–
8.72	18.68	0.18	0.19	-5.90	–	–
10.56	18.98	0.24	0.21	-36.50	–	–
11.77	19.53	0.40	0.08	-7.00	–	–
14.71	20.20	0.74	0.15	64.70	–	–
49.37	–	–	–	–	0.32	-64.19
59.24	–	–	–	–	0.35	-65.16
67.75	–	–	–	–	0.36	-65.00
81.07	–	–	–	–	0.35	-62.50
98.24	–	–	–	–	0.37	-60.90

Table 5: Table 5-74

UGC 9965						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.25	16.83	0.03	0.05	46.80	–	–
0.30	16.85	0.03	0.05	47.10	–	–
0.36	16.87	0.03	0.05	48.70	–	–
0.44	16.90	0.03	0.06	50.00	–	–
0.52	16.94	0.03	0.04	52.80	–	–
0.62	16.99	0.03	0.04	60.10	–	–
0.75	17.07	0.04	0.04	40.00	–	–
0.91	17.16	0.04	0.07	30.30	–	–
1.11	17.26	0.04	0.10	26.10	–	–
1.36	17.38	0.05	0.13	24.10	–	–
1.67	17.49	0.05	0.18	21.10	–	–
2.07	17.61	0.06	0.23	19.00	–	–
2.53	17.73	0.07	0.26	14.20	–	–
3.65	17.79	0.07	0.48	5.90	–	–
4.34	17.91	0.08	0.47	4.80	–	–
4.75	18.01	0.09	0.37	6.20	–	–
5.22	18.14	0.10	0.25	8.50	–	–
5.77	18.23	0.11	0.11	83.50	–	–
7.46	18.30	0.11	0.23	91.30	–	–
8.28	18.45	0.13	0.11	76.40	–	–
10.18	18.62	0.15	0.15	68.80	–	–
11.48	18.81	0.18	0.04	-21.90	0.09	94.13
14.26	19.03	0.22	0.10	78.80	0.20	80.08
17.04	19.26	0.28	0.09	-31.60	0.18	81.41
19.73	19.59	0.37	0.03	-1.30	0.14	62.14
23.58	19.86	0.48	0.02	120.00	0.13	119.36
28.30	20.58	0.93	–	–	0.20	4.58
33.95	–	–	–	–	0.09	-5.87
40.74	–	–	–	–	0.03	79.24
48.89	–	–	–	–	0.07	-13.50
58.67	–	–	–	–	0.10	10.62
66.36	–	–	–	–	0.04	48.00
80.23	–	–	–	–	0.05	8.00

Table 5: Table 5-75

NGC 5992						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.30	14.94	0.00	0.34	12.50	–	–
0.36	14.97	0.00	0.34	15.70	–	–
0.43	15.01	0.01	0.33	16.70	–	–
0.52	15.08	0.01	0.34	18.30	–	–
0.63	15.17	0.01	0.35	19.00	–	–
0.82	15.25	0.01	0.44	21.50	–	–
1.03	15.38	0.01	0.50	22.10	–	–
1.28	15.54	0.01	0.53	22.00	–	–
1.60	15.73	0.01	0.56	21.70	–	–
2.00	15.92	0.01	0.60	22.50	–	–
2.36	16.18	0.02	0.59	22.30	–	–
2.75	16.47	0.02	0.56	22.10	–	–
3.23	16.73	0.03	0.54	23.50	–	–
3.86	16.94	0.03	0.54	26.80	–	–
4.45	17.16	0.04	0.50	30.90	–	–
4.70	17.31	0.05	0.35	35.00	–	–
5.40	17.65	0.06	0.29	28.80	–	–
7.01	17.99	0.09	0.40	33.60	–	–
8.43	18.48	0.13	0.40	28.70	–	–
10.52	18.99	0.22	0.45	19.80	–	–
13.73	19.36	0.30	0.53	10.30	0.45	26.98
16.95	20.14	0.62	0.56	2.90	0.49	13.50
19.92	–	–	0.54	-5.10	0.48	7.14
18.55	–	–	0.23	26.90	0.48	8.78
27.37	–	–	0.49	-4.30	0.26	-23.82

Table 5: Table 5-76

NGC 6085						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	13.44	0.00	0.12	13.00	–	–
0.31	13.51	0.00	0.12	10.30	–	–
0.38	13.61	0.00	0.13	7.90	–	–
0.45	13.73	0.00	0.12	6.50	–	–
0.54	13.88	0.00	0.11	7.40	–	–
0.64	14.04	0.00	0.10	6.20	–	–
0.76	14.21	0.00	0.08	6.20	–	–
0.90	14.39	0.00	0.06	-6.40	–	–
1.09	14.56	0.00	0.06	-33.20	–	–
1.31	14.76	0.00	0.07	-45.40	–	–
1.58	14.97	0.01	0.08	-40.70	–	–
1.92	15.21	0.01	0.10	-37.40	–	–
2.29	15.45	0.01	0.09	-38.90	–	–
2.75	15.71	0.01	0.09	-23.90	–	–
3.35	15.95	0.01	0.12	-29.10	–	–
4.09	16.25	0.02	0.15	-40.80	–	–
4.93	16.61	0.03	0.16	-41.40	–	–
6.01	16.96	0.04	0.18	-48.40	–	–
6.99	17.31	0.05	0.13	-48.00	–	–
8.60	17.73	0.08	0.17	-41.10	–	–
10.36	18.18	0.12	0.18	-48.90	–	–
11.91	18.63	0.17	0.10	-52.50	0.17	-33.13
14.65	19.02	0.25	0.15	-26.10	0.13	-48.76
18.45	19.58	0.42	0.23	-27.70	0.08	-24.72
22.63	20.11	0.69	0.26	-39.30	0.17	-11.03
26.23	–	–	0.21	-32.10	0.24	-11.82
31.48	–	–	–	–	0.29	-40.05
37.42	–	–	–	–	0.29	-37.80
41.45	–	–	–	–	0.17	97.50
48.73	–	–	–	–	0.14	-3.60
59.47	–	–	–	–	0.17	-6.70
71.70	–	–	–	–	0.17	1.80
81.55	–	–	–	–	0.08	-71.50

Table 5: Table 5-77

NGC 6278						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.26	12.28	0.00	0.14	-146.00	–	–
0.31	12.33	0.00	0.13	-146.10	–	–
0.38	12.40	0.00	0.11	-145.20	–	–
0.45	12.50	0.00	0.10	-142.60	–	–
0.53	12.63	0.00	0.08	-135.80	–	–
0.63	12.79	0.00	0.08	-133.70	–	–
0.76	12.98	0.00	0.06	-126.20	–	–
0.90	13.19	0.00	0.06	-112.70	–	–
1.09	13.42	0.00	0.06	-96.90	–	–
1.31	13.67	0.00	0.08	-85.20	–	–
1.59	13.93	0.00	0.09	-75.90	–	–
1.94	14.21	0.00	0.12	-68.60	–	–
2.37	14.49	0.00	0.15	-63.60	–	–
2.90	14.79	0.00	0.18	-61.00	–	–
3.53	15.10	0.01	0.21	-61.10	–	–
4.30	15.42	0.01	0.23	-61.10	–	–
5.26	15.75	0.01	0.26	-60.80	–	–
6.47	16.11	0.02	0.29	-60.00	–	–
8.06	16.44	0.02	0.34	-61.00	–	–
10.49	16.73	0.03	0.44	-63.10	–	–
13.21	17.06	0.04	0.50	-63.70	–	–
15.41	17.50	0.06	0.47	-62.90	–	–
18.24	17.84	0.09	0.45	-59.00	–	–
21.44	18.06	0.10	0.43	-56.00	–	–
26.85	18.27	0.12	0.47	-53.30	–	–
32.65	18.60	0.17	0.49	-52.00	–	–
39.26	19.14	0.28	0.49	-53.80	0.35	-74.53
48.66	19.78	0.50	0.52	-56.20	0.50	-55.72
63.68	20.30	0.81	–	–	0.49	-52.76
71.04	–	–	–	–	0.47	-53.71
74.03	–	–	–	–	0.46	-54.00
88.57	–	–	–	–	0.46	-54.00
97.41	–	–	–	–	0.35	-54.40
107.36	–	–	–	–	0.24	-50.50
150.78	–	–	–	–	0.44	-1.60
152.92	–	–	–	–	0.22	-32.30

Table 5: Table 5-78

NGC 6504						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.34	13.36	0.00	0.27	89.70	–	–
0.38	13.42	0.00	0.27	89.70	–	–
0.41	13.49	0.00	0.28	89.70	–	–
0.46	13.56	0.00	0.29	89.70	–	–
0.51	13.65	0.00	0.30	89.90	–	–
0.57	13.75	0.00	0.31	89.90	–	–
0.63	13.86	0.00	0.32	90.00	–	–
0.70	13.97	0.00	0.34	90.40	–	–
0.77	14.09	0.00	0.35	90.80	–	–
0.86	14.22	0.00	0.37	91.10	–	–
0.97	14.34	0.00	0.39	90.90	–	–
1.08	14.45	0.00	0.41	90.80	–	–
1.21	14.57	0.00	0.43	91.00	–	–
1.35	14.69	0.00	0.45	91.10	–	–
1.50	14.82	0.00	0.46	91.20	–	–
1.64	14.95	0.00	0.45	91.40	–	–
1.78	15.08	0.00	0.44	91.30	–	–
1.93	15.22	0.00	0.42	90.80	–	–
2.10	15.36	0.00	0.41	90.80	–	–
2.29	15.49	0.00	0.40	91.30	–	–
2.51	15.62	0.00	0.39	91.70	–	–
2.77	15.76	0.00	0.39	91.90	–	–
3.07	15.89	0.00	0.41	92.10	–	–
3.42	16.03	0.00	0.42	92.30	–	–
3.83	16.17	0.00	0.44	92.60	–	–
4.28	16.32	0.00	0.46	92.70	–	–
4.78	16.48	0.00	0.47	92.90	–	–
5.35	16.66	0.00	0.49	92.30	–	–
6.02	16.84	0.00	0.51	92.20	–	–
6.84	17.03	0.00	0.54	92.20	–	–
7.95	17.22	0.00	0.59	92.10	–	–
9.33	17.39	0.00	0.64	92.50	–	–
11.74	17.50	0.00	0.73	92.30	–	–
13.71	17.65	0.00	0.76	93.00	–	–
17.18	17.83	0.00	0.81	92.40	–	–
19.82	18.02	0.00	0.83	92.70	–	–
23.75	18.18	0.00	0.86	92.90	–	–
25.72	18.50	0.01	0.85	92.80	–	–
27.42	18.84	0.01	0.84	92.80	–	–
29.35	19.21	0.01	0.83	92.90	–	–
33.54	19.48	0.02	0.85	93.10	–	–
38.06	19.73	0.02	0.86	92.90	–	–
40.45	20.23	0.03	–	–	–	–
44.50	20.66	0.05	–	–	0.83	93.72
48.94	21.11	0.08	–	–	0.84	94.19
53.84	21.61	0.12	–	–	0.85	93.88
59.06	–	–	–	–	0.86	93.30
69.40	–	–	–	–	0.86	93.00
77.10	–	–	–	–	0.83	93.70
87.37	–	–	–	–	0.81	93.40
103.06	–	–	–	–	0.81	93.90
126.42	–	–	–	–	0.81	95.60
228.47	–	–	–	–	0.88	94.10

Table 5: Table 5-79

NGC 6635						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.27	12.84	0.00	0.17	-42.90	–	–
0.29	12.85	0.00	0.12	-39.90	–	–
0.31	12.88	0.00	0.06	-31.60	–	–
0.33	12.91	0.00	0.04	-17.00	–	–
0.36	12.95	0.00	0.04	5.60	–	–
0.40	13.00	0.00	0.04	16.10	–	–
0.44	13.06	0.00	0.04	21.30	–	–
0.49	13.12	0.00	0.04	27.60	–	–
0.54	13.20	0.00	0.04	31.90	–	–
0.59	13.28	0.00	0.03	39.60	–	–
0.65	13.37	0.00	0.04	47.90	–	–
0.71	13.47	0.00	0.04	55.00	–	–
0.79	13.57	0.00	0.05	62.70	–	–
0.87	13.68	0.00	0.06	66.70	–	–
0.97	13.80	0.00	0.07	69.80	–	–
1.06	13.92	0.00	0.07	70.70	–	–
1.16	14.04	0.00	0.07	71.30	–	–
1.28	14.17	0.00	0.07	70.90	–	–
1.41	14.31	0.00	0.06	71.60	–	–
1.55	14.44	0.00	0.07	69.20	–	–
1.71	14.58	0.00	0.07	64.60	–	–
1.88	14.72	0.00	0.08	60.40	–	–
2.08	14.87	0.00	0.08	56.50	–	–
2.28	15.00	0.01	0.08	53.90	–	–
2.51	15.14	0.01	0.08	51.30	–	–
2.77	15.28	0.01	0.08	48.20	–	–
3.05	15.42	0.01	0.08	47.10	–	–
3.36	15.56	0.01	0.09	45.30	–	–
3.70	15.70	0.01	0.09	42.10	–	–
4.05	15.84	0.01	0.08	39.80	–	–
4.44	15.99	0.01	0.07	36.10	–	–
4.86	16.16	0.02	0.06	31.80	–	–
5.35	16.32	0.02	0.07	29.20	–	–
5.89	16.50	0.03	0.07	25.50	–	–
6.52	16.67	0.03	0.08	23.70	–	–
7.26	16.83	0.03	0.10	25.30	–	–
8.10	16.98	0.04	0.12	24.10	–	–
8.98	17.13	0.04	0.14	25.20	–	–
9.81	17.30	0.05	0.13	23.50	–	–
10.91	17.47	0.06	0.15	23.80	–	–
12.12	17.62	0.07	0.16	23.80	–	–
13.37	17.76	0.08	0.17	23.80	–	–
14.53	17.92	0.09	0.15	23.60	–	–
15.54	18.13	0.11	0.10	19.30	–	–
17.16	18.35	0.14	0.10	16.30	0.19	20.75
19.33	18.58	0.17	0.15	16.20	0.22	20.16
21.36	18.83	0.21	0.15	11.30	0.18	30.54
23.10	19.15	0.28	0.12	20.00	0.13	36.98
24.59	19.55	0.41	0.07	15.50	0.12	31.78
27.25	20.23	0.76	0.08	22.10	0.14	13.92
29.16	–	–	–	–	0.16	6.15
35.38	–	–	–	–	0.19	18.61
41.06	–	–	–	–	0.12	36.60
60.08	–	–	–	–	0.14	19.05
70.35	–	–	–	–	0.14	18.70
84.43	–	–	–	–	0.14	18.70

Table 5: Table 5-80

NGC 6922						
Radius(")	μ_H	$\pm$	ϵ	ϕ	ϵ(POSS)	ϕ(POSS)
0.28	14.75	0.00	0.23	103.40	–	–
0.33	14.82	0.00	0.21	91.00	–	–
0.41	14.91	0.01	0.25	78.30	–	–
0.51	15.03	0.01	0.32	73.30	–	–
0.63	15.19	0.01	0.36	73.10	–	–
0.76	15.42	0.01	0.37	72.80	–	–
0.94	15.67	0.01	0.39	73.20	–	–
1.13	15.93	0.01	0.40	74.10	–	–
1.36	16.20	0.02	0.40	74.20	–	–
1.64	16.45	0.02	0.41	73.80	–	–
1.98	16.68	0.03	0.41	74.80	–	–
2.36	16.89	0.04	0.41	74.10	–	–
2.77	17.09	0.04	0.38	73.30	–	–
3.15	17.29	0.05	0.31	71.50	–	–
3.58	17.49	0.06	0.23	64.60	–	–
4.08	17.69	0.07	0.14	46.90	–	–
4.80	17.78	0.08	0.11	179.30	–	–
6.17	17.96	0.09	0.22	143.10	–	–
7.74	18.16	0.11	0.29	121.70	–	–
9.39	18.41	0.14	0.31	106.20	–	–
9.45	18.54	0.16	0.01	142.90	–	–
12.11	18.94	0.23	0.13	38.50	–	–
13.80	19.57	0.41	0.04	12.40	–	–
19.68	19.93	0.58	0.32	100.10	–	–